

### 7017X21 Information

Heisener.com

7017X21 Part Number

Manufacturer Visual Communications Company - VCC

Category Optoelectronics

LED Indication - Discrete

**Description** LED RED DIFFUSED 0603 SMD

Package 0603 (1608 Metric)

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

### **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









7017V21	Specifica	tions
7017X21	Specifica	tions

Manufacturer Part Number7017X21ManufacturerVisual Communications Company - VCCCategoryOptoelectronicsLED Indication - DiscretePackage0603 (1608 Metric)Series7017XColorRedConfiguration-Lens ColorWhiteLens TransparencyDiffusedMillicandela Rating50mcdLens Style/SizeRectangle with Flat Top, 1.09mm x 0.79mmVoltage - Forward (Vf) (Typ)1.9VCurrent - Test20mAViewing Angle70°Mounting TypeSurface MountWavelength - Dominant-Wavelength - Peak630nm
Category  Category  Doptoelectronics  LED Indication - Discrete  Package  0603 (1608 Metric)  Series  7017X  Color  Red  Configuration  - Lens Color  White  Lens Transparency  Diffused  Millicandela Rating  Lens Style/Size  Rectangle with Flat Top, 1.09mm x 0.79mm  Voltage - Forward (Vf) (Typ)  1.9V  Current - Test  20mA  Viewing Angle  Mounting Type  Surface Mount  Wavelength - Dominant  -  Wavelength - Peak  630nm
PackageDiscretePackage0603 (1608 Metric)Series7017XColorRedConfiguration-Lens ColorWhiteLens TransparencyDiffusedMillicandela Rating50mcdLens Style/SizeRectangle with Flat Top, 1.09mm x 0.79mmVoltage - Forward (Vf) (Typ)1.9VCurrent - Test20mAViewing Angle70°Mounting TypeSurface MountWavelength - Dominant-Wavelength - Peak630nm
Package0603 (1608 Metric)Series7017XColorRedConfiguration-Lens ColorWhiteLens TransparencyDiffusedMillicandela Rating50mcdLens Style/SizeRectangle with Flat Top, 1.09mm x 0.79mmVoltage - Forward (Vf) (Typ)1.9VCurrent - Test20mAViewing Angle70°Mounting TypeSurface MountWavelength - Dominant-Wavelength - Peak630nm
Series 7017X Color Red Configuration - Lens Color White Lens Transparency Diffused Millicandela Rating 50mcd Lens Style/Size Rectangle with Flat Top, 1.09mm x 0.79mm Voltage - Forward (Vf) (Typ) 1.9V Current - Test 20mA Viewing Angle 70° Mounting Type Surface Mount Wavelength - Dominant - Wavelength - Peak 630nm
ColorRedConfiguration-Lens ColorWhiteLens TransparencyDiffusedMillicandela Rating50mcdLens Style/SizeRectangle with Flat Top, 1.09mm x 0.79mmVoltage - Forward (Vf) (Typ)1.9VCurrent - Test20mAViewing Angle70°Mounting TypeSurface MountWavelength - Dominant-Wavelength - Peak630nm
Configuration - Lens Color White Lens Transparency Diffused Millicandela Rating 50mcd Lens Style/Size Rectangle with Flat Top, 1.09mm x 0.79mm Voltage - Forward (Vf) (Typ) 1.9V Current - Test 20mA Viewing Angle 70° Mounting Type Surface Mount Wavelength - Dominant - Wavelength - Peak 630nm
Lens ColorWhiteLens TransparencyDiffusedMillicandela Rating50mcdLens Style/SizeRectangle with Flat Top, 1.09mm x 0.79mmVoltage - Forward (Vf) (Typ)1.9VCurrent - Test20mAViewing Angle70°Mounting TypeSurface MountWavelength - Dominant-Wavelength - Peak630nm
Lens TransparencyDiffusedMillicandela Rating50mcdLens Style/SizeRectangle with Flat Top, 1.09mm x 0.79mmVoltage - Forward (Vf) (Typ)1.9VCurrent - Test20mAViewing Angle70°Mounting TypeSurface MountWavelength - Dominant-Wavelength - Peak630nm
Millicandela Rating  Lens Style/Size  Rectangle with Flat Top, 1.09mm x 0.79mm  Voltage - Forward (Vf) (Typ)  1.9V  Current - Test  20mA  Viewing Angle  70°  Mounting Type  Surface Mount  Wavelength - Dominant  -  Wavelength - Peak  630nm
Lens Style/SizeRectangle with Flat Top, 1.09mm x 0.79mmVoltage - Forward (Vf) (Typ)1.9VCurrent - Test20mAViewing Angle70°Mounting TypeSurface MountWavelength - Dominant-Wavelength - Peak630nm
Voltage - Forward (Vf) (Typ)1.9VCurrent - Test20mAViewing Angle70°Mounting TypeSurface MountWavelength - Dominant-Wavelength - Peak630nm
Current - Test 20mA  Viewing Angle 70°  Mounting Type Surface Mount  Wavelength - Dominant -  Wavelength - Peak 630nm
Viewing Angle70°Mounting TypeSurface MountWavelength - Dominant-Wavelength - Peak630nm
Mounting Type Surface Mount  Wavelength - Dominant -  Wavelength - Peak 630nm
Wavelength - Dominant - Wavelength - Peak 630nm
Wavelength - Peak 630nm
-
Features -
Package / Case 0603 (1608 Metric)
Supplier Device Package 0603 (1608 Metric)
Size / Dimension 1.60mm L x 0.80mm W
Height (Max) 0.71mm
Report errors?

### 7017X21 Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## 7017X21 Payment Methods





















# 7017X21 Shipping Methods













If you have any question about 7017X21, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com