

7101P4D9CKE

7101P4D9CKE Information

Heisener.com	Part Number Manufacturer Category Description Package	7101P4D9CKE C&K Switches Toggle Switches SWITCH TOGGLE SPDT 0.4VA 20V - For the pricing/inventory/lead time, please contact	
For Reference Only		us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



7101P4D9CKE Specifications

Manufacturer Part Number 7101P4D9CKE Manufacturer C&K Category Switches Package - Series 7000 Circuit SPDT Switch Function On-On Current Rating 0.4VA (AC/DC) Voltage Rating - AC 20V Voltage Rating - DC 20V Actuator Length Naminated Illumination Non-Illuminated Illumination Type, Color - Illumination Type, Color - Termination Style PC Pin Panel Cutout Dimensions - Bushing Thread Unthreaded Ingress Protection - Features Epoxy Scaled Terminals		
Switches Toggle Switches Package - Series 000 Circuit SPDT Switch Function On-On Current Rating 0.4VA (AC/DC) Voltage Rating - AC 20V Voltage Rating - DC 20V Actuator Type 20V Illumination Snonlluminated Illumination Type, Color - Illumination Voltage (Nominal) - Illumination Syle PC Pin Termination Syle PC Pin Indend Cutour Linensions - Indend Cutour Linensions - Fareniation Syle PC Pin Fareniation Syle - Fareniation Syle - Subing Thread - Synthese - Statese - Statese -	Manufacturer Part Number	7101P4D9CKE
Toggle SwitchesPackage-Series7000CircuitSPDTSwitch FunctionOn-OnCurrent Rating0.4VA (AC/DC)Voltage Rating - AC20VVoltage Rating - DC20VActuator TypeFlat Anti-RotationActuator Length8.13mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Termination StylePC PinPanel Cutout Dimensions-Bushing ThreadUthreadedIngress Protection-FeaturesEpoxy Sealed Terminals	Manufacturer	C&K
Package-Series700CircuitSPDTSwich FunctionOn-OnCurrent Rating0.4VA (AC/DC)Voltage Rating - AC20VXoltage Rating - DC20VActuator TypeFlat Anti-RotationActuator Length8.13mmIluminationNon-IlluminatedIlumination Voltage (Nominal)-Mouting TypePice MathematicationIndination StylePice MathematicationPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesEgoxy Sealed Terminales	Category	Switches
Series7000CircuitSPDTSwitch FunctionOn-OnCurrent Rating0.4VA (AC/DC)Voltage Rating - AC20VVoltage Rating - DC20VActuator TypeFlat Anti-RotationActuator LengthNon-IlluminatedIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Fermination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesEpoxy Sealed TerminalesFeaturesEpoxy Sealed Terminales		Toggle Switches
CircuitSPDTSwitch FunctionOn-OnCurrent RatingOn-OnCurrent Rating0.4VA (AC/DC)Voltage Rating - AC20VVoltage Rating - DC20VActuator TypeFlat Anti-RotationActuator LengthNon-IlluminatedIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Fermination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesEpoxy Sealed Terminals	Package	-
Switch FunctionOn-OnCurrent Rating0.4VA (AC/DC)Voltage Rating - AC20VVoltage Rating - DC20VActuator TypeFlat Anti-RotationActuator Type8.13mmIluminationNon-IlluminatedIlumination Type, Color-Ilumination Voltage (Nominal)-Mounting TypePinelaParenination Style9C PinPanel Cutour Dimensions-IlumisedUnthreadedInstreaded-FaturesBoxy Sealed TerminalsFeaturesEpoxy Sealed Terminals	Series	7000
Current Rating0.4VA (AC/DC)Voltage Rating - AC20VVoltage Rating - DC20VActuator TypeFlat Anti-RotationActuator Length8.13mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Mounting TypePrineadPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesEpoy Sealed Terminals	Circuit	SPDT
Voltage Rating - AC20VVoltage Rating - DC20VActuator TypeFlat Anti-RotationActuator Length8.13mmIluminationNon-IlluminatedIlumination Type, Color-Ilumination Voltage (Nominal)-Mounting TypeProlog HolePanel Cutour Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesExposed EngrandFeaturesExposed Engrand	Switch Function	On-On
Voltage Rating - DC20VActuator TypeFlat Anti-RotationActuator Length8.13mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Mounting TypeThrough HoleTermination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesEpoxy Sealed Terminals	Current Rating	0.4VA (AC/DC)
Actuator TypeFlat Anti-RotationActuator Length8.13mmIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Mounting TypeThrough HoleTermination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesEpoy Sealed Terminals	Voltage Rating - AC	20V
Actuator Length8.13mmActuator LengthNon-IlluminatedIlluminationNon-IlluminatedIllumination Type, Color-Illumination Voltage (Nominal)-Mounting TypeThrough HoleTermination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesEpoxy Sealed Termination	Voltage Rating - DC	20V
IluminationNon-IlluminatedIllumination Type, Color-Illumination Type, Color-Illumination Voltage (Nominal)-Mounting TypeThrough HoleTermination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesEpoxy Scaled Termination	Actuator Type	Flat Anti-Rotation
Illumination Type, Color-Illumination Voltage (Nominal)-Mounting TypeThrough HoleYermination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesEpoxy Sealed Terminations	Actuator Length	8.13mm
Illumination Voltage (Nominal)-Mounting TypeThrough HoleTermination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesEpoxy Sealed Termination	Illumination	Non-Illuminated
Mounting TypeThrough HoleTermination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesEpoxy Sealed Terminals	Illumination Type, Color	-
Termination StylePC PinPanel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesEpoxy Sealed Terminals	Illumination Voltage (Nominal)	-
Panel Cutout Dimensions-Bushing ThreadUnthreadedIngress Protection-FeaturesEpoxy Sealed Terminals	Mounting Type	Through Hole
Bushing ThreadUnthreadedIngress Protection-FeaturesEpoxy Sealed Terminals	Termination Style	PC Pin
Ingress Protection - Features Epoxy Sealed Terminals	Panel Cutout Dimensions	-
Features Epoxy Sealed Terminals	Bushing Thread	Unthreaded
	Ingress Protection	-
Report errors?	Features	Epoxy Sealed Terminals
		Report errors?

7101P4D9CKE Guarantees



Quality Guarantees


We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

7101P4D9CKE Payment Methods



If you have any question about 7101P4D9CKE, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com