



## 71321LA55JI8 Information

Heisener.com

Part Number 71321LA55JI8

Manufacturer IDT, Integrated Device Technology Inc

Category Integrated Circuits (ICs)

Memory

**Description** IC SRAM 16K PARALLEL 52PLCC

Package 52-LCC (J-Lead)

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

### **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## 71321LA55JI8 Specifications

Manufacturer Part Number71321LA55JI8ManufacturerIDT, Integrated Device Technology IncCategoryIntegrated Circuits (ICs)MemoryMemoryPackage52-LCC (J-Lead)Series-Memory TypeVolatileMemory FormatSRAMTechnologySRAM - Dual Port, AsynchronousMemory Size16Kb (2K x 8)Memory InterfaceParallelClock Frequency-Write Cycle Time - Word, Page55nsAccess Time55nsVoltage - Supply4.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case52-LCC (J-Lead)Supplier Device Package52-PLCC (19.13x19.13)	•	
Category         Integrated Circuits (ICs)           Memory           Package         52-LCC (J-Lead)           Series         -           Memory Type         Volatile           Memory Format         SRAM           Technology         SRAM - Dual Port, Asynchronous           Memory Size         16Kb (2K x 8)           Memory Interface         Parallel           Clock Frequency         -           Write Cycle Time - Word, Page         55ns           Access Time         55ns           Voltage - Supply         4.5 V ~ 5.5 V           Operating Temperature         -40°C ~ 85°C (TA)           Mounting Type         Surface Mount           Package / Case         52-LCC (J-Lead)           Supplier Device Package         52-PLCC (19.13x19.13)	Manufacturer Part Number	71321LA55JI8
Memory           Package         52-LCC (J-Lead)           Series         -           Memory Type         Volatile           Memory Format         SRAM           Technology         SRAM - Dual Port, Asynchronous           Memory Size         16Kb (2K x 8)           Memory Interface         Parallel           Clock Frequency         -           Write Cycle Time - Word, Page         55ns           Access Time         55ns           Voltage - Supply         4.5 V ~ 5.5 V           Operating Temperature         -40°C ~ 85°C (TA)           Mounting Type         Surface Mount           Package / Case         52-LCC (J-Lead)           Supplier Device Package         52-PLCC (19.13x19.13)	Manufacturer	IDT, Integrated Device Technology Inc
Package 52-LCC (J-Lead)  Series -  Memory Type Volatile  Memory Format SRAM  Technology SRAM - Dual Port, Asynchronous  Memory Size 16Kb (2K x 8)  Memory Interface Parallel  Clock Frequency -  Write Cycle Time - Word, Page 55ns  Access Time 55ns  Voltage - Supply 4.5 V ~ 5.5 V  Operating Temperature -40°C ~ 85°C (TA)  Mounting Type Surface Mount  Package / Case 52-LCC (J-Lead)  Supplier Device Package 52-PLCC (19.13x19.13)	Category	Integrated Circuits (ICs)
Series-Memory TypeVolatileMemory FormatSRAMTechnologySRAM - Dual Port, AsynchronousMemory Size16Kb (2K x 8)Memory InterfaceParallelClock Frequency-Write Cycle Time - Word, Page55nsAccess Time55nsVoltage - Supply4.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case52-LCC (J-Lead)Supplier Device Package52-PLCC (19.13x19.13)		Memory
Memory TypeVolatileMemory FormatSRAMTechnologySRAM - Dual Port, AsynchronousMemory Size16Kb (2K x 8)Memory InterfaceParallelClock Frequency-Write Cycle Time - Word, Page55nsAccess Time55nsVoltage - Supply4.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case52-LCC (J-Lead)Supplier Device Package52-PLCC (19.13x19.13)	Package	52-LCC (J-Lead)
Memory FormatSRAMTechnologySRAM - Dual Port, AsynchronousMemory Size16Kb (2K x 8)Memory InterfaceParallelClock Frequency-Write Cycle Time - Word, Page55nsAccess Time55nsVoltage - Supply4.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case52-LCC (J-Lead)Supplier Device Package52-PLCC (19.13x19.13)	Series	-
Technology  SRAM - Dual Port, Asynchronous  Memory Size  16Kb (2K x 8)  Memory Interface  Parallel  Clock Frequency  Write Cycle Time - Word, Page  55ns  Access Time  55ns  Voltage - Supply  Operating Temperature  4.5 V ~ 5.5 V  Mounting Type  Surface Mount  Package / Case  Supplier Device Package  52-PLCC (19.13x19.13)	Memory Type	Volatile
Memory Size16Kb (2K x 8)Memory InterfaceParallelClock Frequency-Write Cycle Time - Word, Page55nsAccess Time55nsVoltage - Supply4.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case52-LCC (J-Lead)Supplier Device Package52-PLCC (19.13x19.13)	Memory Format	SRAM
Memory InterfaceParallelClock Frequency-Write Cycle Time - Word, Page55nsAccess Time55nsVoltage - Supply4.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case52-LCC (J-Lead)Supplier Device Package52-PLCC (19.13x19.13)	Technology	SRAM - Dual Port, Asynchronous
Clock Frequency  Write Cycle Time - Word, Page  55ns  Access Time  55ns  Voltage - Supply  4.5 V ~ 5.5 V  Operating Temperature  -40°C ~ 85°C (TA)  Mounting Type  Surface Mount  Package / Case  52-LCC (J-Lead)  Supplier Device Package	Memory Size	16Kb (2K x 8)
Write Cycle Time - Word, Page 55ns  Access Time 55ns  Voltage - Supply 4.5 V ~ 5.5 V  Operating Temperature -40°C ~ 85°C (TA)  Mounting Type Surface Mount  Package / Case 52-LCC (J-Lead)  Supplier Device Package 52-PLCC (19.13x19.13)	Memory Interface	Parallel
Access Time $55 \text{ns}$ Voltage - Supply $4.5 \text{ V} \sim 5.5 \text{ V}$ Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ (TA)Mounting TypeSurface MountPackage / Case $52\text{-LCC}$ (J-Lead)Supplier Device Package $52\text{-PLCC}$ (19.13x19.13)	Clock Frequency	-
Voltage - Supply $4.5 \text{ V} \sim 5.5 \text{ V}$ Operating Temperature $-40^{\circ}\text{C} \sim 85^{\circ}\text{C}$ (TA)  Mounting Type Surface Mount  Package / Case $52\text{-LCC}$ (J-Lead)  Supplier Device Package $52\text{-PLCC}$ (19.13x19.13)	Write Cycle Time - Word, Page	55ns
Operating Temperature  -40°C ~ 85°C (TA)  Mounting Type  Surface Mount  Package / Case  52-LCC (J-Lead)  Supplier Device Package  52-PLCC (19.13x19.13)	Access Time	55ns
Mounting Type Surface Mount Package / Case 52-LCC (J-Lead) Supplier Device Package 52-PLCC (19.13x19.13)	Voltage - Supply	4.5 V ~ 5.5 V
Package / Case 52-LCC (J-Lead) Supplier Device Package 52-PLCC (19.13x19.13)	Operating Temperature	-40°C ~ 85°C (TA)
Supplier Device Package 52-PLCC (19.13x19.13)	Mounting Type	Surface Mount
**	Package / Case	52-LCC (J-Lead)
Report errors?	Supplier Device Package	52-PLCC (19.13x19.13)
		Report errors?

#### 71321LA55JI8 Guarantees



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# 71321LA55JI8 Payment Methods





















### 71321LA55JI8 Shipping Methods













If you have any question about 71321LA55JI8, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com