

Heisener.com

724A Information

Part Number 724A

Manufacturer Hammond Manufacturing

Category Transformers

Power Transformers

Description XFRMR LAMINATED 345VA CHAS MOUNT

Package

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









724A Specifications

Manufacturer Part Number 724A Manufacturer Hammond Manufacturing Category Transformers Package - Series 700 Type Laminated Core Voltage - Primary 117V, 234V Voltage - Secondary (Full Load) 1500V Current - Output (Max) 226mA Primary Winding(s) Single Secondary Winding(s) Single Center Tap Yes Power - Max 345 VA Mounting Type Chassis Mount Termination Style Wire Leads Size / Dimension 133.35mm L x 95.25mm W Height - Seated (Max) 114.30mm Voltage - Isolation - Weight 12 lbs (5.4kg)	-	
Category Transformers Power Transformers Package - Series 700 Type Laminated Core Voltage - Primary 117V, 234V Voltage - Secondary (Full Load) 1500V Current - Output (Max) 226mA Primary Winding(s) Single Secondary Winding(s) Single Center Tap Yes Power - Max 345 VA Mounting Type Chassis Mount Termination Style Wire Leads Size / Dimension 133.35mm L x 95.25mm W Height - Seated (Max) 114.30mm Voltage - Isolation -	Manufacturer Part Number	724A
Package - Too Type Laminated Core Voltage - Primary 117V, 234V Voltage - Secondary (Full Load) 1500V Current - Output (Max) 226mA Primary Winding(s) Single Secondary Winding(s) Single Center Tap Yes Power - Max 345 VA Mounting Type Chassis Mount Termination Style Wire Leads Size / Dimension 133.35mm L x 95.25mm W Height - Seated (Max) 114.30mm Voltage - Isolation	Manufacturer	Hammond Manufacturing
Package - Series 700 Type Laminated Core Voltage - Primary 117V, 234V Voltage - Secondary (Full Load) 1500V Current - Output (Max) 226mA Primary Winding(s) Single Secondary Winding(s) Single Center Tap Yes Power - Max 345 VA Mounting Type Chassis Mount Termination Style Wire Leads Size / Dimension 133.35mm L x 95.25mm W Height - Seated (Max) 114.30mm Voltage - Isolation	Category	Transformers
Series 700 Type Laminated Core Voltage - Primary 117V, 234V Voltage - Secondary (Full Load) 1500V Current - Output (Max) 226mA Primary Winding(s) Single Secondary Winding(s) Single Center Tap Yes Power - Max 345 VA Mounting Type Chassis Mount Termination Style Wire Leads Size / Dimension 133.35mm L x 95.25mm W Height - Seated (Max) 114.30mm Voltage - Isolation -		Power Transformers
Type Laminated Core Voltage - Primary 117V, 234V Voltage - Secondary (Full Load) 1500V Current - Output (Max) 226mA Primary Winding(s) Single Secondary Winding(s) Single Center Tap Yes Power - Max 345 VA Mounting Type Chassis Mount Termination Style Wire Leads Size / Dimension 133.35mm L x 95.25mm W Height - Seated (Max) 114.30mm Voltage - Isolation -	Package	-
Voltage - Primary Voltage - Secondary (Full Load) Current - Output (Max) Primary Winding(s) Secondary Winding(s) Secondary Winding(s) Center Tap Yes Power - Max Mounting Type Chassis Mount Termination Style Size / Dimension 133.35mm L x 95.25mm W Height - Seated (Max) Voltage - Isolation 1117V, 234V 1500V 126mA 1500V Single Single Yes Chassis Mount 134 VA Wire Leads 134 VA 114.30mm Voltage - Isolation -	Series	700
Voltage - Secondary (Full Load) Current - Output (Max) Primary Winding(s) Secondary Winding(s) Secondary Winding(s) Center Tap Yes Power - Max Mounting Type Chassis Mount Termination Style Size / Dimension 133.35mm L x 95.25mm W Height - Seated (Max) Voltage - Isolation 1500V 226mA 1500V 1500V 1600 1600 1700	Туре	Laminated Core
Current - Output (Max) Primary Winding(s) Single Secondary Winding(s) Center Tap Yes Power - Max Mounting Type Chassis Mount Termination Style Size / Dimension Height - Seated (Max) Voltage - Isolation 226mA Single Single Chassis Mount Wire Leads 133.35mm L x 95.25mm W 114.30mm	Voltage - Primary	117V, 234V
Primary Winding(s) Secondary Winding(s) Single Center Tap Yes Power - Max 345 VA Mounting Type Chassis Mount Termination Style Size / Dimension Height - Seated (Max) Voltage - Isolation Single Yes Yes Yes Yes Yes 1345 VA Wire Leads 133.35mm L x 95.25mm W 114.30mm -	Voltage - Secondary (Full Load)	1500V
Secondary Winding(s) Center Tap Yes Power - Max 345 VA Mounting Type Chassis Mount Termination Style Wire Leads Size / Dimension 133.35mm L x 95.25mm W Height - Seated (Max) Voltage - Isolation Single Yes 1345 VA 1345 VA 1345 VA 1345 VA 1345 VA 1346 VA 1347 VA 1348 VA	Current - Output (Max)	226mA
Center TapYesPower - Max345 VAMounting TypeChassis MountTermination StyleWire LeadsSize / Dimension133.35mm L x 95.25mm WHeight - Seated (Max)114.30mmVoltage - Isolation-	Primary Winding(s)	Single
Power - Max Mounting Type Chassis Mount Termination Style Wire Leads Size / Dimension 133.35mm L x 95.25mm W Height - Seated (Max) Voltage - Isolation 345 VA Wire Leads 114.30mm -	Secondary Winding(s)	Single
Mounting Type Chassis Mount Termination Style Wire Leads Size / Dimension 133.35mm L x 95.25mm W Height - Seated (Max) 114.30mm Voltage - Isolation -	Center Tap	Yes
Termination Style Wire Leads Size / Dimension 133.35mm L x 95.25mm W Height - Seated (Max) 114.30mm Voltage - Isolation -	Power - Max	345 VA
Size / Dimension133.35mm L x 95.25mm WHeight - Seated (Max)114.30mmVoltage - Isolation-	Mounting Type	Chassis Mount
Height - Seated (Max) Voltage - Isolation 114.30mm -	Termination Style	Wire Leads
Voltage - Isolation -	Size / Dimension	133.35mm L x 95.25mm W
	Height - Seated (Max)	114.30mm
Weight 12 lbs (5.4kg)	Voltage - Isolation	-
	Weight	12 lbs (5.4kg)
Report errors?		Report errors?

724A Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

724A Payment Methods


































If you have any question about 724A, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com