

## 741C083680J Information

Part Number 741C083680J

Manufacturer CTS Resistor Products

**Category** Resistors

Resistor Networks, Arrays

**Description**RES ARRAY 4 RES 68 OHM 0804**Package**0804, Concave, Long Side Terminals

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# 741C083680J Specifications

Manufacturer Part Number         741C083680J           Manufacturer         CTS Resistor Products           Category         Resistors           Resistor Networks, Arrays           Package         0804, Concave, Long Side Terminals           Series         741           Circuit Type         Isolated           Resistance (Ohms)         68           Tolerance         ±5%           Number of Resistors         4           Number of Pins         8           Power Per Element         62.5mW           Temperature Coefficient         ±200ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -
Category         Resistors           Resistor Networks, Arrays           Package         0804, Concave, Long Side Terminals           Series         741           Circuit Type         Isolated           Resistance (Ohms)         68           Tolerance         ±5%           Number of Resistors         4           Number of Pins         8           Power Per Element         62.5mW           Temperature Coefficient         ±200ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -
Resistor Networks, Arrays           Package         0804, Concave, Long Side Terminals           Series         741           Circuit Type         Isolated           Resistance (Ohms)         68           Tolerance         ±5%           Number of Resistors         4           Number of Pins         8           Power Per Element         62.5mW           Temperature Coefficient         ±200ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -
Package         0804, Concave, Long Side Terminals           Series         741           Circuit Type         Isolated           Resistance (Ohms)         68           Tolerance         ±5%           Number of Resistors         4           Number of Pins         8           Power Per Element         62.5mW           Temperature Coefficient         ±200ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -
Series         741           Circuit Type         Isolated           Resistance (Ohms)         68           Tolerance         ±5%           Number of Resistors         4           Number of Pins         8           Power Per Element         62.5mW           Temperature Coefficient         ±200ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -
Circuit Type Isolated  Resistance (Ohms) 68  Tolerance ±5%  Number of Resistors 4  Number of Pins 8  Power Per Element 62.5mW  Temperature Coefficient ±200ppm/°C  Operating Temperature -55°C ~ 125°C  Applications -
Resistance (Ohms) $68$ Tolerance $\pm 5\%$ Number of Resistors $4$ Number of Pins $8$ Power Per Element $62.5 \text{mW}$ Temperature Coefficient $\pm 200 \text{ppm/°C}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications $-$
Tolerance $\pm 5\%$ Number of Resistors 4 Number of Pins 8 Power Per Element 62.5mW Temperature Coefficient $\pm 200 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications $-$
Number of Resistors4Number of Pins8Power Per Element $62.5 \text{mW}$ Temperature Coefficient $\pm 200 \text{ppm/°C}$ Operating Temperature $-55 ^{\circ}\text{C} \sim 125 ^{\circ}\text{C}$ Applications-
Number of Pins8Power Per Element $62.5 \text{mW}$ Temperature Coefficient $\pm 200 \text{ppm/°C}$ Operating Temperature $-55 ^{\circ}\text{C} \sim 125 ^{\circ}\text{C}$ Applications-
Power Per Element 62.5mW  Temperature Coefficient $\pm 200 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications -
Temperature Coefficient $\pm 200 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications $-$
Operating Temperature -55°C ~ 125°C Applications -
Applications -
Mounting Type Surface Mount
Package / Case 0804, Concave, Long Side Terminals
Supplier Device Package 0402
Size / Dimension 0.079" L x 0.039" W (2.00mm x 1.00mm)
Height - Seated (Max) 0.020" (0.50mm)
Report errors?

### 741C083680J Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## 741C083680J Payment Methods



















## 741C083680J Shipping Methods













If you have any question about 741C083680J, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com