



744C043105JTR Information



For Reference Only

Part Number 744C043105JTR

Manufacturer CTS Resistor Products

Category Resistors

Resistor Networks, Arrays

Description RES ARRAY 2 RES 1M OHM 1210

Package 1210 (3225 Metric), Concave, Long Side Terminals

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









744C043105JTR Specifications

Manufacturer Part Number 744C043105JTR Manufacturer CTS Resistor Products Category Resistors Package 1210 (3225 Metric), Concave, Long Side Terminals Series 744 Circuit Type Isolated Resistance (Ohms) 1 M Tolerance ±5% Number of Resistors 2 Number of Pins 4 Power Per Element 125mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 1210 (3225 Metric), Concave, Long Side Terminals Supplier Device Package 1206 Size / Dimension 0.126" L x 0.100" W (3.20mm x 2.54mm) Height - Seated (Max) 0.028" (0.70mm)		
Category Resistor Networks, Arrays Package 1210 (3225 Metric), Concave, Long Side Terminals Series 744 Circuit Type Isolated Resistance (Ohms) 1M Tolerance ±5% Number of Resistors 2 Number of Pins 4 Power Per Element 125mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 1210 (3225 Metric), Concave, Long Side Terminals Supplier Device Package 1206 Size / Dimension 0.126" L x 0.100" W (3.20mm x 2.54mm) Height - Seated (Max) 0.028" (0.70mm)	Manufacturer Part Number	744C043105JTR
Resistor Networks, ArraysPackage1210 (3225 Metric), Concave, Long Side TerminalsSeries744Circuit TypeIsolatedResistance (Ohms)1MTolerance±5%Number of Resistors2Number of Pins4Power Per Element125mWTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case1210 (3225 Metric), Concave, Long Side TerminalsSupplier Device Package1206Size / Dimension0.126" L x 0.100" W (3.20mm x 2.54mm)Height - Seated (Max)0.028" (0.70mm)	Manufacturer	CTS Resistor Products
Package 1210 (3225 Metric), Concave, Long Side Terminals Series 744 Circuit Type Isolated Resistance (Ohms) 1M Tolerance ±5% Number of Resistors 2 Number of Pins 4 Power Per Element 125mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 1210 (3225 Metric), Concave, Long Side Terminals Supplier Device Package 1206 Size / Dimension 0.126" L x 0.100" W (3.20mm x 2.54mm) Height - Seated (Max) 0.028" (0.70mm)	Category	Resistors
Series744Circuit TypeIsolatedResistance (Ohms)1MTolerance±5%Number of Resistors2Number of Pins4Power Per Element125mWTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case1210 (3225 Metric), Concave, Long Side TerminalsSupplier Device Package1206Size / Dimension0.126" L x 0.100" W (3.20mm x 2.54mm)Height - Seated (Max)0.028" (0.70mm)		Resistor Networks, Arrays
Circuit Type Isolated Resistance (Ohms) 1M Tolerance ±5% Number of Resistors 2 Number of Pins 4 Power Per Element 125mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 1210 (3225 Metric), Concave, Long Side Terminals Supplier Device Package 1206 Size / Dimension 0.126" L x 0.100" W (3.20mm x 2.54mm) Height - Seated (Max) 0.028" (0.70mm)	Package	1210 (3225 Metric), Concave, Long Side Terminals
Resistance (Ohms) 1M Tolerance ±5% Number of Resistors 2 Number of Pins 4 Power Per Element 125mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 1210 (3225 Metric), Concave, Long Side Terminals Supplier Device Package 1206 Size / Dimension 0.126" L x 0.100" W (3.20mm x 2.54mm) Height - Seated (Max) 0.028" (0.70mm)	Series	744
Tolerance ±5% Number of Resistors 2 Number of Pins 4 Power Per Element 125mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 1210 (3225 Metric), Concave, Long Side Terminals Supplier Device Package 1206 Size / Dimension 0.126" L x 0.100" W (3.20mm x 2.54mm) Height - Seated (Max) 0.028" (0.70mm)	Circuit Type	Isolated
Number of Resistors 2 Number of Pins 4 Power Per Element 125mW Temperature Coefficient 2200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 1210 (3225 Metric), Concave, Long Side Terminals Supplier Device Package 1206 Size / Dimension 0.126" L x 0.100" W (3.20mm x 2.54mm) Height - Seated (Max) 0.028" (0.70mm)	Resistance (Ohms)	1M
Number of Pins Power Per Element 125mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 1210 (3225 Metric), Concave, Long Side Terminals Supplier Device Package 1206 Size / Dimension 0.126" L x 0.100" W (3.20mm x 2.54mm) Height - Seated (Max) 0.028" (0.70mm)	Tolerance	±5%
Power Per Element 125mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 1210 (3225 Metric), Concave, Long Side Terminals Supplier Device Package 1206 Size / Dimension 0.126" L x 0.100" W (3.20mm x 2.54mm) Height - Seated (Max) 0.028" (0.70mm)	Number of Resistors	2
Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 1210 (3225 Metric), Concave, Long Side Terminals Supplier Device Package 1206 Size / Dimension 0.126" L x 0.100" W (3.20mm x 2.54mm) Height - Seated (Max) 0.028" (0.70mm)	Number of Pins	4
Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 1210 (3225 Metric), Concave, Long Side Terminals Supplier Device Package 1206 Size / Dimension 0.126" L x 0.100" W (3.20mm x 2.54mm) Height - Seated (Max) 0.028" (0.70mm)	Power Per Element	125mW
Applications - Mounting Type Surface Mount Package / Case 1210 (3225 Metric), Concave, Long Side Terminals Supplier Device Package 1206 Size / Dimension 0.126" L x 0.100" W (3.20mm x 2.54mm) Height - Seated (Max) 0.028" (0.70mm)	Temperature Coefficient	±200ppm/°C
Mounting Type Surface Mount Package / Case 1210 (3225 Metric), Concave, Long Side Terminals Supplier Device Package 1206 Size / Dimension 0.126" L x 0.100" W (3.20mm x 2.54mm) Height - Seated (Max) 0.028" (0.70mm)	Operating Temperature	-55°C ~ 125°C
Package / Case 1210 (3225 Metric), Concave, Long Side Terminals Supplier Device Package 1206 Size / Dimension 0.126" L x 0.100" W (3.20mm x 2.54mm) Height - Seated (Max) 0.028" (0.70mm)	Applications	-
Supplier Device Package 1206 Size / Dimension 0.126" L x 0.100" W (3.20mm x 2.54mm) Height - Seated (Max) 0.028" (0.70mm)	Mounting Type	Surface Mount
Size / Dimension 0.126" L x 0.100" W (3.20mm x 2.54mm) Height - Seated (Max) 0.028" (0.70mm)	Package / Case	1210 (3225 Metric), Concave, Long Side Terminals
Height - Seated (Max) 0.028" (0.70mm)	Supplier Device Package	1206
	Size / Dimension	0.126" L x 0.100" W (3.20mm x 2.54mm)
Report errors?	Height - Seated (Max)	0.028" (0.70mm)
		Report errors?

744C043105JTR Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

744C043105JTR Payment Methods





















744C043105JTR Shipping Methods













If you have any question about 744C043105JTR, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com