



### 745C1011002FP Information

Heisener.com

Part Number 745C1011002FP Manufacturer CTS Resistor Products

Category Resistors

Resistor Networks, Arrays

RES ARRAY 8 RES 10K OHM 2512 **Description** 

**Package** 2512 (6432 Metric), Concave, Long Side Terminals

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# 745C1011002FP Specifications

Manufacturer Part Number745C1011002FPManufacturerCTS Resistor ProductsCategoryResistorsPackage2512 (6432 Metric), Concave, Long Side TerminalsSeries745Circuit TypeBussedResistance (Ohms)10kTolerance±1%Number of Resistors8Number of Pins10Power Per Element62.5mWTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case2512 (6432 Metric), Concave, Long Side TerminalsSupplier Device Package-Size / Dimension0.252" L x 0.122" W (6.40mm x 3.10mm)Height - Seated (Max)0.028" (0.70mm)	-	
Category         Resistors           Recistor Networks, Arrays           Package         2512 (6432 Metric), Concave, Long Side Terminals           Series         745           Circuit Type         Bussed           Resistance (Ohms)         10k           Tolerance         ±1%           Number of Resistors         8           Number of Pins         10           Power Per Element         62.5mW           Temperature Coefficient         ±200ppm/°C           Operating Temperature         -55°C ~ 125°C           Applications         -           Mounting Type         Surface Mount           Package / Case         2512 (6432 Metric), Concave, Long Side Terminals           Supplier Device Package         -           Size / Dimension         0.252" L x 0.122" W (6.40mm x 3.10mm)           Height - Seated (Max)         0.028" (0.70mm)	Manufacturer Part Number	745C1011002FP
Resistor Networks, Arrays  Package 2512 (6432 Metric), Concave, Long Side Terminals  Series 745  Circuit Type Bussed  Resistance (Ohms) 10k  Tolerance ±1%  Number of Resistors 8  Number of Pins 10  Power Per Element 62.5mW  Temperature Coefficient ±200ppm/°C  Operating Temperature -55°C ~ 125°C  Applications -  Mounting Type Surface Mount  Package / Case 2512 (6432 Metric), Concave, Long Side Terminals  Supplier Device Package  Size / Dimension 0.252" L x 0.122" W (6.40mm x 3.10mm)  Height - Seated (Max) 0.028" (0.70mm)	Manufacturer	CTS Resistor Products
Package2512 (6432 Metric), Concave, Long Side TerminalsSeries745Circuit TypeBussedResistance (Ohms)10kTolerance±1%Number of Resistors8Number of Pins10Power Per Element62.5mWTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case2512 (6432 Metric), Concave, Long Side TerminalsSupplier Device Package-Size / Dimension0.252" L x 0.122" W (6.40mm x 3.10mm)Height - Seated (Max)0.028" (0.70mm)	Category	Resistors
Series745Circuit TypeBussedResistance (Ohms)10kTolerance±1%Number of Resistors8Number of Pins10Power Per Element62.5mWTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case2512 (6432 Metric), Concave, Long Side TerminalsSupplier Device Package-Size / Dimension0.252" L x 0.122" W (6.40mm x 3.10mm)Height - Seated (Max)0.028" (0.70mm)		Resistor Networks, Arrays
Circuit Type  Resistance (Ohms)  10k  Tolerance ±1%  Number of Resistors  8  Number of Pins 10  Power Per Element 62.5mW  Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C  Applications - Mounting Type Surface Mount Package / Case 2512 (6432 Metric), Concave, Long Side Terminals Supplier Device Package Size / Dimension 0.252" L x 0.122" W (6.40mm x 3.10mm)  Height - Seated (Max) 0.028" (0.70mm)	Package	2512 (6432 Metric), Concave, Long Side Terminals
Resistance (Ohms)       10k         Tolerance       ±1%         Number of Resistors       8         Number of Pins       10         Power Per Element       62.5mW         Temperature Coefficient       ±200ppm/°C         Operating Temperature       -55°C ~ 125°C         Applications       -         Mounting Type       Surface Mount         Package / Case       2512 (6432 Metric), Concave, Long Side Terminals         Supplier Device Package       -         Size / Dimension       0.252" L x 0.122" W (6.40mm x 3.10mm)         Height - Seated (Max)       0.028" (0.70mm)	Series	745
Tolerance ±1%  Number of Resistors 8  Number of Pins 10  Power Per Element 62.5mW  Temperature Coefficient ±200ppm/°C  Operating Temperature -55°C ~ 125°C  Applications -  Mounting Type Surface Mount  Package / Case 2512 (6432 Metric), Concave, Long Side Terminals  Supplier Device Package -  Size / Dimension 0.252" L x 0.122" W (6.40mm x 3.10mm)  Height - Seated (Max) 0.028" (0.70mm)	Circuit Type	Bussed
Number of Resistors  8  Number of Pins  10  Power Per Element  62.5mW  Temperature Coefficient  2200ppm/°C  Operating Temperature  -55°C ~ 125°C  Applications  -  Mounting Type  Surface Mount  Package / Case  2512 (6432 Metric), Concave, Long Side Terminals  Supplier Device Package  Size / Dimension  0.252" L x 0.122" W (6.40mm x 3.10mm)  Height - Seated (Max)  0.028" (0.70mm)	Resistance (Ohms)	10k
Number of Pins  10  Power Per Element  62.5mW  Temperature Coefficient  ±200ppm/°C  Operating Temperature  -55°C ~ 125°C  Applications  -  Mounting Type  Surface Mount  Package / Case  2512 (6432 Metric), Concave, Long Side Terminals  Supplier Device Package  -  Size / Dimension  0.252" L x 0.122" W (6.40mm x 3.10mm)  Height - Seated (Max)  0.028" (0.70mm)	Tolerance	±1%
Power Per Element  femperature Coefficient  ±200ppm/°C  Operating Temperature  -55°C ~ 125°C  Applications  -  Mounting Type  Surface Mount  Package / Case  2512 (6432 Metric), Concave, Long Side Terminals  Supplier Device Package  -  Size / Dimension  0.252" L x 0.122" W (6.40mm x 3.10mm)  Height - Seated (Max)  0.028" (0.70mm)	Number of Resistors	8
Temperature Coefficient ±200ppm/°C  Operating Temperature -55°C ~ 125°C  Applications -  Mounting Type Surface Mount  Package / Case 2512 (6432 Metric), Concave, Long Side Terminals  Supplier Device Package -  Size / Dimension 0.252" L x 0.122" W (6.40mm x 3.10mm)  Height - Seated (Max) 0.028" (0.70mm)	Number of Pins	10
Operating Temperature  -55°C ~ 125°C  Applications  -  Mounting Type  Surface Mount  Package / Case  2512 (6432 Metric), Concave, Long Side Terminals  Supplier Device Package  -  Size / Dimension  0.252" L x 0.122" W (6.40mm x 3.10mm)  Height - Seated (Max)  0.028" (0.70mm)	Power Per Element	62.5mW
Applications - Mounting Type Surface Mount  Package / Case 2512 (6432 Metric), Concave, Long Side Terminals  Supplier Device Package - Size / Dimension 0.252" L x 0.122" W (6.40mm x 3.10mm)  Height - Seated (Max) 0.028" (0.70mm)	Temperature Coefficient	±200ppm/°C
Mounting Type Surface Mount Package / Case 2512 (6432 Metric), Concave, Long Side Terminals Supplier Device Package - Size / Dimension 0.252" L x 0.122" W (6.40mm x 3.10mm) Height - Seated (Max) 0.028" (0.70mm)	Operating Temperature	-55°C ~ 125°C
Package / Case 2512 (6432 Metric), Concave, Long Side Terminals  Supplier Device Package -  Size / Dimension 0.252" L x 0.122" W (6.40mm x 3.10mm)  Height - Seated (Max) 0.028" (0.70mm)	Applications	-
Supplier Device Package - Size / Dimension 0.252" L x 0.122" W (6.40mm x 3.10mm) Height - Seated (Max) 0.028" (0.70mm)	Mounting Type	Surface Mount
Size / Dimension       0.252" L x 0.122" W (6.40mm x 3.10mm)         Height - Seated (Max)       0.028" (0.70mm)	Package / Case	2512 (6432 Metric), Concave, Long Side Terminals
Height - Seated (Max) 0.028" (0.70mm)	Supplier Device Package	-
	Size / Dimension	0.252" L x 0.122" W (6.40mm x 3.10mm)
Report errors?	Height - Seated (Max)	0.028" (0.70mm)
		Report errors?

#### 745C1011002FP Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## 745C1011002FP Payment Methods





















### 745C1011002FP Shipping Methods













If you have any question about 745C1011002FP, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com