

74LVX14SJ Information

Part Number 74LVX14SJ

Manufacturer ON Semiconductor

Category Integrated Circuits (ICs)
Logic - Gates and Inverters

Description IC INVERTER SCHMITT 6CH 14SOIC

Package 14-SOIC (0.209", 5.30mm Width)

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









74LVX14SJ Specifications

Manufacturer Part Number 74LVX14SJ Manufacturer ON Semiconductor Category Integrated Circuits (ICs) Logic - Gates and Inverters Package 14-SOIC (0.209", 5.30mm Width) Series 74LVX Logic Type Inverter Number of Circuits 6 Number of Inputs 6 Features Schmitt Trigger Voltage - Supply 2 V ~ 3.6 V Current - Quiescent (Max) 2μA Current - Output High, Low 4mA, 4mA Logic Level - Low 0.9V Logic Level - High 2.2V Max Propagation Delay @ V, Max CL 14.1ns @ 3.3V, 50pF Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount Supplier Device Package 14-SOP Package / Case 14-SOIC (0.209", 5.30mm Width)		
Category Integrated Circuits (ICs) Logic - Gates and Inverters Package 14-SOIC (0.209", 5.30mm Width) Series 74LVX Logic Type Inverter Number of Circuits 6 Number of Inputs 6 Features Schmitt Trigger Voltage - Supply 2 V ~ 3.6 V Current - Quiescent (Max) 2μA Current - Output High, Low 4mA, 4mA Logic Level - Low 0.9V Logic Level - High 2.2V Max Propagation Delay @ V, Max CL 14.1ns @ 3.3V, 50pF Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount Supplier Device Package 14-SOP Package / Case 14-SOIC (0.209", 5.30mm Width)	Manufacturer Part Number	74LVX14SJ
Logic - Gates and Inverters Package 14-SOIC (0.209", 5.30mm Width) Series 74LVX Logic Type Inverter Number of Circuits 6 Number of Inputs 6 Features Schmitt Trigger Voltage - Supply 2 V ~ 3.6 V Current - Quiescent (Max) 2μA Current - Output High, Low 4mA, 4mA Logic Level - Low 0.9V Logic Level - High 2.2V Max Propagation Delay @ V, Max CL 14.1ns @ 3.3V, 50pF Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount Supplier Device Package 14-SOP Package / Case 14-SOIC (0.209", 5.30mm Width)	Manufacturer	ON Semiconductor
Package 14-SOIC (0.209", 5.30mm Width) Series 74LVX Logic Type Inverter Number of Circuits 6 Number of Inputs 6 Features Schmitt Trigger Voltage - Supply 2 V ~ 3.6 V Current - Quiescent (Max) 2μA Current - Output High, Low 4mA, 4mA Logic Level - Low 0.9V Logic Level - High 2.2V Max Propagation Delay @ V, Max CL 14.1ns @ 3.3V, 50pF Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount Supplier Device Package 14-SOP Package / Case 14-SOIC (0.209", 5.30mm Width)	Category	Integrated Circuits (ICs)
Series74LVXLogic TypeInverterNumber of Circuits6Number of Inputs6FeaturesSchmitt TriggerVoltage - Supply2 V ~ 3.6 VCurrent - Quiescent (Max)2μACurrent - Output High, Low4mA, 4mALogic Level - Low0.9VLogic Level - High2.2VMax Propagation Delay @ V, Max CL14.1ns @ 3.3V, 50pFOperating Temperature-40°C ~ 85°CMounting TypeSurface MountSupplier Device Package14-SOPPackage / Case14-SOIC (0.209", 5.30mm Width)		Logic - Gates and Inverters
Logic TypeInverterNumber of Circuits6Number of Inputs6FeaturesSchmitt TriggerVoltage - Supply2 V ~ 3.6 VCurrent - Quiescent (Max)2μACurrent - Output High, Low4mA, 4mALogic Level - Low0.9VLogic Level - High2.2VMax Propagation Delay @ V, Max CL14.1ns @ 3.3V, 50pFOperating Temperature-40°C ~ 85°CMounting TypeSurface MountSupplier Device Package14-SOPPackage / Case14-SOIC (0.209", 5.30mm Width)	Package	14-SOIC (0.209", 5.30mm Width)
Number of Circuits6Number of Inputs6FeaturesSchmitt TriggerVoltage - Supply2 V ~ 3.6 VCurrent - Quiescent (Max)2μACurrent - Output High, Low4mA, 4mALogic Level - Low0.9VLogic Level - High2.2VMax Propagation Delay @ V, Max CL14.1ns @ 3.3V, 50pFOperating Temperature-40°C ~ 85°CMounting TypeSurface MountSupplier Device Package14-SOPPackage / Case14-SOIC (0.209", 5.30mm Width)	Series	74LVX
Number of Inputs6FeaturesSchmitt TriggerVoltage - Supply2 V ~ 3.6 VCurrent - Quiescent (Max)2μACurrent - Output High, Low4mA, 4mALogic Level - Low0.9VLogic Level - High2.2VMax Propagation Delay @ V, Max CL14.1ns @ 3.3V, 50pFOperating Temperature-40°C ~ 85°CMounting TypeSurface MountSupplier Device Package14-SOPPackage / Case14-SOIC (0.209", 5.30mm Width)	Logic Type	Inverter
FeaturesSchmitt TriggerVoltage - Supply2 V ~ 3.6 VCurrent - Quiescent (Max)2μACurrent - Output High, Low4mA, 4mALogic Level - Low0.9VLogic Level - High2.2VMax Propagation Delay @ V, Max CL14.1ns @ 3.3V, 50pFOperating Temperature-40°C ~ 85°CMounting TypeSurface MountSupplier Device Package14-SOIC (0.209", 5.30mm Width)	Number of Circuits	6
Voltage - Supply 2 V ~ 3.6 V Current - Quiescent (Max) 2μA Current - Output High, Low 4mA, 4mA Logic Level - Low 0.9V Logic Level - High 2.2V Max Propagation Delay @ V, Max CL Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount Supplier Device Package 14-SOIC (0.209", 5.30mm Width)	Number of Inputs	6
Current - Quiescent (Max)2μACurrent - Output High, Low4mA, 4mALogic Level - Low0.9VLogic Level - High2.2VMax Propagation Delay @ V, Max CL14.1ns @ 3.3V, 50pFOperating Temperature-40°C ~ 85°CMounting TypeSurface MountSupplier Device Package14-SOPPackage / Case14-SOIC (0.209", 5.30mm Width)	Features	Schmitt Trigger
Current - Output High, Low 4mA, 4mA Logic Level - Low 0.9V Logic Level - High 2.2V Max Propagation Delay @ V, Max CL 14.1ns @ 3.3V, 50pF Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount Supplier Device Package 14-SOP Package / Case 14-SOIC (0.209", 5.30mm Width)	Voltage - Supply	2 V ~ 3.6 V
Logic Level - Low0.9VLogic Level - High2.2VMax Propagation Delay @ V, Max CL14.1ns @ 3.3V, 50pFOperating Temperature-40°C ~ 85°CMounting TypeSurface MountSupplier Device Package14-SOPPackage / Case14-SOIC (0.209", 5.30mm Width)	Current - Quiescent (Max)	2μΑ
Logic Level - High 2.2V Max Propagation Delay @ V, Max CL 14.1ns @ 3.3V, 50pF Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount Supplier Device Package 14-SOP Package / Case 14-SOIC (0.209", 5.30mm Width)	Current - Output High, Low	4mA, 4mA
Max Propagation Delay @ V, Max CL 14.1ns @ 3.3V, 50pF Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount Supplier Device Package 14-SOP Package / Case 14-SOIC (0.209", 5.30mm Width)	Logic Level - Low	0.9V
Operating Temperature -40°C ~ 85°C Mounting Type Surface Mount Supplier Device Package 14-SOP Package / Case 14-SOIC (0.209", 5.30mm Width)	Logic Level - High	2.2V
Mounting Type Surface Mount Supplier Device Package 14-SOP Package / Case 14-SOIC (0.209", 5.30mm Width)	Max Propagation Delay @ V, Max CL	14.1ns @ 3.3V, 50pF
Supplier Device Package 14-SOP Package / Case 14-SOIC (0.209", 5.30mm Width)	Operating Temperature	-40°C ~ 85°C
Package / Case 14-SOIC (0.209", 5.30mm Width)	Mounting Type	Surface Mount
	Supplier Device Package	14-SOP
Report errors?	Package / Case	14-SOIC (0.209", 5.30mm Width)
		Report errors?

74LVX14SJ Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

74LVX14SJ Payment Methods



















74LVX14SJ Shipping Methods













If you have any question about 74LVX14SJ, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com