

74LVX4245WMX

t a Quote

74LVX4245WMX Information

	Part Number	74LVX4245WMX	
Annual and a second	Manufacturer	Fairchild/ON Semiconductor	- FEI 34
	Category	Integrated Circuits (ICs) Logic - Buffers, Drivers, Receivers, Transceivers	336
in.	Description	IC TXRX TRANSL DUAL 8BIT 24-SOIC	- 25 V.
	Package	24-SOIC (0.295", 7.50mm Width)	
-10.	-	For the pricing/inventory/lead time, please contact us	
For Reference Only		Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



74LVX4245WMX Specifications

ManufacturerFairchild/ON SemiconductorCategoryIntegrated Circuits (ICs)Logic - Buffers, Drivers, Receivers, TransceiversPackage24-SOIC (0.295", 7.50mm Width)Series74LVXLogic TypeTransceiver, Non-InvertingNumber of Elements1Number of Bits per Element8Input Type-Output TypePush-PullCurrent - Output High, Low12mA, 12mA; 24mA, 24mAVoltage - Supply2.7 V ~ 3.6 V, 4.5 V ~ 5.5 VOperating Temperature40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case24-SOIC (0.295", 7.50mm Width)Supplier Device Package24-SOIC		
CategoryIntegrated Circuits (ICs)Logic - Buffers, Drivers, Receivers, TransceiversPackage24-SOIC (0.295", 7.50mm Width)Series74LVXLogic TypeTransceiver, Non-InvertingNumber of Elements1Number of Bits per Element8Input Type-Output TypePush-PullCurrent - Output High, Low12mA, 12mA; 24mA, 24mAVoltage - Supply2.7 V ~ 3.6 V, 4.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case24-SOIC (0.295", 7.50mm Width)Supplier Device Package24-SOIC	Manufacturer Part Number	74LVX4245WMX
Logic - Buffers, Drivers, Receivers, TransceiversPackage24-SOIC (0.295", 7.50mm Width)Series74LVXLogic TypeTransceiver, Non-InvertingNumber of Elements1Number of Bits per Element8Input Type-Output TypePush-PullCurrent - Output High, Low12mA, 12mA; 24mA, 24mAVoltage - Supply2.7 V ~ 3.6 V, 4.5 V ~ 5.5 VOperating Temperature40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case24-SOIC (0.295", 7.50mm Width)	Manufacturer	Fairchild/ON Semiconductor
Package24-SOIC (0.295", 7.50mm Width)Series74LVXLogic TypeTransceiver, Non-InvertingNumber of Elements1Number of Bits per Element8Input Type-Output TypePush-PullCurrent - Output High, Low12mA, 12mA; 24mA, 24mAVoltage - Supply2.7 V ~ 3.6 V, 4.5 V ~ 5.5 VOperating TemperatureSurface MountPackage / Case24-SOIC (0.295", 7.50mm Width)Supplier Device Package24-SOIC	Category	Integrated Circuits (ICs)
Series74LVXLogic TypeTransceiver, Non-InvertingNumber of Elements1Number of Bits per Element8Input Type-Output TypePush-PullCurrent - Output High, Low12mA, 12mA; 24mA, 24mAVoltage - Supply2.7 V ~ 3.6 V, 4.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case24-SOIC (0.295", 7.50mm Width)Supplier Device Package24-SOIC		Logic - Buffers, Drivers, Receivers, Transceivers
Logic TypeTransceiver, Non-InvertingNumber of Elements1Number of Bits per Element8Input Type-Output TypePush-PullCurrent - Output High, Low12mA, 12mA; 24mA, 24mAVoltage - Supply2.7 V ~ 3.6 V, 4.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case24-SOIC (0.295", 7.50mm Width)	Package	24-SOIC (0.295", 7.50mm Width)
Number of Elements1Number of Bits per Element8Input Type-Output TypePush-PullCurrent - Output High, Low12mA, 12mA; 24mA, 24mAVoltage - Supply2.7 V ~ 3.6 V, 4.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case24-SOIC (0.295", 7.50mm Width)Supplier Device Package24-SOIC	Series	74LVX
Number of Bits per Element8Input Type-Output TypePush-PullCurrent - Output High, Low12mA, 12mA; 24mA, 24mAVoltage - Supply2.7 V ~ 3.6 V, 4.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case24-SOIC (0.295", 7.50mm Width)Supplier Device Package24-SOIC	Logic Type	Transceiver, Non-Inverting
Input Type-Output TypePush-PullCurrent - Output High, Low12mA, 12mA, 24mA, 24mAVoltage - Supply2.7 V ~ 3.6 V, 4.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case24-SOIC (0.295", 7.50mm Width)Supplier Device Package24-SOIC	Number of Elements	1
Output TypePush-PullCurrent - Output High, Low12mA, 12mA; 24mA, 24mAVoltage - Supply2.7 V ~ 3.6 V, 4.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case24-SOIC (0.295", 7.50mm Width)Supplier Device Package24-SOIC	Number of Bits per Element	8
Current - Output High, Low12mA, 12mA; 24mA, 24mAVoltage - Supply2.7 V ~ 3.6 V, 4.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case24-SOIC (0.295", 7.50mm Width)Supplier Device Package24-SOIC	Input Type	-
Voltage - Supply2.7 V ~ 3.6 V, 4.5 V ~ 5.5 VOperating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case24-SOIC (0.295", 7.50mm Width)Supplier Device Package24-SOIC	Output Type	Push-Pull
Operating Temperature-40°C ~ 85°C (TA)Mounting TypeSurface MountPackage / Case24-SOIC (0.295", 7.50mm Width)Supplier Device Package24-SOIC	Current - Output High, Low	12mA, 12mA; 24mA, 24mA
Mounting TypeSurface MountPackage / Case24-SOIC (0.295", 7.50mm Width)Supplier Device Package24-SOIC	Voltage - Supply	2.7 V ~ 3.6 V, 4.5 V ~ 5.5 V
Package / Case24-SOIC (0.295", 7.50mm Width)Supplier Device Package24-SOIC	Operating Temperature	-40°C ~ 85°C (TA)
Supplier Device Package 24-SOIC	Mounting Type	Surface Mount
	Package / Case	24-SOIC (0.295", 7.50mm Width)
Report errors?	Supplier Device Package	24-SOIC
		Report errors?

74LVX4245WMX Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE BUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

74LVX4245WMX Payment Methods





If you have any question about 74LVX4245WMX, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com