

75-190220-33P

75-190220-33P Information

Heisener.com	75-190220-33P Amphenol Industrial Operations Connectors, Interconnects Circular Connectors CONN RCPT 11POS BOX MNT PIN - For the pricing/inventory/lead time, please contact	
For Reference Only	us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



75-190220-33P Specifications

Manufacturer Part Number75-190220-33PManufacturerAmphenol Industrial OperationsCategoryConnectors, InterconnectsPackage-Package-Series-Connector TypeReceptacle, Male PinsNumber of Positions11Shell Size - Insert20-33Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientationN(Normal)Ingress ProtectionAluminum Alloy, Olive Drab Cadmium PlatedShell Material, FinishAluminum Alloy, Olive Drab Cadmium PlatedFeatures-Voltage - RatedS0VAC, 700VDCVoltage - Rated-Corner Kating-		
CategoryConnectors, Interconnects Circular ConnectorsPackage-Series-Connector TypeReceptacle, Male PinsNumber of Positions11Shell Size - Insert20-33Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientationN(Normal)Ingress ProtectionSilverShell Material, FinishSilverFeatures-Voltage - Rated500VAC, 700VDCCurrent Rating-Current Rating-Sonder Conter Finish-Sonder Conter Finish-<	Manufacturer Part Number	75-190220-33P
Circular ConnectorsPackage-Series-Connector TypeReceptacle, Male PinsNumber of Positions11Shell Size - Insert20-33Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientationN(Normal)Ingress ProtectionSniverShell Material, FinishSilverFeatures-Voltage - Rated500VAC, 700VDCCurrent Rating-	Manufacturer	Amphenol Industrial Operations
Package.Series.Connector TypeReceptacle, Male PinsNumber of Positions11Shell Size - Insert20-33Shell Size, MIL.Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientationN(Normal)Ingress ProtectionSilverShell Material, FinishSilverFeatures.Voltage - RatedSiOVAC, 700VDCCurrent Rating.	Category	Connectors, Interconnects
Series-Connector TypeReceptacle, Male PinsNumber of Positions11Shell Size - Insert20-33Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientationN(Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishSilverFeatures-Voltage - Rated500VAC, 700VDCCurrent Rating-		Circular Connectors
Connector TypeReceptacle, Male PinsNumber of Positions11Shell Size - Insert20-33Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishSilverFoatures-Voltage - Rated500VAC, 700VDCCurrent Rating-	Package	-
Number of Positions11Shell Size - Insert20-33Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishSilverFeatures-Voltage - Rated500VAC, 700VDCCurrent Rating-	Series	-
Shell Size - Insert20-33Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishSilverFeatures-Voltage - Rated500VAC, 700VDCCurrent Rating-	Connector Type	Receptacle, Male Pins
Shell Size, MIL-Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedOrientationN(Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum Alloy, Olive Drab Cadmium PlatedContact FinishSilverFeatures-Voltage - Rated500VAC, 700VDCCurrent Rating-	Number of Positions	11
Mounting TypePanel Mount, FlangeTerminationCrimpFastening TypeThreadedForientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum Alloy, Olive Drab Cadmium PlatedContact FinishSilverFeatures-Voltage - Rated500VAC, 700VDCCurrent Rating-	Shell Size - Insert	20-33
TerminationCrimpFastening TypeThreadedOrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum Alloy, Olive Drab Cadmium PlatedContact FinishSilverFeatures-Voltage - Rated500VAC, 700VDCCurrent Rating-	Shell Size, MIL	-
Fastening TypeThreadedOrientationN(Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum Alloy, Olive Drab Cadmium PlatedContact FinishSilverFeatures-Voltage - Rated500YAC, 700VDCCurrent Rating-	Mounting Type	Panel Mount, Flange
OrientationN (Normal)Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum Alloy, Olive Drab Cadmium PlatedContact FinishSilverFeatures-Voltage - Rated500VAC, 700VDCCurrent Rating-	Termination	Crimp
Ingress ProtectionEnvironment ResistantShell Material, FinishAluminum Alloy, Olive Drab Cadmium PlatedContact FinishSilverFeatures-Voltage - Rated500VAC, 700VDCCurrent Rating-	Fastening Type	Threaded
Shell Material, FinishAluminum Alloy, Olive Drab Cadmium PlatedContact FinishSilverFeatures-Voltage - Rated500VAC, 700VDCCurrent Rating-	Orientation	N (Normal)
Contact FinishSilverFeatures-Voltage - Rated500VAC, 700VDCCurrent Rating-	Ingress Protection	Environment Resistant
Features-Voltage - Rated500VAC, 700VDCCurrent Rating-	Shell Material, Finish	Aluminum Alloy, Olive Drab Cadmium Plated
Voltage - Rated500VAC, 700VDCCurrent Rating-	Contact Finish	Silver
Current Rating -	Features	-
	Voltage - Rated	500VAC, 700VDC
	Current Rating	-
Report errors		Report errors?

75-190220-33P Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE BUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

75-190220-33P Payment Methods





If you have any question about 75-190220-33P, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com