



752121472GPTR13 Information

Heisener.com

Part Number 752121472GPTR13 Manufacturer CTS Resistor Products

Category Resistors

Resistor Networks, Arrays

Description RES ARRAY 11 RES 4.7K OHM 12SRT

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









752121472GPTR13 Specifications

Manufacturer Part Number 752121472GPTR13 Manufacturer CTS Resistor Products Category Resistors Resistor Networks, Arrays Package 12-SRT Series 752 Circuit Type Bussed Resistance (Ohms) 4.7k Tolerance ±2% Number of Resistors 11 Number of Pins 12 Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 12-SRT Supplier Device Package - Size / Dimension 0.665" L x 0.080" W (16.89mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)		
Category Resistors Resistor Networks, Arrays Package 12-SRT Series 752 Circuit Type Bussed Resistance (Ohms) 4.7k Tolerance ±2% Number of Resistors 11 Number of Pins 12 Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 12-SRT Supplier Device Package - Size / Dimension 0.665" L x 0.080" W (16.89mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Manufacturer Part Number	752121472GPTR13
Resistor Networks, Arrays Package 12-SRT Series 752 Circuit Type Bussed Resistance (Ohms) 4.7k Tolerance ±2% Number of Resistors 11 Number of Pins 12 Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 12-SRT Supplier Device Package - Size / Dimension 0.665" L x 0.080" W (16.89mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Manufacturer	CTS Resistor Products
Package 12-SRT Series 752 Circuit Type Bussed Resistance (Ohms) 4.7k Tolerance ±2% Number of Resistors 11 Number of Pins 12 Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 12-SRT Supplier Device Package - Size / Dimension 0.665" L x 0.080" W (16.89mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Category	Resistors
Series 752 Circuit Type Bussed Resistance (Ohms) 4.7k Tolerance ±2% Number of Resistors 11 Number of Pins 12 Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 12-SRT Supplier Device Package - Size / Dimension 0.665" L x 0.080" W (16.89mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)		Resistor Networks, Arrays
Circuit Type Resistance (Ohms) 4.7k Tolerance ±2% Number of Resistors 11 Number of Pins 12 Power Per Element 80mW Temperature Coefficient 2200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 12-SRT Supplier Device Package Size / Dimension Height - Seated (Max) Bussed 8.Tk 4.7k 4.7k 8.Th 8.T	Package	12-SRT
Resistance (Ohms) 4.7k Tolerance ±2% Number of Resistors 11 Number of Pins 12 Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 12-SRT Supplier Device Package - Size / Dimension 0.665" L x 0.080" W (16.89mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Series	752
Tolerance ±2% Number of Resistors 11 Number of Pins 12 Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 12-SRT Supplier Device Package - Size / Dimension 0.665" L x 0.080" W (16.89mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Circuit Type	Bussed
Number of Resistors 11 Number of Pins 12 Power Per Element 80mW Temperature Coefficient 2200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 12-SRT Supplier Device Package Size / Dimension Height - Seated (Max) 11 20 80mW **Example** **Example** **Incomparation of Package of	Resistance (Ohms)	4.7k
Number of Pins Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 12-SRT Supplier Device Package Size / Dimension 0.665" L x 0.080" W (16.89mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Tolerance	±2%
Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 12-SRT Supplier Device Package - Size / Dimension 0.665" L x 0.080" W (16.89mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Number of Resistors	11
Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 12-SRT Supplier Device Package - Size / Dimension 0.665" L x 0.080" W (16.89mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Number of Pins	12
Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 12-SRT Supplier Device Package - Size / Dimension 0.665" L x 0.080" W (16.89mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Power Per Element	80mW
Applications - Mounting Type Surface Mount Package / Case 12-SRT Supplier Device Package - Size / Dimension 0.665" L x 0.080" W (16.89mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Temperature Coefficient	±200ppm/°C
Mounting Type Surface Mount Package / Case 12-SRT Supplier Device Package - Size / Dimension 0.665" L x 0.080" W (16.89mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Operating Temperature	-55°C ~ 125°C
Package / Case 12-SRT Supplier Device Package - Size / Dimension 0.665" L x 0.080" W (16.89mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Applications	-
Supplier Device Package - Size / Dimension 0.665" L x 0.080" W (16.89mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Mounting Type	Surface Mount
Size / Dimension 0.665" L x 0.080" W (16.89mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Package / Case	12-SRT
Height - Seated (Max) 0.100" (2.53mm)	Supplier Device Package	-
-	Size / Dimension	0.665" L x 0.080" W (16.89mm x 2.03mm)
Report errors?	Height - Seated (Max)	0.100" (2.53mm)
		Report errors?

752121472GPTR13 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

752121472GPTR13 Payment Methods



















752121472GPTR13 Shipping Methods













If you have any question about 752121472GPTR13, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com