

752161103G Information

15110360TS403

Part Number 752161103G

Manufacturer CTS Resistor Products

Category Resistors

Resistor Networks, Arrays

Description RES ARRAY 14 RES 10K OHM 16DRT

Package 16-DRT

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









752161103G Specifications

Manufacturer Part Number 752161103G Manufacturer CTS Resistor Products Category Resistors Package 16-DRT Series 752 Circuit Type Bussed Resistance (Ohms) 10k Tolerance ±2% Number of Resistors 14 Number of Pins 16 Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.465" L x 0.080" W (11.81mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)		
Category Resistors Package 16-DRT Series 752 Circuit Type Bussed Resistance (Ohms) 10k Tolerance ±2% Number of Resistors 14 Number of Pins 16 Power Per Element 80mW Temperature Coefficient ±200pm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.465" L x 0.080" W (11.81mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Manufacturer Part Number	752161103G
Resistor Networks, Arrays Package 16-DRT Series 752 Circuit Type Bussed Resistance (Ohms) 10k Tolerance ±2% Number of Resistors 14 Number of Pins 16 Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.465" L x 0.080" W (11.81mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Manufacturer	CTS Resistor Products
Package 16-DRT Series 752 Circuit Type Bussed Resistance (Ohms) 10k Tolerance ±2% Number of Resistors 14 Number of Pins 16 Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.465" L x 0.080" W (11.81mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Category	Resistors
Series 752 Circuit Type Bussed Resistance (Ohms) 10k Tolerance ±2% Number of Resistors 14 Number of Pins 16 Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.465" L x 0.080" W (11.81mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)		Resistor Networks, Arrays
Circuit TypeBussedResistance (Ohms)10kTolerance±2%Number of Resistors14Number of Pins16Power Per Element80mWTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case16-DRTSupplier Device Package-Size / Dimension0.465" L x 0.080" W (11.81mm x 2.03mm)Height - Seated (Max)0.100" (2.53mm)	Package	16-DRT
Resistance (Ohms) 10k Tolerance ±2% Number of Resistors 14 Number of Pins 16 Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.465" L x 0.080" W (11.81mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Series	752
Tolerance ±2% Number of Resistors 14 Number of Pins 16 Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.465" L x 0.080" W (11.81mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Circuit Type	Bussed
Number of Resistors14Number of Pins16Power Per Element80mWTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case16-DRTSupplier Device Package-Size / Dimension0.465" L x 0.080" W (11.81mm x 2.03mm)Height - Seated (Max)0.100" (2.53mm)	Resistance (Ohms)	10k
Number of Pins 16 Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.465" L x 0.080" W (11.81mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Tolerance	±2%
Power Per Element 80mW Temperature Coefficient $\pm 200 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications $-$ Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package $-$ Size / Dimension $0.465^{\circ}\text{L} \times 0.080^{\circ}\text{W} (11.81 \text{mm} \times 2.03 \text{mm})$ Height - Seated (Max) $0.100^{\circ} (2.53 \text{mm})$	Number of Resistors	14
Temperature Coefficient $\pm 200 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 125^{\circ}\text{C}$ Applications $-$ Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package $-$ Size / Dimension $0.465'' \text{L x } 0.080'' \text{W } (11.81 \text{mm x } 2.03 \text{mm})$ Height - Seated (Max) $0.100'' (2.53 \text{mm})$	Number of Pins	16
Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.465" L x 0.080" W (11.81mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Power Per Element	80mW
Applications	Temperature Coefficient	±200ppm/°C
Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.465" L x 0.080" W (11.81mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Operating Temperature	-55°C ~ 125°C
Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.465" L x 0.080" W (11.81mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Applications	-
Supplier Device Package - Size / Dimension 0.465" L x 0.080" W (11.81mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Mounting Type	Surface Mount
Size / Dimension 0.465" L x 0.080" W (11.81mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Package / Case	16-DRT
Height - Seated (Max) 0.100" (2.53mm)	Supplier Device Package	-
	Size / Dimension	0.465" L x 0.080" W (11.81mm x 2.03mm)
Report errors?	Height - Seated (Max)	0.100" (2.53mm)
		Report errors?

752161103G Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

752161103G Payment Methods



















752161103G Shipping Methods













If you have any question about 752161103G, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com