



753161153GP Information

www.helsenes.com

For Reference Only

Part Number 753161153GP

Manufacturer CTS Resistor Products

Category Resistors

Resistor Networks, Arrays

Description RES ARRAY 14 RES 15K OHM 16DRT

Package 16-DRT

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









753161153GP Specifications

Manufacturer Part Number 753161153GP Manufacturer CTS Resistor Products Category Resistors Resistor Networks, Arrays Package 16-DRT Series 753 Circuit Type Bussed Resistance (Ohms) 15k Tolerance ±2% Number of Resistors 14 Number of Pins 16 Power Per Element 40mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm) Report errors?		
Category Resistors Package 16-DRT Series 753 Circuit Type Bussed Resistance (Ohms) 15k Tolerance ±2% Number of Resistors 14 Number of Pins 16 Power Per Element 40mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Manufacturer Part Number	753161153GP
Resistor Networks, Arrays Package 16-DRT Series 753 Circuit Type Bussed Resistance (Ohms) 15k Tolerance ±2% Number of Resistors 14 Number of Pins 16 Power Per Element 40mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Manufacturer	CTS Resistor Products
Package 16-DRT Series 753 Circuit Type Bussed Resistance (Ohms) 15k Tolerance ±2% Number of Resistors 14 Number of Pins 16 Power Per Element 40mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Category	Resistors
Series 753 Circuit Type Bussed Resistance (Ohms) 15k Tolerance ±2% Number of Resistors 14 Number of Pins 16 Power Per Element 40mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)		Resistor Networks, Arrays
Circuit Type Bussed Resistance (Ohms) 15k Tolerance ±2% Number of Resistors 14 Number of Pins 16 Power Per Element 40mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Package	16-DRT
Resistance (Ohms) 15k Tolerance ±2% Number of Resistors 14 Number of Pins 16 Power Per Element 40mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Series	753
Tolerance ±2% Number of Resistors 14 Number of Pins 16 Power Per Element 40mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Circuit Type	Bussed
Number of Resistors 14 Number of Pins 16 Power Per Element 40mW Temperature Coefficient 55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 16 Annumber of Resistors 16 Applications 12 40mW 40	Resistance (Ohms)	15k
Number of Pins 16 Power Per Element 40mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 16 Annumber of Pins ±200ppm/°C -55°C ~ 125°C -500000000000000000000000000000000000	Tolerance	±2%
Power Per Element 40mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Number of Resistors	14
Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Number of Pins	16
Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Power Per Element	40mW
Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Temperature Coefficient	±200ppm/°C
Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Operating Temperature	-55°C ~ 125°C
Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Applications	-
Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Mounting Type	Surface Mount
Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Package / Case	16-DRT
Height - Seated (Max) 0.100" (2.53mm)	Supplier Device Package	-
	Size / Dimension	0.245" L x 0.080" W (6.22mm x 2.03mm)
Report errors?	Height - Seated (Max)	0.100" (2.53mm)
		Report errors?

753161153GP Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

753161153GP Payment Methods



















753161153GP Shipping Methods













If you have any question about 753161153GP, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com