



753163182GPTR13 Information



For Reference Only

Part Number 753163182GPTR13
Manufacturer CTS Resistor Products

Category Resistors

Resistor Networks, Arrays

Description RES ARRAY 8 RES 1.8K OHM 16DRT

Package 16-DRT

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









753163182GPTR13 Specifications

Manufacturer Part Number 753163182GPTR13 Manufacturer CTS Resistor Products Category Resistors Resistor Networks, Arrays Package 16-DRT Series 753 Circuit Type Isolated Resistance (Ohms) 1.8k Tolerance ±2% Number of Resistors 8 Number of Pins 16 Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm) Report errors?		
Category Resistors Package 16-DRT Series 753 Circuit Type Isolated Resistance (Ohms) 1.8k Tolerance ±2% Number of Resistors 8 Number of Pins 16 Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Manufacturer Part Number	753163182GPTR13
Resistor Networks, Arrays Package 16-DRT Series 753 Circuit Type Isolated Resistance (Ohms) 1.8k Tolerance ±2% Number of Resistors 8 Number of Pins 16 Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Manufacturer	CTS Resistor Products
Package 16-DRT Series 753 Circuit Type Isolated Resistance (Ohms) 1.8k Tolerance ±2% Number of Resistors 8 Number of Pins 16 Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Category	Resistors
Series 753 Circuit Type Isolated Resistance (Ohms) 1.8k Tolerance ±2% Number of Resistors 8 Number of Pins 16 Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)		Resistor Networks, Arrays
Circuit TypeIsolatedResistance (Ohms)1.8kTolerance±2%Number of Resistors8Number of Pins16Power Per Element80mWTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case16-DRTSupplier Device Package-Size / Dimension0.245" L x 0.080" W (6.22mm x 2.03mm)Height - Seated (Max)0.100" (2.53mm)	Package	16-DRT
Resistance (Ohms) 1.8k Tolerance ±2% Number of Resistors 8 Number of Pins 16 Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Series	753
Tolerance ±2% Number of Resistors 8 Number of Pins 16 Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Circuit Type	Isolated
Number of Resistors8Number of Pins16Power Per Element80mWTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case16-DRTSupplier Device Package-Size / Dimension0.245" L x 0.080" W (6.22mm x 2.03mm)Height - Seated (Max)0.100" (2.53mm)	Resistance (Ohms)	1.8k
Number of Pins 16 Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 16 80mW ±200ppm/°C -55°C ~ 125°C -500000000000000000000000000000000000	Tolerance	±2%
Power Per Element 80mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Number of Resistors	8
Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Number of Pins	16
Operating Temperature -55°C ~ 125°C Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Power Per Element	80mW
Applications - Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Temperature Coefficient	±200ppm/°C
Mounting Type Surface Mount Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Operating Temperature	-55°C ~ 125°C
Package / Case 16-DRT Supplier Device Package - Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Applications	-
Supplier Device Package Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Mounting Type	Surface Mount
Size / Dimension 0.245" L x 0.080" W (6.22mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Package / Case	16-DRT
Height - Seated (Max) 0.100" (2.53mm)	Supplier Device Package	-
	Size / Dimension	0.245" L x 0.080" W (6.22mm x 2.03mm)
Report errors?	Height - Seated (Max)	0.100" (2.53mm)
		Report errors?

753163182GPTR13 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

753163182GPTR13 Payment Methods



















753163182GPTR13 Shipping Methods













If you have any question about 753163182GPTR13, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com