



75324G390GTR Information

G390690

Part Number 75324G390GTR

Manufacturer CTS Resistor Products

Category Resistors

Resistor Networks, Arrays

Description RES NETWORK 18 RES 39 OHM 24DRT

Package 24-DRT

For the pricing/inventory/lead time, please contact

us

For Reference Only Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









75324G390GTR Specifications

Manufacturer Part Number 75324G390GTR Manufacturer CTS Resistor Products Category Resistors Resistor Networks, Arrays Package 24-DRT Series 753 Circuit Type Dual Terminator Resistance (Ohms) 39 Tolerance ±2% Number of Resistors 18 Number of Pins 24 Power Per Element 60mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications GTL, GTL+, AGTL+ Mounting Type Surface Mount Package / Case 24-DRT Supplier Device Package - Size / Dimension 0.345" L x 0.080" W (8.76mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm) Report errors?		
Category Resistors Resistor Networks, Arrays Package 24-DRT Series 753 Circuit Type Dual Terminator Resistance (Ohms) 39 Tolerance ±2% Number of Resistors 18 Number of Pins 24 Power Per Element 60mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications GTL, GTL+, AGTL+ Mounting Type Surface Mount Package / Case 24-DRT Supplier Device Package - Size / Dimension 0.345" L x 0.080" W (8.76mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Manufacturer Part Number	75324G390GTR
Resistor Networks, Arrays Package 24-DRT Series 753 Circuit Type Dual Terminator Resistance (Ohms) 39 Tolerance ±2% Number of Resistors 18 Number of Pins 24 Power Per Element 60mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications GTL, GTL+, AGTL+ Mounting Type Surface Mount Package / Case 24-DRT Supplier Device Package - Size / Dimension 0.345" L x 0.080" W (8.76mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Manufacturer	CTS Resistor Products
Package 24-DRT Series 753 Circuit Type Dual Terminator Resistance (Ohms) 39 Tolerance ±2% Number of Resistors 18 Number of Pins 24 Power Per Element 60mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications GTL, GTL+, AGTL+ Mounting Type Surface Mount Package / Case 24-DRT Supplier Device Package - Size / Dimension 0.345" L x 0.080" W (8.76mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Category	Resistors
Series 753 Circuit Type Dual Terminator Resistance (Ohms) 39 Tolerance ±2% Number of Resistors 18 Number of Pins 24 Power Per Element 60mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications GTL, GTL+, AGTL+ Mounting Type Surface Mount Package / Case 24-DRT Supplier Device Package - Size / Dimension 0.345" L x 0.080" W (8.76mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)		Resistor Networks, Arrays
Circuit TypeDual TerminatorResistance (Ohms)39Tolerance±2%Number of Resistors18Number of Pins24Power Per Element60mWTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 125°CApplicationsGTL, GTL+, AGTL+Mounting TypeSurface MountPackage / Case24-DRTSupplier Device Package-Size / Dimension0.345" L x 0.080" W (8.76mm x 2.03mm)Height - Seated (Max)0.100" (2.53mm)	Package	24-DRT
Resistance (Ohms) 39 Tolerance ±2% Number of Resistors 18 Number of Pins 24 Power Per Element 60mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications GTL, GTL+, AGTL+ Mounting Type Surface Mount Package / Case 24-DRT Supplier Device Package - Size / Dimension 0.345" L x 0.080" W (8.76mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Series	753
Tolerance ±2% Number of Resistors 18 Number of Pins 24 Power Per Element 60mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications GTL, GTL+, AGTL+ Mounting Type Surface Mount Package / Case 24-DRT Supplier Device Package - Size / Dimension 0.345" L x 0.080" W (8.76mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Circuit Type	Dual Terminator
Number of Resistors 18 Number of Pins 24 Power Per Element 60mW Temperature Coefficient 25°C ~ 125°C Applications GTL, GTL+, AGTL+ Mounting Type Surface Mount Package / Case 24-DRT Supplier Device Package Size / Dimension 0.345" L x 0.080" W (8.76mm x 2.03mm) Height - Seated (Max) 18 60mW 60	Resistance (Ohms)	39
Number of Pins 24 Power Per Element 60mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications GTL, GTL+, AGTL+ Mounting Type Surface Mount Package / Case 24-DRT Supplier Device Package - Size / Dimension 0.345" L x 0.080" W (8.76mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Tolerance	±2%
Power Per Element 60mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications GTL, GTL+, AGTL+ Mounting Type Surface Mount Package / Case 24-DRT Supplier Device Package - Size / Dimension 0.345" L x 0.080" W (8.76mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Number of Resistors	18
Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 125°C Applications GTL, GTL+, AGTL+ Mounting Type Surface Mount Package / Case 24-DRT Supplier Device Package - Size / Dimension 0.345" L x 0.080" W (8.76mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Number of Pins	24
Operating Temperature -55°C ~ 125°C Applications GTL, GTL+, AGTL+ Mounting Type Surface Mount Package / Case 24-DRT Supplier Device Package - Size / Dimension 0.345" L x 0.080" W (8.76mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Power Per Element	60mW
Applications GTL, GTL+, AGTL+ Mounting Type Surface Mount Package / Case 24-DRT Supplier Device Package - Size / Dimension 0.345" L x 0.080" W (8.76mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Temperature Coefficient	±200ppm/°C
Mounting Type Surface Mount Package / Case 24-DRT Supplier Device Package - Size / Dimension 0.345" L x 0.080" W (8.76mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Operating Temperature	-55°C ~ 125°C
Package / Case 24-DRT Supplier Device Package - Size / Dimension 0.345" L x 0.080" W (8.76mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Applications	GTL, GTL+, AGTL+
Supplier Device Package - Size / Dimension 0.345" L x 0.080" W (8.76mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Mounting Type	Surface Mount
Size / Dimension 0.345" L x 0.080" W (8.76mm x 2.03mm) Height - Seated (Max) 0.100" (2.53mm)	Package / Case	24-DRT
Height - Seated (Max) 0.100" (2.53mm)	Supplier Device Package	-
	Size / Dimension	0.345" L x 0.080" W (8.76mm x 2.03mm)
Report errors?	Height - Seated (Max)	0.100" (2.53mm)
		Report errors?

75324G390GTR Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

75324G390GTR Payment Methods





















75324G390GTR Shipping Methods













If you have any question about 75324G390GTR, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com