


768205131AP

768205131AP Information



Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



768205131AP Specifications

ManufacturerCTS Resistor ProductsCategoryResistorsResistor Networks, ArraysPackage20-SOIC (0.220", 5.59mm Width)Series768Circuit TypeDual TerminatorResistance (Ohms)220, 330Tolerance±2%Number of Resistors36Number of Pins20Power Per Element100mWOperating Temperature Coefficient±100pm/°CApplications-ApplicationsSurface MountPackage / Case0.50°C (0.220", 5.59mm Width)Supplier Device Package-Supplier Device Package-		
CategoryResistorsResistor Networks, ArraysPackage20-SOIC (0.220", 5.59mm Width)Series768Circuit TypeDual TerminatorResistance (Ohms)220, 330Tolerance±2%Number of Resistors36Number of Pins20Power Per Element100mWTonperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplicationsSurface MountPackage / Case00-SOIC (0.220", 5.59mm Width)Supplier Device Package-	Manufacturer Part Number	768205131AP
Resistor Networks, ArraysPackage20-SOIC (0.220", 5.59mm Width)Series768Circuit TypeDual TerminatorResistance (Ohms)220, 330Tolerance±2%Number of Resistors36Number of Pins20Power Per Element100mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case20-SOIC (0.220", 5.59mm Width)Supplier Device Package-	Manufacturer	CTS Resistor Products
Package20-SOIC (0.220", 5.59mm Width)Series768Circuit TypeDual TerminatorResistance (Ohms)220, 330Tolerance±2%Number of Resistors36Number of Pins20Power Per Element100mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case20-SOIC (0.220", 5.59mm Width)Supplier Device Package-	Category	Resistors
Series768Circuit TypeDual TerminatorResistance (Ohms)220, 330Tolerance±2%Number of Resistors36Number of Pins20Power Per Element100mWTemperature Coefficient±100pm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case20-SOIC (0.220", 5.59mm Width)Supplier Device Package-		Resistor Networks, Arrays
Circuit TypeDual TerminatorResistance (Ohms)220, 330Tolerance±2%Number of Resistors36Number of Pins20Power Per Element100mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case20-SOIC (0.220", 5.59mm Width)Supplier Device Package-	Package	20-SOIC (0.220", 5.59mm Width)
Resistance (Ohms)220, 330Tolerance±2%Number of Resistors36Number of Pins20Power Per Element100mWTemperature Coefficient±100ppm°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case20-SOIC (0.220", 5.59mm Width)Supplier Device Package-	Series	768
Tolerance±2%Number of Resistors36Number of Pins20Power Per Element100mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case20-SOIC (0.220", 5.59mm Width)Supplier Device Package-	Circuit Type	Dual Terminator
Number of Resistors36Number of Pins20Power Per Element100mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case20-SOIC (0.220", 5.59mm Width)Supplier Device Package-	Resistance (Ohms)	220, 330
Number of Pins20Power Per Element100mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case20-SOIC (0.220", 5.59mm Width)Supplier Device Package-	Tolerance	±2%
Power Per Element100mWTemperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case20-SOIC (0.220", 5.59mm Width)Supplier Device Package-	Number of Resistors	36
Temperature Coefficient±100ppm/°COperating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case20-SOIC (0.220", 5.59mm Width)Supplier Device Package-	Number of Pins	20
Operating Temperature-55°C ~ 125°CApplications-Mounting TypeSurface MountPackage / Case20-SOIC (0.220", 5.59mm Width)Supplier Device Package-	Power Per Element	100mW
Applications-Mounting TypeSurface MountPackage / Case20-SOIC (0.220", 5.59mm Width)Supplier Device Package-	Temperature Coefficient	±100ppm/°C
Mounting TypeSurface MountPackage / Case20-SOIC (0.220", 5.59mm Width)Supplier Device Package-	Operating Temperature	-55°C ~ 125°C
Package / Case 20-SOIC (0.220", 5.59mm Width) Supplier Device Package -	Applications	-
Supplier Device Package -	Mounting Type	Surface Mount
	Package / Case	20-SOIC (0.220", 5.59mm Width)
Size / Dimension 0.540" L x 0.220" W (13.70mm x 5.59mm)	Supplier Device Package	-
	Size / Dimension	0.540" L x 0.220" W (13.70mm x 5.59mm)
Height - Seated (Max) 0.071" (1.80mm)	Height - Seated (Max)	0.071" (1.80mm)
Report errors?		Report errors?

768205131AP Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

768205131AP Payment Methods WIRE REAR RAY PayPal WELLING WIRE RAY PAY

If you have any question about 768205131AP, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com