

77343-04.0HG-01

77343-04.0HG-01 Information



E-mail: salesdept@heisener.com



Request a Quote

For Reference Only

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



77343-04.0HG-01 Specifications

ManufacturerHoneywell Sensing and Productivity SolutionsCategorySensors, TransducersPresure Sensors, TransducersPackageCylinderSeries5000Pressure TypeSwitchOperating Pressure1.96 PSI (13.546 kPa)Output TypeSPST-NCOutput Type.Output Guige - Supply.Port SizeMale - 1/8" (3.18mm) NPTPort Style.Features.Termination Style.Operating Tensprence.Operating Tensprence.Port Style.Package / Case.Operating Tensprence.Output.Style.Port Style.Port Style.Port Style.Style.Package / Case.Operating Temperature.Package / CaseCylinderCase.Style.Package / Case.Style. <t< th=""><th></th><th></th></t<>		
CategorySensors, TransducersPackageCylinderPackageCylinderSeries5000Pressure TypeSwitchOperating Pressure1.96 PSI (13.546 kPa)Output TypeSPST-NCOutput-Accuracy-Voltage - Supply-Port SizeMale - 1/8" (3.18mm) NPTPort Style-Features-Output Pressure-Output Style-Port Style-Port Style-Package/ Case-Supplier Device Package-Supplier Device Package-	Manufacturer Part Number	77343-04.0HG-01
Pressure Sensors, TransducersPackageCylinderSeries5000Pressure TypeSwitchOperating Pressure1.96 PSI (13.546 kPa)Output TypeSPST-NCOutput Quput-Accuracy-Voltage - Supply-Port SizeMale - 1/8" (3.18mm) NPTPort Syle-Features-Output Pressure-Port Syle-Port Syle-Port Syle-Package/Case-Supplier Device Package-Supplier Device Package-Supplier Device Package-Supplier Device Package-Supplier Device Package-	Manufacturer	Honeywell Sensing and Productivity Solutions
PackageCylinderSeries5000Pressure TypeSwitchOperating Pressure1.96 PSI (13.546 kPa)Output TypeSPST-NCOutput Que-Accuracy-Voltage - Supply-Port SizeMale - 1/8" (3.18mm) NPTPort Syle-Features-Features-Output Type-Output Pressure-Port Syle-Port Syle-Features-Package / Case-Operating Temperature-Package / Case-Supplier Device Package-Supplier	Category	Sensors, Transducers
Series5000Pressure TypeSwitchOperating Pressure1.96 PSI (13.546 kPa)Output TypeSPST-NCOutput-Accuracy-Voltage - Supply-Port SizeMale - 1/8" (3.18mm) NPTPort Style-Features-Termination Style-Operating Temperature-Questing Temperature-Supplier Device Package-Supplier Device Package-		Pressure Sensors, Transducers
Pressure TypeSwitchOperating Pressure1.96 PSI (13.546 kPa)Output TypeSPST-NCOutput Quest-Accuracy-Voltage - Supply-Port SizeMale - 1/8" (3.18mm) NPTPort Style-Features-Termination Style-Output Type-Output Pressure-Output Supply-Supplier Device Package-Output Supplier Device Package-Supplier Device Package-Output Supplier Device Package-Supplier Device Package-Output Supplier Device	Package	Cylinder
Operating Pressure1.96 PSI (13.546 kPa)Output TypeSPST-NCOutput-Accuracy-Voltage - Supply-Port SizeMale - 1/8" (3.18mm) NPTPort StyleThreadedFeatures-Termination Style-Maximum Pressure-Operating Temperature-40°C ~ 121°CPackage / CaseCylinderSupplier Device Package-	Series	5000
Output TypeSPST-NCOutput-Accuracy-Voltage - Supply-Port SizeMale - 1/8" (3.18mm) NPTPort StyleThreadedFeatures-Termination Style-Maximum Pressure-Operating Temperature+40°C ~ 121°CPackage / CaseCylinderSupplier Device Package-	Pressure Type	Switch
AreaOutput-Accuracy-Voltage - Supply-Port SizeMale - 1/8" (3.18mm) NPTPort StyleThreadedFeatures-Termination Style-Maximum Pressure-Operating Temperature-40°C ~ 121°CPackage / CaseCylinderSupplier Device Package-	Operating Pressure	1.96 PSI (13.546 kPa)
Accuracy-Accuracy-Voltage - Supply-Port SizeMale - 1/8" (3.18mm) NPTPort StyleThreadedFeatures-Termination Style-Maximum Pressure-Operating Temperature-40°C ~ 121°CPackage / CaseCylinderSupplier Device Package-	Output Type	SPST-NC
Voltage - Supply-Port SizeMale - 1/8" (3.18mm) NPTPort StyleThreadedFeatures-Termination Style-Maximum Pressure-Operating Temperature40°C ~ 121°CPackage / CaseCylinderSupplier Device Package-	Output	-
Port SizeMale - 1/8" (3.18mm) NPTPort StyleThreadedFeatures-Termination Style-Maximum Pressure-Operating Temperature-40°C ~ 121°CPackage / CaseCylinderSupplier Device Package-	Accuracy	-
Port StyleThreadedFeatures-Termination Style-Maximum Pressure-Operating Temperature-40°C ~ 121°CPackage / CaseCylinderSupplier Device Package-	Voltage - Supply	-
Features-Termination Style-Maximum Pressure-Operating Temperature-40°C ~ 121°CPackage / CaseCylinderSupplier Device Package-	Port Size	Male - 1/8" (3.18mm) NPT
Termination Style-Maximum Pressure-Operating Temperature-40°C ~ 121°CPackage / CaseCylinderSupplier Device Package-	Port Style	Threaded
Maximum Pressure-Operating Temperature-40°C ~ 121°CPackage / CaseCylinderSupplier Device Package-	Features	-
Operating Temperature-40°C ~ 121°CPackage / CaseCylinderSupplier Device Package-	Termination Style	-
Package / Case Cylinder Supplier Device Package -	Maximum Pressure	-
Supplier Device Package -	Operating Temperature	-40°C ~ 121°C
	Package / Case	Cylinder
Report errors?	Supplier Device Package	-
		Report errors?

77343-04.0HG-01 Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

77343-04.0HG-01 Payment Methods



77343-04.0HG-01 Shipping Methods



If you have any question about 77343-04.0HG-01, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com