

### **80ET Information**

www.heisener.com

For Reference Only

Part Number 80ET Manufacturer Eaton

Category Circuit Protection

Electrical, Specialty Fuses

**Description** FUSE CARTRIDGE 80A 690VAC/500VDC

Package Cylindrical, Blade Terminal (Bolt)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **80ET Specifications**

Manufacturer Part Number80ETManufacturerEatonCategoryCircuit ProtectionPackageCylindrical, Specialty FusesPackageCylindrical, Blade Terminal (Bolt)SeriesETFuse TypeCartridgeCurrent Rating80AVoltage Rating - AC690VVoltage Rating - DC500VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, UROperating Temperature-Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.673" Dia x 1.890" L (17.10mm x 48.00mm)	<u> </u>	
Category  Circuit Protection Electrical, Specialty Fuses  Package Cylindrical, Blade Terminal (Bolt) Series ET Fuse Type Cartridge Current Rating 80A Voltage Rating - AC 690V Voltage Rating - DC So0V Response Time - Applications Electrical, Industrial Features - Class - Approvals CE, UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension  Circuit Protection Electrical, Specialty Fuses Electrical, Industrial Features - CE, UR COperating Temperature - Breaking Capacity @ Rated Voltage COBA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension  Circuit Protection Electrical, Specialty Fuses Electrical, Industrial Features - CE, UR COPIT CIRCUIT COMPAN (ACCOUNT)  Electrical Specialty Company Specialty Fuses Electrical, Specialty Company Specialty Company Specialty Company Specialty Fuses Specialty Fus	Manufacturer Part Number	80ET
Package Cylindrical, Blade Terminal (Bolt) Series ET Fuse Type Cartridge Current Rating 80A Voltage Rating - AC 690V Voltage Rating - DC 500V Response Time -	Manufacturer	Eaton
PackageCylindrical, Blade Terminal (Bolt)SeriesETFuse TypeCartridgeCurrent Rating80AVoltage Rating - AC690VVoltage Rating - DC500VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, UROperating Temperature-Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Category	Circuit Protection
SeriesETFuse TypeCartridgeCurrent Rating80AVoltage Rating - AC690VVoltage Rating - DC500VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, UROperating Temperature-Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.673" Dia x 1.890" L (17.10mm x 48.00mm)		Electrical, Specialty Fuses
Fuse Type Current Rating 80A  Voltage Rating - AC 690V  Voltage Rating - DC 500V  Response Time - Applications Electrical, Industrial  Features - Class - Approvals CE, UR  Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension  Cartridge ABOA  Cartridge ABOA  ABOA  SOB  BOLA  SOB  CARTRIDGE  BOLA  SOB  CARTRIDGE  CARTRIDGE  SOB  CARTRIDGE  CARTRIDGE  CARTRIDGE  SOB  CARTRIDGE  CARTR	Package	Cylindrical, Blade Terminal (Bolt)
Current Rating  Voltage Rating - AC  690V  Voltage Rating - DC  500V  Response Time  - Applications  Electrical, Industrial  Features  - Class  - Approvals  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Bolt Mount  Package / Case  Size / Dimension  80A  690V  690V  600V  6	Series	ET
Voltage Rating - AC  Voltage Rating - DC  500V  Response Time  - Applications  Electrical, Industrial  Features  - Class  - Approvals  CE, UR  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Bolt Mount  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  690V  690V  690V  600V  6000  60	Fuse Type	Cartridge
Voltage Rating - DC  Response Time - Applications Electrical, Industrial  Features - Class - Approvals CE, UR  Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Size / Dimension  500V  500V  500V  500V  500V  6000  600	Current Rating	80A
Response Time Applications Electrical, Industrial Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension - Class - CE, UR CE, UR CONA Bolt Mount CONA Bolt Mount CONA Bolt Mount CONA CONA CONA CONA CONA CONA CONA CONA	Voltage Rating - AC	690V
Applications Electrical, Industrial  Features - Class - Approvals CE, UR  Operating Temperature - Breaking Capacity @ Rated Voltage 200kA  Mounting Type Bolt Mount  Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Voltage Rating - DC	500V
Features - Class - CE, UR  Approvals CE, UR  Operating Temperature - Sereaking Capacity @ Rated Voltage 200kA  Mounting Type Bolt Mount  Package / Case Cylindrical, Blade Terminal (Bolt)  Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Response Time	-
Class - Approvals CE, UR Operating Temperature - Breaking Capacity @ Rated Voltage 200kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Applications	Electrical, Industrial
Approvals CE, UR Operating Temperature - Breaking Capacity @ Rated Voltage 200kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Features	-
Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Bolt Mount  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Class	-
Breaking Capacity @ Rated Voltage 200kA  Mounting Type Bolt Mount  Package / Case Cylindrical, Blade Terminal (Bolt)  Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Approvals	CE, UR
Mounting Type  Bolt Mount  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Operating Temperature	-
Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Breaking Capacity @ Rated Voltage	200kA
Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Mounting Type	Bolt Mount
	Package / Case	Cylindrical, Blade Terminal (Bolt)
Report errors?	Size / Dimension	0.673" Dia x 1.890" L (17.10mm x 48.00mm)
Report errors.		Report errors?

### **80ET Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## **80ET Payment Methods**





















### **80ET Shipping Methods**













If you have any question about 80ET, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com