

80ET Information

www.heisener.com

For Reference Only

Part Number 80ET Manufacturer Eaton

Category Circuit Protection

Electrical, Specialty Fuses

Description FUSE CARTRIDGE 80A 690VAC/500VDC

Package Cylindrical, Blade Terminal (Bolt)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









80ET Specifications

Manufacturer Part Number80ETManufacturerEatonCategoryCircuit ProtectionPackageCylindrical, Specialty FusesPackageCylindrical, Blade Terminal (Bolt)SeriesETFuse TypeCartridgeCurrent Rating80AVoltage Rating - AC690VVoltage Rating - DC500VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, UROperating Temperature-Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.673" Dia x 1.890" L (17.10mm x 48.00mm)	<u> </u>	
Category Circuit Protection Electrical, Specialty Fuses Package Cylindrical, Blade Terminal (Bolt) Series ET Fuse Type Cartridge Current Rating 80A Voltage Rating - AC 690V Voltage Rating - DC So0V Response Time - Applications Electrical, Industrial Features - Class - Approvals CE, UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension Circuit Protection Electrical, Specialty Fuses Electrical, Industrial Features - CE, UR COperating Temperature - Breaking Capacity @ Rated Voltage COBA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension Circuit Protection Electrical, Specialty Fuses Electrical, Industrial Features - CE, UR COPIT CIRCUIT COMPAN (ACCOUNT) Electrical Specialty Company Specialty Fuses Electrical, Specialty Company Specialty Company Specialty Company Specialty Fuses Specialty Fus	Manufacturer Part Number	80ET
Package Cylindrical, Blade Terminal (Bolt) Series ET Fuse Type Cartridge Current Rating 80A Voltage Rating - AC 690V Voltage Rating - DC 500V Response Time -	Manufacturer	Eaton
PackageCylindrical, Blade Terminal (Bolt)SeriesETFuse TypeCartridgeCurrent Rating80AVoltage Rating - AC690VVoltage Rating - DC500VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, UROperating Temperature-Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Category	Circuit Protection
SeriesETFuse TypeCartridgeCurrent Rating80AVoltage Rating - AC690VVoltage Rating - DC500VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, UROperating Temperature-Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.673" Dia x 1.890" L (17.10mm x 48.00mm)		Electrical, Specialty Fuses
Fuse Type Current Rating 80A Voltage Rating - AC 690V Voltage Rating - DC 500V Response Time - Applications Electrical, Industrial Features - Class - Approvals CE, UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension Cartridge ABOA Cartridge ABOA ABOA SOB BOLA SOB CARTRIDGE BOLA SOB CARTRIDGE CARTRIDGE SOB CARTRIDGE CARTRIDGE CARTRIDGE SOB CARTRIDGE CARTR	Package	Cylindrical, Blade Terminal (Bolt)
Current Rating Voltage Rating - AC 690V Voltage Rating - DC 500V Response Time - Applications Electrical, Industrial Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Size / Dimension 80A 690V 690V 600V 6	Series	ET
Voltage Rating - AC Voltage Rating - DC 500V Response Time - Applications Electrical, Industrial Features - Class - Approvals CE, UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 690V 690V 690V 600V 6000 60	Fuse Type	Cartridge
Voltage Rating - DC Response Time - Applications Electrical, Industrial Features - Class - Approvals CE, UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Size / Dimension 500V 500V 500V 500V 500V 6000 600	Current Rating	80A
Response Time Applications Electrical, Industrial Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension - Class - CE, UR CE, UR CONA Bolt Mount CONA Bolt Mount CONA Bolt Mount CONA CONA CONA CONA CONA CONA CONA CONA	Voltage Rating - AC	690V
Applications Electrical, Industrial Features - Class - Approvals CE, UR Operating Temperature - Breaking Capacity @ Rated Voltage 200kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Voltage Rating - DC	500V
Features - Class - CE, UR Approvals CE, UR Operating Temperature - Sereaking Capacity @ Rated Voltage 200kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Response Time	-
Class - Approvals CE, UR Operating Temperature - Breaking Capacity @ Rated Voltage 200kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Applications	Electrical, Industrial
Approvals CE, UR Operating Temperature - Breaking Capacity @ Rated Voltage 200kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Features	-
Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Class	-
Breaking Capacity @ Rated Voltage 200kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Approvals	CE, UR
Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Operating Temperature	-
Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Breaking Capacity @ Rated Voltage	200kA
Size / Dimension 0.673" Dia x 1.890" L (17.10mm x 48.00mm)	Mounting Type	Bolt Mount
	Package / Case	Cylindrical, Blade Terminal (Bolt)
Report errors?	Size / Dimension	0.673" Dia x 1.890" L (17.10mm x 48.00mm)
Report errors.		Report errors?

80ET Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

80ET Payment Methods





















80ET Shipping Methods













If you have any question about 80ET, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com