

80LET

80LET Information



For Reference Only

Part Number	80LET	
Manufacturer	Eaton	
Category	Circuit Protection Electrical, Specialty Fuses	
Description	FUSE CARTRIDGE 80A 240VAC/150VDC	
Package	Cylindrical, Blade Terminal (Bolt)	
	For the pricing/inventory/lead time, please contact us Website: https://www.heisener.com E-mail: salesdept@heisener.com	



Request a Quote

Certified Quality


Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



80LET Specifications

ManufacturerEatonCategoryCircuit ProtectionElectrical, Specialty FusesPackageCylindrical, Blade Terminal (Bolt)SeriesLETFuse TypeCartridgeCurrent Rating80AVoltage Rating - AC240VVoltage Rating - DC150VResponse Time-ApplicationsElectrical, IndustrialFeatures-Operating TemperatureCE, UROperating Temperature200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)		
CategoryCircuit ProtectionElectrical, Specialty FusesPackageCylindrical, Blade Terminal (Bolt)SeriesLETFuse TypeCartridgeCurrent Rating80AVoltage Rating - AC240VVoltage Rating - DC150VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, UROperating Temperature200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.697" Dia x 1.032" L (17.70mm x 26.20mm)	Manufacturer Part Number	80LET
Electrical, Specialty FusesPackageCylindrical, Blade Terminal (Bolt)SeriesLETFuse TypeCartridgeCurrent Rating80AVoltage Rating - AC240VVoltage Rating - DC150VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, UROperating Temperature200kABreaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.697" Dia x 1.032" L (17.70mm x 26.20mm)	Manufacturer	Eaton
PackageCylindrical, Blade Terminal (Bolt)SeriesLETFuse TypeCartridgeCurrent Rating80AVoltage Rating - AC240VVoltage Rating - DC150VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, UROperating Type-Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.697" Dia x 1.032" L (17.70mm x 26.20mm)	Category	Circuit Protection
SeriesLETFuse TypeCartridgeCurrent Rating80AVoltage Rating - AC240VVoltage Rating - DC150VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, UROperating Temperature-Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.697" Dia x 1.032" L (17.70mm x 26.20mm)		Electrical, Specialty Fuses
Fuse TypeCartridgeCurrent Rating80AVoltage Rating - AC240VVoltage Rating - DC150VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, UROperating Temperature-Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCigyiindrical, Blade Terminal (Bolt)Size / Dimension0.697" Dia x 1.032" L (17.70mm x 26.20mm)	Package	Cylindrical, Blade Terminal (Bolt)
Current Rating80ACurrent Rating - AC240VVoltage Rating - DC150VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, UROperating Temperature200kABreaking Capacity @ Rated VoltageBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.697" Dia x 1.032" L (17.70mm x 26.20mm)	Series	LET
Voltage Rating - AC240VVoltage Rating - DC150VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, UROperating Temperature-Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.697" Dia x 1.032" L (17.70mm x 26.20mm)	Fuse Type	Cartridge
Voltage Rating - DC150VResponse Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, UROperating Temperature-Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.697" Dia x 1.032" L (17.70mm x 26.20mm)	Current Rating	80A
Response Time-ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, UROperating Temperature-Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.697" Dia x 1.032" L (17.70mm x 26.20mm)	Voltage Rating - AC	240V
ApplicationsElectrical, IndustrialFeatures-Class-ApprovalsCE, UROperating Temperature-Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.697" Dia x 1.032" L (17.70mm x 26.20mm)	Voltage Rating - DC	150V
Features-Features-Class-ApprovalsCE, UROperating Temperature-Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.697" Dia x 1.032" L (17.70mm x 26.20mm)	Response Time	-
Class-ApprovalsCE, UROperating Temperature-Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.697" Dia x 1.032" L (17.70mm x 26.20mm)	Applications	Electrical, Industrial
ApprovalsCE, UROperating Temperature-Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.697" Dia x 1.032" L (17.70mm x 26.20mm)	Features	-
Operating Temperature-Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.697" Dia x 1.032" L (17.70mm x 26.20mm)	Class	-
Breaking Capacity @ Rated Voltage200kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.697" Dia x 1.032" L (17.70mm x 26.20mm)	Approvals	CE, UR
Mounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.697" Dia x 1.032" L (17.70mm x 26.20mm)	Operating Temperature	-
Package / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.697" Dia x 1.032" L (17.70mm x 26.20mm)	Breaking Capacity @ Rated Voltage	200kA
Size / Dimension 0.697" Dia x 1.032" L (17.70mm x 26.20mm)	Mounting Type	Bolt Mount
	Package / Case	Cylindrical, Blade Terminal (Bolt)
Report errors?	Size / Dimension	0.697" Dia x 1.032" L (17.70mm x 26.20mm)
		Report errors?

80LET Guarantees



If you have any question about 80LET, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com