

# 80MXC1200MEFCSN20X35

### 80MXC1200MEFCSN20X35 Information



For Reference Only

Part Number 80MXC1200MEFCSN20X35

Manufacturer Rubycon
Category Capacitors

**Aluminum Electrolytic Capacitors** 

**Description** CAP ALUM 1200UF 20% 80V SNAP

Package Radial, Can - Snap-In

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## 80MXC1200MEFCSN20X35 Specifications

Manufacturer Part Number         80MXC1200MEFCSN20X35           Manufacturer         Rubycon           Category         Capacitors           Aluminum Electrolytic Capacitors           Package         Radial, Can - Snap-In           Series         MXC           Capacitance         1200μF           Tolerance         ±20%           Voltage - Rated         80V           ESR (Equivalent Series Resistance)         -           Lifetime @ Temp.         3000 Hrs @ 105°C           Operating Temperature         -40°C ~ 105°C           Polarization         Polar           Applications         General Purpose           Ripple Current - Low Frequency         1.44A @ 120Hz
CategoryCapacitorsAluminum Electrolytic CapacitorsPackageRadial, Can - Snap-InSeriesMXCCapacitance1200μFTolerance±20%Voltage - Rated80VESR (Equivalent Series Resistance)-Lifetime @ Temp.3000 Hrs @ 105°COperating Temperature-40°C ~ 105°CPolarizationPolarApplicationsGeneral PurposeRipple Current - Low Frequency1.44A @ 120Hz
PackageRadial, Can - Snap-InSeriesMXCCapacitance1200μFTolerance±20%Voltage - Rated80VESR (Equivalent Series Resistance)-Lifetime @ Temp.3000 Hrs @ 105°COperating Temperature-40°C ~ 105°CPolarizationPolarApplicationsGeneral PurposeRipple Current - Low Frequency1.44A @ 120Hz
Package Radial, Can - Snap-In  Series MXC  Capacitance 1200µF  Tolerance ±20%  Voltage - Rated 80V  ESR (Equivalent Series Resistance) -  Lifetime @ Temp. 3000 Hrs @ 105°C  Operating Temperature -40°C ~ 105°C  Polarization Polar  Applications General Purpose  Ripple Current - Low Frequency 1.44A @ 120Hz
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
Capacitance $1200\mu F$ Tolerance $\pm 20\%$ Voltage - Rated $80V$ ESR (Equivalent Series Resistance)-Lifetime @ Temp. $3000 \text{ Hrs } @ 105^{\circ}\text{C}$ Operating Temperature $-40^{\circ}\text{C} \sim 105^{\circ}\text{C}$ PolarizationPolarApplicationsGeneral PurposeRipple Current - Low Frequency $1.44A @ 120Hz$
Tolerance ±20%  Voltage - Rated 80V  ESR (Equivalent Series Resistance) -  Lifetime @ Temp. 3000 Hrs @ 105°C  Operating Temperature -40°C ~ 105°C  Polarization Polar  Applications General Purpose  Ripple Current - Low Frequency 1.44A @ 120Hz
Voltage - Rated 80V  ESR (Equivalent Series Resistance) -  Lifetime @ Temp. 3000 Hrs @ 105°C  Operating Temperature -40°C ~ 105°C  Polarization Polar  Applications General Purpose  Ripple Current - Low Frequency 1.44A @ 120Hz
ESR (Equivalent Series Resistance)  Lifetime @ Temp.  3000 Hrs @ 105°C  Operating Temperature  -40°C ~ 105°C  Polarization  Applications  General Purpose  Ripple Current - Low Frequency  1.44A @ 120Hz
Lifetime @ Temp. $3000  \text{Hrs}  @  105^{\circ}\text{C}$ Operating Temperature $-40^{\circ}\text{C} \sim 105^{\circ}\text{C}$ PolarizationPolarApplicationsGeneral PurposeRipple Current - Low Frequency $1.44\text{A}  @  120\text{Hz}$
Operating Temperature -40°C ~ 105°C  Polarization Polar  Applications General Purpose  Ripple Current - Low Frequency 1.44A @ 120Hz
Polarization Polar Applications General Purpose Ripple Current - Low Frequency 1.44A @ 120Hz
Applications General Purpose Ripple Current - Low Frequency 1.44A @ 120Hz
Ripple Current - Low Frequency 1.44A @ 120Hz
D' 1 C 4 H' 1 E
Ripple Current - High Frequency 1.656A @ 10kHz
Impedance -
Lead Spacing 0.394" (10.00mm)
Size / Dimension 0.787" Dia (20.00mm)
Height - Seated (Max) 1.457" (37.00mm)
Surface Mount Land Size -
Mounting Type Through Hole
Package / Case Radial, Can - Snap-In
Report errors?

#### 80MXC1200MEFCSN20X35 Guarantees



#### **Ouality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### 80MXC1200MEFCSN20X35 Payment Methods



















## 80MXC1200MEFCSN20X35 Shipping Methods













If you have any question about 80MXC1200MEFCSN20X35, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com