

820A0063-03 Information

Heisener.com

Part Number 820A0063-03
Manufacturer Tamura

Category Power Supplies - External/Internal (Off-Board)

AC AC Wall Adapters

Description AC/AC WALL MOUNT ADAPTER 16V 12W

Package

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com

Request a Quote



Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









820A0063-03 Specifications

Manufacturer Part Number 820A0063-03 Manufacturer Tamura Category Power Supplies - External/Internal (Off-Board) AC AC Wall Adapters Package - Series 820A Region Utilized North America Form Wall Mount (Class I) Input Type Fixed Blade Voltage - Input 120VAC Voltage - Output 16VAC Current - Output (Max) 750mA Power (Watts) 12W No Load Power Consumption - Applications ITE (Commercial) Efficiency - Operating Temperature - Output Connector Screw Terminal Size / Dimension - Approvals -		
Category Power Supplies - External/Internal (Off-Board) AC AC Wall Adapters Package - Series 820A Region Utilized North America Form Wall Mount (Class I) Input Type Fixed Blade Voltage - Input 120VAC Voltage - Output 16VAC Current - Output (Max) 750mA Power (Watts) 12W No Load Power Consumption - ITE (Commercial) Efficiency - Operating Temperature - Output Connector Screw Terminal Size / Dimension - Approvals	Manufacturer Part Number	820A0063-03
Package - Series 820A Region Utilized North America Form Wall Mount (Class I) Input Type Fixed Blade Voltage - Input 120VAC Voltage - Output 16VAC Current - Output (Max) 750mA Power (Watts) 12W No Load Power Consumption - Applications ITE (Commercial) Efficiency - Output Connector Screw Terminal Size / Dimension - Approvals - Output Connector Screw Terminal	Manufacturer	Tamura
Package-Series820ARegion UtilizedNorth AmericaFormWall Mount (Class I)Input TypeFixed BladeVoltage - Input120VACVoltage - Output16VACCurrent - Output (Max)750mAPower (Watts)12WNo Load Power Consumption-ApplicationsITE (Commercial)Efficiency-Operating Temperature-Output ConnectorScrew TerminalSize / Dimension-Approvals-	Category	Power Supplies - External/Internal (Off-Board)
Series820ARegion UtilizedNorth AmericaFormWall Mount (Class I)Input TypeFixed BladeVoltage - Input120VACVoltage - Output16VACCurrent - Output (Max)750mAPower (Watts)12WNo Load Power Consumption-ApplicationsITE (Commercial)Efficiency-Operating Temperature-Output ConnectorScrew TerminalSize / Dimension-Approvals-		AC AC Wall Adapters
Region UtilizedNorth AmericaFormWall Mount (Class I)Input TypeFixed BladeVoltage - Input120VACVoltage - Output16VACCurrent - Output (Max)750mAPower (Watts)12WNo Load Power Consumption-ApplicationsITE (Commercial)Efficiency-Operating Temperature-Output ConnectorScrew TerminalSize / Dimension-Approvals-	Package	-
Form Wall Mount (Class I) Input Type Fixed Blade Voltage - Input 120VAC Voltage - Output 16VAC Current - Output (Max) 750mA Power (Watts) 12W No Load Power Consumption - Applications ITE (Commercial) Efficiency - Operating Temperature - Output Connector Screw Terminal Size / Dimension - Approvals -	Series	820A
Input Type Voltage - Input 120VAC Voltage - Output 16VAC Current - Output (Max) 750mA Power (Watts) 12W No Load Power Consumption Applications ITE (Commercial) Efficiency Operating Temperature Output Connector Screw Terminal Size / Dimension Approvals Fixed Blade Fixed Blade I20VAC 16VAC 750mA 750mA Powar 12W	Region Utilized	North America
Voltage - Input 120VAC Voltage - Output 16VAC Current - Output (Max) 750mA Power (Watts) 12W No Load Power Consumption Applications ITE (Commercial) Efficiency Operating Temperature Output Connector Size / Dimension Approvals 120VAC 16VAC 12W 750mA 12W - Commercial	Form	Wall Mount (Class I)
Voltage - Output Current - Output (Max) 750mA Power (Watts) 12W No Load Power Consumption Applications ITE (Commercial) Efficiency Operating Temperature Output Connector Screw Terminal Size / Dimension Approvals 16VAC 12W 12W 12W 12W 12W 14	Input Type	Fixed Blade
Current - Output (Max) Power (Watts) 12W No Load Power Consumption Applications ITE (Commercial) Efficiency Operating Temperature Output Connector Screw Terminal Size / Dimension Approvals	Voltage - Input	120VAC
Power (Watts) No Load Power Consumption Applications Efficiency Operating Temperature Output Connector Size / Dimension Approvals 12W	Voltage - Output	16VAC
No Load Power Consumption - Applications ITE (Commercial) Efficiency - Operating Temperature - Output Connector Screw Terminal Size / Dimension - Approvals -	Current - Output (Max)	750mA
Applications ITE (Commercial) Efficiency - Operating Temperature - Output Connector Screw Terminal Size / Dimension - Approvals -	Power (Watts)	12W
Efficiency - Operating Temperature - Output Connector Screw Terminal Size / Dimension - Approvals -	No Load Power Consumption	-
Operating Temperature - Output Connector Screw Terminal Size / Dimension - Approvals -	Applications	ITE (Commercial)
Output Connector Screw Terminal Size / Dimension - Approvals -	Efficiency	-
Size / Dimension - Approvals -	Operating Temperature	-
Approvals -	Output Connector	Screw Terminal
	Size / Dimension	-
Report errors?	Approvals	-
· · · · · · · · · · · · · · · · · · ·		Report errors?

820A0063-03 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

820A0063-03 Payment Methods



















820A0063-03 Shipping Methods













If you have any question about 820A0063-03, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com