



850F1K0 Information



For Reference Only

Part Number 850F1K0
Manufacturer Ohmite
Category Resistors

Chassis Mount Resistors

Description RES CHAS MNT 1K OHM 1% 50W

Package Axial, Box

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









850F1K0 Specifications

Manufacturer Part Number 850F1K0 Manufacturer Ohmite Category Resistors Package Axial, Box Series Metal-Mite?89 Resistance 1 kOhms Tolerance ±1% Power (Watts) 50W Composition Wirewound Temperature Coefficient ±20ppm/°C Operating Temperature -55°C ~ 275°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.938" L x 1.156" W (49.23mm x 29.36mm) Height - Seated (Max) 0.620" (15.75mm)
Category Resistors Chassis Mount Resistors Package Axial, Box Series Metal-Mite?89 Resistance 1 kOhms Tolerance ±1% Power (Watts) 50W Composition Wirewound Temperature Coefficient ±20ppm/°C Operating Temperature -55°C ~ 275°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.938" L x 1.156" W (49.23mm x 29.36mm)
Chassis Mount Resistors Package Axial, Box Series Metal-Mite?89 Resistance 1 kOhms Tolerance ±1% Power (Watts) 50W Composition Wirewound Temperature Coefficient ±20ppm/°C Operating Temperature -55°C ~ 275°C Features Coating, Housing Type Aluminum Mounting Feature Size / Dimension Chassis Mount Resistors Axial, Box Metal-Mite?89 ### Metal-Mite?89 ### Metal-Mite?89 ### Metal-Mite?89 ### Metal-Mite?89 ### Metal-Mite?89 ### Metal-Mite?89 #### Metal-Mite?89 #### Metal-Mite?89 #### Axial, Box #### Metal-Mite?89 #### Axial, Box ####################################
PackageAxial, BoxSeriesMetal-Mite?89Resistance1 kOhmsTolerance±1%Power (Watts)50WCompositionWirewoundTemperature Coefficient±20ppm/°COperating Temperature-55°C ~ 275°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension1.938" L x 1.156" W (49.23mm x 29.36mm)
SeriesMetal-Mite?89Resistance1 kOhmsTolerance±1%Power (Watts)50WCompositionWirewoundTemperature Coefficient±20ppm/°COperating Temperature-55°C ~ 275°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension1.938" L x 1.156" W (49.23mm x 29.36mm)
Resistance 1 kOhms Tolerance ±1% Power (Watts) 50W Composition Wirewound Temperature Coefficient ±20ppm/°C Operating Temperature -55°C ~ 275°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.938" L x 1.156" W (49.23mm x 29.36mm)
Tolerance ±1% Power (Watts) 50W Composition Wirewound Temperature Coefficient ±20ppm/°C Operating Temperature -55°C ~ 275°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.938" L x 1.156" W (49.23mm x 29.36mm)
Power (Watts) Composition Wirewound Temperature Coefficient ±20ppm/°C Operating Temperature -55°C ~ 275°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 50W Auricum 420ppm/°C -55°C ~ 275°C Aluminum Aluminum Flanges 1.938" L x 1.156" W (49.23mm x 29.36mm)
CompositionWirewoundTemperature Coefficient±20ppm/°COperating Temperature-55°C ~ 275°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension1.938" L x 1.156" W (49.23mm x 29.36mm)
Temperature Coefficient ±20ppm/°C Operating Temperature -55°C ~ 275°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.938" L x 1.156" W (49.23mm x 29.36mm)
Operating Temperature -55°C ~ 275°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.938" L x 1.156" W (49.23mm x 29.36mm)
Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.938" L x 1.156" W (49.23mm x 29.36mm)
Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.938" L x 1.156" W (49.23mm x 29.36mm)
Mounting Feature Flanges Size / Dimension 1.938" L x 1.156" W (49.23mm x 29.36mm)
Size / Dimension 1.938" L x 1.156" W (49.23mm x 29.36mm)
, , , , , , , , , , , , , , , , , , ,
Height Seated (May) 0.620" (15.75mm)
11cigit - Scatcu (1717)
Lead Style Solder Lugs
Package / Case Axial, Box
Failure Rate -
Report errors?

850F1K0 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

850F1K0 Payment Methods





















850F1K0 Shipping Methods













If you have any question about 850F1K0, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com