

8870110000 Information



For Reference Only

Part Number8870110000ManufacturerWeidmullerCategoryRelays

Power Relays, Over 2 Amps

Description RELAY GEN PURPOSE SPDT 16A 48V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









8870110000 Specifications

Manufacturer Part Number8870110000ManufacturerWeidmullerCategoryRelaysPower Relays, Over 2 AmpsPackage-SeriesRCIRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current8.7 mACoil Voltage48 VDCContact FormSPDT (1 Form C)Contact Rating (Current)16ASwitching Voltage250 VAC - MaxTurn On Voltage (Max)33.6 VDCTurn Off Voltage (Min)4.8 VDCOperate Time7msRelease Time3msFeaturesDiode, LED IndicatorMounting TypeThrough HoleTermination StylePC Pin		
CategoryRelaysPower Relays, Over 2 AmpsPackage-SeriesRCIRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current8.7mACoil Voltage48VDCContact FormSPDT (1 Form C)Contact Rating (Current)16ASwitching Voltage250VAC - MaxTurn On Voltage (Max)33.6 VDCTurn Off Voltage (Min)4.8 VDCOperate Time7msRelease Time3msFeaturesDiode, LED IndicatorMounting TypeThrough HoleTermination StylePC Pin	Manufacturer Part Number	8870110000
Package - Series RCI Relay Type General Purpose Coil Type Non Latching Coil Current 8.7mA Coil Voltage 48VDC Contact Form SPDT (1 Form C) Contact Rating (Current) 16A Switching Voltage 250VAC - Max Turn On Voltage (Max) 33.6 VDC Turn Off Voltage (Min) 4.8 VDC Operate Time 7ms Release Time 3ms Features Diode, LED Indicator Mounting Type Through Hole Termination Style Purpose	Manufacturer	Weidmuller
Package - Series RCI Relay Type General Purpose Coil Type Non Latching Coil Current 8.7mA Coil Voltage 48VDC Contact Form SPDT (1 Form C) Contact Rating (Current) 16A Switching Voltage 250VAC - Max Turn On Voltage (Max) 33.6 VDC Turn Off Voltage (Min) 4.8 VDC Operate Time 7ms Release Time 7ms Release Time 5ms Features Diode, LED Indicator Mounting Type Through Hole Termination Style	Category	Relays
SeriesRCIRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current8.7mACoil Voltage48VDCContact FormSPDT (1 Form C)Contact Rating (Current)16ASwitching Voltage250VAC - MaxTurn On Voltage (Max)33.6 VDCTurn Off Voltage (Min)4.8 VDCOperate Time7msRelease Time3msFeaturesDiode, LED IndicatorMounting TypeThrough HoleTermination StylePC Pin		Power Relays, Over 2 Amps
Relay TypeGeneral PurposeCoil TypeNon LatchingCoil Current8.7mACoil Voltage48VDCContact FormSPDT (1 Form C)Contact Rating (Current)16ASwitching Voltage250VAC - MaxTurn On Voltage (Max)33.6 VDCTurn Off Voltage (Min)4.8 VDCOperate Time7msRelease Time3msFeaturesDiode, LED IndicatorMounting TypeThrough HoleTermination StylePC Pin	Package	-
Coil TypeNon LatchingCoil Current8.7mACoil Voltage48VDCContact FormSPDT (1 Form C)Contact Rating (Current)16ASwitching Voltage250VAC - MaxTurn On Voltage (Max)33.6 VDCTurn Off Voltage (Min)4.8 VDCOperate Time7msRelease Time3msFeaturesDiode, LED IndicatorMounting TypeThrough HoleTermination StylePC Pin	Series	RCI
Coil Current 8.7mA Coil Voltage 48VDC Contact Form SPDT (1 Form C) Contact Rating (Current) 16A Switching Voltage 250VAC - Max Turn On Voltage (Max) 33.6 VDC Turn Off Voltage (Min) 4.8 VDC Operate Time 7ms Release Time 3ms Features Diode, LED Indicator Mounting Type Through Hole Termination Style PC Pin	Relay Type	General Purpose
Coil Voltage 48VDC Contact Form SPDT (1 Form C) Contact Rating (Current) 16A Switching Voltage 250VAC - Max Turn On Voltage (Max) 33.6 VDC Turn Off Voltage (Min) 4.8 VDC Operate Time 7ms Release Time 3ms Features Diode, LED Indicator Mounting Type Through Hole Termination Style PC Pin	Coil Type	Non Latching
Contact Form SPDT (1 Form C) Contact Rating (Current) 16A Switching Voltage 250VAC - Max Turn On Voltage (Max) 33.6 VDC Turn Off Voltage (Min) 4.8 VDC Operate Time 7ms Release Time 3ms Features Diode, LED Indicator Mounting Type Through Hole Termination Style PC Pin	Coil Current	8.7mA
Contact Rating (Current) Switching Voltage 250VAC - Max Turn On Voltage (Max) 33.6 VDC Turn Off Voltage (Min) 4.8 VDC Operate Time 7ms Release Time 3ms Features Diode, LED Indicator Mounting Type Through Hole Termination Style	Coil Voltage	48VDC
Switching Voltage 250VAC - Max Turn On Voltage (Max) 33.6 VDC Turn Off Voltage (Min) 4.8 VDC Operate Time 7ms Release Time 3ms Features Diode, LED Indicator Mounting Type Through Hole Termination Style PC Pin	Contact Form	SPDT (1 Form C)
Turn On Voltage (Max) Turn Off Voltage (Min) Operate Time Release Time 3ms Features Diode, LED Indicator Mounting Type Through Hole Termination Style 33.6 VDC 4.8 VDC 7ms Diode, LED Indicator Through Hole PC Pin	Contact Rating (Current)	16A
Turn Off Voltage (Min) Operate Time 7ms Release Time 3ms Features Diode, LED Indicator Mounting Type Through Hole Termination Style PC Pin	Switching Voltage	250VAC - Max
Operate Time7msRelease Time3msFeaturesDiode, LED IndicatorMounting TypeThrough HoleTermination StylePC Pin	Turn On Voltage (Max)	33.6 VDC
Release Time 3ms Features Diode, LED Indicator Mounting Type Through Hole Termination Style PC Pin	Turn Off Voltage (Min)	4.8 VDC
Features Diode, LED Indicator Mounting Type Through Hole Termination Style PC Pin	Operate Time	7ms
Mounting Type Through Hole Termination Style PC Pin	Release Time	3ms
Termination Style PC Pin	Features	Diode, LED Indicator
·	Mounting Type	Through Hole
Report errors?	Termination Style	PC Pin
		Report errors?

8870110000 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

8870110000 Payment Methods





















8870110000 Shipping Methods













If you have any question about 8870110000, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com