

8870360000 Information



For Reference Only

Part Number8870360000ManufacturerWeidmullerCategoryRelays

Power Relays, Over 2 Amps

Description RELAY GEN PURPOSE DPDT 8A 115V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









8870360000 Specifications

Manufacturer Part Number8870360000ManufacturerWeidmullerCategoryRelaysPower Relays, Over 2 AmpsPackage-SeriesRCIRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current6.6mACoil Voltage115VACContact FormDPDT (2 Form C)Contact Rating (Current)8ASwitching Voltage250VAC - MaxTurn On Voltage (Max)86.3 VACTurn Off Voltage (Min)17.3 VACOperate Time7msRelease Time2msFeaturesLED Indicator, Test ButtonMounting TypeThrough HoleTermination StylePC Pin		
CategoryRelaysPower Relays, Over 2 AmpsPackage-SeriesRCIRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current6.6mACoil Voltage115VACContact FormDPDT (2 Form C)Contact Rating (Current)8ASwitching Voltage250VAC - MaxTurn On Voltage (Max)86.3 VACTurn Off Voltage (Min)17.3 VACOperate Time7msRelease Time2msFeaturesLED Indicator, Test ButtonMounting TypeThrough HoleTermination StylePC Pin	Manufacturer Part Number	8870360000
Package - Series RCI Relay Type General Purpose Coil Type Non Latching Coil Current 6.6mA Coil Voltage 115VAC Contact Form DPDT (2 Form C) Contact Rating (Current) 8A Switching Voltage 250VAC - Max Turn On Voltage (Max) 86.3 VAC Turn Off Voltage (Min) 17.3 VAC Operate Time 7ms Release Time 2ms Features LED Indicator, Test Button Mounting Type Through Hole Termination Style	Manufacturer	Weidmuller
Package - RCI Relay Type General Purpose Coil Type Non Latching Coil Current 6.6mA Coil Voltage 115VAC Contact Form DPDT (2 Form C) Contact Rating (Current) 8A Switching Voltage 250VAC - Max Turn On Voltage (Max) 86.3 VAC Turn Off Voltage (Min) 17.3 VAC Operate Time 7ms Release Time 2ms Features LED Indicator, Test Button Mounting Type Through Hole Termination Style	Category	Relays
SeriesRCIRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current6.6mACoil Voltage115VACContact FormDPDT (2 Form C)Contact Rating (Current)8ASwitching Voltage250VAC - MaxTurn On Voltage (Max)86.3 VACTurn Off Voltage (Min)17.3 VACOperate Time7msRelease Time2msFeaturesLED Indicator, Test ButtonMounting TypeThrough HoleTermination StylePC Pin		Power Relays, Over 2 Amps
Relay Type Coil Type Non Latching Coil Current 6.6mA Coil Voltage 115VAC Contact Form DPDT (2 Form C) Contact Rating (Current) 8A Switching Voltage 250VAC - Max Turn On Voltage (Max) 86.3 VAC Turn Off Voltage (Min) 7ms Release Time 7ms Release Time 2ms Features LED Indicator, Test Button Mounting Type Through Hole Termination Style	Package	-
Coil TypeNon LatchingCoil Current6.6mACoil Voltage115VACContact FormDPDT (2 Form C)Contact Rating (Current)8ASwitching Voltage250VAC - MaxTurn On Voltage (Max)86.3 VACTurn Off Voltage (Min)17.3 VACOperate Time7msRelease Time2msFeaturesLED Indicator, Test ButtonMounting TypeThrough HoleTermination StylePC Pin	Series	RCI
Coil Current Coil Voltage Contact Form DPDT (2 Form C) Contact Rating (Current) 8A Switching Voltage 250VAC - Max Turn On Voltage (Max) 86.3 VAC Turn Off Voltage (Min) 17.3 VAC Operate Time 7ms Release Time 2ms Features LED Indicator, Test Button Mounting Type Termination Style PC Pin	Relay Type	General Purpose
Coil Voltage 115VAC Contact Form DPDT (2 Form C) Contact Rating (Current) 8A Switching Voltage 250VAC - Max Turn On Voltage (Max) 86.3 VAC Turn Off Voltage (Min) 17.3 VAC Operate Time 7ms Release Time 2ms Features LED Indicator, Test Button Mounting Type Through Hole Termination Style PC Pin	Coil Type	Non Latching
Contact Form DPDT (2 Form C) Contact Rating (Current) 8A Switching Voltage 250VAC - Max Turn On Voltage (Max) 86.3 VAC Turn Off Voltage (Min) 17.3 VAC Operate Time 7ms Release Time 2ms Features LED Indicator, Test Button Mounting Type Through Hole Termination Style PC Pin	Coil Current	6.6mA
Contact Rating (Current) Switching Voltage 250VAC - Max Turn On Voltage (Max) 86.3 VAC Turn Off Voltage (Min) 17.3 VAC Operate Time 7ms Release Time 2ms Features LED Indicator, Test Button Mounting Type Through Hole Termination Style	Coil Voltage	115VAC
Switching Voltage Turn On Voltage (Max) 86.3 VAC Turn Off Voltage (Min) 17.3 VAC Operate Time 7ms Release Time 2ms Features LED Indicator, Test Button Mounting Type Through Hole Termination Style PC Pin	Contact Form	DPDT (2 Form C)
Turn On Voltage (Max) Turn Off Voltage (Min) Operate Time Release Time 2ms Features LED Indicator, Test Button Mounting Type Through Hole Termination Style 86.3 VAC	Contact Rating (Current)	8A
Turn Off Voltage (Min) Operate Time 7ms Release Time 2ms Features LED Indicator, Test Button Mounting Type Through Hole Termination Style PC Pin	Switching Voltage	250VAC - Max
Operate Time7msRelease Time2msFeaturesLED Indicator, Test ButtonMounting TypeThrough HoleTermination StylePC Pin	Turn On Voltage (Max)	86.3 VAC
Release Time 2ms Features LED Indicator, Test Button Mounting Type Through Hole Termination Style PC Pin	Turn Off Voltage (Min)	17.3 VAC
Features LED Indicator, Test Button Mounting Type Through Hole Termination Style PC Pin	Operate Time	7ms
Mounting Type Through Hole Termination Style PC Pin	Release Time	2ms
Termination Style PC Pin	Features	LED Indicator, Test Button
·	Mounting Type	Through Hole
Report errors?	Termination Style	PC Pin
		Report errors?

8870360000 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

8870360000 Payment Methods



















8870360000 Shipping Methods













If you have any question about 8870360000, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com