

89891-412

t a Quote

89891-412 Information

| Contraction of the second seco | Part Number | 89891-412 | |
|--|--------------|--|-----|
| | Manufacturer | Amphenol FCI | |
| | Category | Connectors, Interconnects Rectangular Connectors - Headers, Receptacles, Female Sockets | |
| | Description | CONN RCPT 24POS .100 DBL STR PCB | - 7 |
| | Package | - | |
| For Reference Only | | For the pricing/inventory/lead time, please contact us Website: https://www.heisener.com | Re |
| | | E-mail: salesdept@heisener.com | INC |

Certified Quality


Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



89891-412 Specifications

| Manufacturer Part Number | 89891-412 |
|-----------------------------------|---|
| Manufacturer | Amphenol FCI |
| Category | Connectors, Interconnects |
| | Rectangular Connectors - Headers, Receptacles, Female Sockets |
| Package | - |
| Series | Dubox? |
| Connector Type | Receptacle, Bottom or Top Entry |
| Contact Type | Female Socket |
| Style | Board to Board |
| Number of Positions | 24 |
| Number of Positions Loaded | All |
| Pitch - Mating | 0.100" (2.54mm) |
| Number of Rows | 2 |
| Row Spacing - Mating | 0.100" (2.54mm) |
| Mounting Type | Through Hole |
| Termination | Solder |
| Fastening Type | Push-Pull |
| Contact Finish - Mating | Tin-Lead |
| Contact Finish Thickness - Mating | 78.7µin (2.00µm) |
| Insulation Color | Blue |
| Insulation Height | 0.335" (8.51mm) |
| Contact Length - Post | 0.114" (2.90mm) |
| Operating Temperature | - |
| Material Flammability Rating | UL94 V-0 |
| | |

| Contact Finish - Post | Tin-Lead | |
|------------------------|----------|----------------|
| Mated Stacking Heights | 9.54mm | |
| Ingress Protection | - | |
| Features | - | |
| | | Report errors? |



If you have any question about 89891-412, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com

89891-412 Guarantees