



8P1P008200NRB01 Information

Heisener.com

Part Number 8P1P008200NRB01 Manufacturer NorComp Inc.

Category Connectors, Interconnects

Circular Connectors

Description CONN RCPT FMALE 8POS GOLD SOLDER

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









8P1P008200NRB01 Specifications

Series QUIK-LOQ? 8P1P Connector Type Receptacle, Female Sockets Number of Positions 8 Shell Size - Insert - Shell Size, MIL - Mounting Type Panel Mount, Bulkhead - Front Side Nut Termination Solder Cup Fastening Type Push-Pull Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyacrylonitrile Butadiene Styrene (ABS), Polycarbonate (PC) Contact Finish Gold		
Category Connectors, Interconnects Circular Connectors Package Series QUIK-LOQ? 8P1P Connector Type Receptacle, Female Sockets Number of Positions 8 Shell Size - Insert - Shell Size, MIL - Mounting Type Panel Mount, Bulkhead - Front Side Nut Termination Solder Cup Fastening Type Push-Pull Orientation Keyed Ingress Protection Shell Material, Finish Polyacrylonitrile Butadiene Styrene (ABS), Polycarbonate (PC) Contact Finish Gold Features Voltage - Rated 400V Current Rating 5 A	Manufacturer Part Number	8P1P008200NRB01
Circular Connectors Package - Series QUIK-LOQ? 8P1P Connector Type Receptacle, Female Sockets Number of Positions 8 Shell Size - Insert - Shell Size, MIL - Mounting Type Panel Mount, Bulkhead - Front Side Nut Termination Solder Cup Fastening Type Push-Pull Orientation Keyed Ingress Protection Shell Material, Finish Polyacrylonitrile Butadiene Styrene (ABS), Polycarbonate (PC) Contact Finish Features - Voltage - Rated 400V Current Rating Series QUIK-LOQ? 8P1P Receptacles - Sulfaction Receptacle, Female Sockets Receptacle, Female Sockets - Sulfaction Receptacles -	Manufacturer	NorComp Inc.
Package - QUIK-LOQ? 8P1P Connector Type Receptacle, Female Sockets Number of Positions 8 Shell Size - Insert - Shell Size, MIL - Mounting Type Panel Mount, Bulkhead - Front Side Nut Termination Solder Cup Fastening Type Push-Pull Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyacrylonitrile Butadiene Styrene (ABS), Polycarbonate (PC) Contact Finish Gold Features - Woltage - Rated 400V Current Rating 5A	Category	Connectors, Interconnects
Series QUIK-LOQ? 8P1P Connector Type Receptacle, Female Sockets Number of Positions 8 Shell Size - Insert - Shell Size, MIL - Mounting Type Panel Mount, Bulkhead - Front Side Nut Termination Solder Cup Fastening Type Push-Pull Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyacrylonitrile Butadiene Styrene (ABS), Polycarbonate (PC) Contact Finish Gold Features - Voltage - Rated 400V Current Rating 5A		Circular Connectors
Connector Type Receptacle, Female Sockets Number of Positions 8 Shell Size - Insert - Shell Size, MIL - Mounting Type Panel Mount, Bulkhead - Front Side Nut Termination Solder Cup Fastening Type Push-Pull Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyacrylonitrile Butadiene Styrene (ABS), Polycarbonate (PC) Contact Finish Gold Features Voltage - Rated 400V Current Rating 5A	Package	-
Number of Positions8Shell Size - Insert-Shell Size, MIL-Mounting TypePanel Mount, Bulkhead - Front Side NutTerminationSolder CupFastening TypePush-PullOrientationKeyedIngress ProtectionIP50 - Dust ProtectedShell Material, FinishPolyacrylonitrile Butadiene Styrene (ABS), Polycarbonate (PC)Contact FinishGoldFeatures-Voltage - Rated400VCurrent Rating5A	Series	QUIK-LOQ? 8P1P
Shell Size - Insert Shell Size, MIL - Mounting Type Panel Mount, Bulkhead - Front Side Nut Solder Cup Fastening Type Push-Pull Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyacrylonitrile Butadiene Styrene (ABS), Polycarbonate (PC) Contact Finish Gold Features Voltage - Rated 400V Current Rating 5A	Connector Type	Receptacle, Female Sockets
Shell Size, MIL Mounting Type Panel Mount, Bulkhead - Front Side Nut Termination Solder Cup Fastening Type Push-Pull Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyacrylonitrile Butadiene Styrene (ABS), Polycarbonate (PC) Contact Finish Gold Features - Voltage - Rated 400V Current Rating 5A	Number of Positions	8
Mounting Type Panel Mount, Bulkhead - Front Side Nut Termination Solder Cup Fastening Type Push-Pull Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyacrylonitrile Butadiene Styrene (ABS), Polycarbonate (PC) Contact Finish Gold Features - Voltage - Rated 400V Current Rating 5A	Shell Size - Insert	-
Termination Solder Cup Fastening Type Push-Pull Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyacrylonitrile Butadiene Styrene (ABS), Polycarbonate (PC) Contact Finish Gold Features - Voltage - Rated 400V Current Rating 5A	Shell Size, MIL	-
Fastening Type Push-Pull Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyacrylonitrile Butadiene Styrene (ABS), Polycarbonate (PC) Contact Finish Gold Features - Voltage - Rated 400V Current Rating 5A	Mounting Type	Panel Mount, Bulkhead - Front Side Nut
Orientation Keyed Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyacrylonitrile Butadiene Styrene (ABS), Polycarbonate (PC) Contact Finish Gold Features - Voltage - Rated 400V Current Rating 5A	Termination	Solder Cup
Ingress Protection IP50 - Dust Protected Shell Material, Finish Polyacrylonitrile Butadiene Styrene (ABS), Polycarbonate (PC) Contact Finish Gold Features - Voltage - Rated 400V Current Rating 5A	Fastening Type	Push-Pull
Shell Material, Finish Polyacrylonitrile Butadiene Styrene (ABS), Polycarbonate (PC) Contact Finish Gold Features - Voltage - Rated 400V Current Rating 5A	Orientation	Keyed
Contact Finish Gold Features - Voltage - Rated 400V Current Rating 5A	Ingress Protection	IP50 - Dust Protected
Features - Voltage - Rated 400V Current Rating 5A	Shell Material, Finish	Polyacrylonitrile Butadiene Styrene (ABS), Polycarbonate (PC)
Voltage - Rated 400V Current Rating 5A	Contact Finish	Gold
Current Rating 5A	Features	-
	Voltage - Rated	400V
Report errors?	Current Rating	5A
		Report errors?

8P1P008200NRB01 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

8P1P008200NRB01 Payment Methods





















8P1P008200NRB01 Shipping Methods













If you have any question about 8P1P008200NRB01, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com