

## A151K15C0GL5TAA

## A151K15C0GL5TAA Information



For Reference Only

Part Number A151K15C0GL5TAA

Manufacturer Vishay BC Components

**Category** Capacitors

Ceramic Capacitors

**Description** CAP CER 150PF 500V C0G/NP0 AXIAL

Package Axia

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# A151K15C0GL5TAA Specifications

Manufacturer Part Number         A151K15COGL5TAA           Manufacturer         Vishay BC Components           Category         Capacitors           Package         Axial           Series         A           Capacitance         150pF           Tolerance         ±10%           Voltage - Rated         500V           Temperature Coefficient         C0G, NPO           Operating Temperature         -55°C ~ 125°C           Features         -           Applications         General Purpose           Failure Rate         -           Mounting Type         Through Hole           Package / Case         Axial           Size / Dimension         0.098" Dia x 0.150" L (2.50mm x 3.80mm)           Height - Seated (Max)         -           Thickness (Max)         -           Lead Spacing         -           Lead Style         -		
Category         Capacitors           Package         Axial           Series         A           Capacitance         150pF           Tolerance         ±10%           Voltage - Rated         500V           Temperature Coefficient         COG, NPO           Operating Temperature         -55°C ~ 125°C           Features         -           Ratings         -           Applications         General Purpose           Failure Rate         -           Mounting Type         Through Hole           Package / Case         Axial           Size / Dimension         0.098" Dia x 0.150" L (2.50mm x 3.80mm)           Height - Seated (Max)         -           Thickness (Max)         -           Lead Spacing         -           Lead Style         -	Manufacturer Part Number	A151K15C0GL5TAA
Package         Axial           Series         A           Capacitance         150pF           Tolerance         ±10%           Voltage - Rated         500V           Temperature Coefficient         C0G, NP0           Operating Temperature         -55°C ~ 125°C           Features         -           Ratings         -           Applications         General Purpose           Failure Rate         -           Mounting Type         Through Hole           Package / Case         Axial           Size / Dimension         0.098" Dia x 0.150" L (2.50mm x 3.80mm)           Height - Seated (Max)         -           Thickness (Max)         -           Lead Spacing         -           Lead Style         -	Manufacturer	Vishay BC Components
Package         Axial           Series         A           Capacitance         150pF           Tolerance         ±10%           Voltage - Rated         500V           Temperature Coefficient         COG, NPO           Operating Temperature         -55°C ~ 125°C           Features         -           Ratings         -           Applications         General Purpose           Failure Rate         -           Mounting Type         Through Hole           Package / Case         Axial           Size / Dimension         0.098" Dia x 0.150" L (2.50mm x 3.80mm)           Height - Seated (Max)         -           Thickness (Max)         -           Lead Spacing         -           Lead Style         -	Category	Capacitors
Series         A           Capacitance         150pF           Tolerance         ±10%           Voltage - Rated         500V           Temperature Coefficient         COG, NPO           Operating Temperature         -55°C ~ 125°C           Features         -           Ratings         -           Applications         General Purpose           Failure Rate         -           Mounting Type         Through Hole           Package / Case         Axial           Size / Dimension         0.098" Dia x 0.150" L (2.50mm x 3.80mm)           Height - Seated (Max)         -           Thickness (Max)         -           Lead Spacing         -           Lead Style         -		Ceramic Capacitors
Capacitance         150pF           Tolerance         ±10%           Voltage - Rated         500V           Temperature Coefficient         COG, NPO           Operating Temperature         -55°C ~ 125°C           Features         -           Ratings         -           Applications         General Purpose           Failure Rate         -           Mounting Type         Through Hole           Package / Case         Axial           Size / Dimension         0.098" Dia x 0.150" L (2.50mm x 3.80mm)           Height - Seated (Max)         -           Thickness (Max)         -           Lead Spacing         -           Lead Style         -	Package	Axial
Tolerance ±10%  Voltage - Rated 500V  Temperature Coefficient COG, NP0  Operating Temperature -55°C ~ 125°C  Features Ratings Applications General Purpose  Failure Rate Mounting Type Through Hole  Package / Case Axial  Size / Dimension 0.098" Dia x 0.150" L (2.50mm x 3.80mm)  Height - Seated (Max)  Lead Spacing  Lead Style	Series	A
Voltage - Rated500VTemperature CoefficientC0G, NP0Operating Temperature-55°C ~ 125°CFeatures-Ratings-ApplicationsGeneral PurposeFailure Rate-Mounting TypeThrough HolePackage / CaseAxialSize / Dimension0.098" Dia x 0.150" L (2.50mm x 3.80mm)Height - Seated (Max)-Thickness (Max)-Lead Spacing-Lead Style-	Capacitance	150pF
Temperature Coefficient Operating Temperature -55°C ~ 125°C Features - Ratings - Applications General Purpose Failure Rate - Mounting Type Through Hole Package / Case Axial Size / Dimension Height - Seated (Max) Thickness (Max) Lead Spacing Lead Style - COG, NPO C	Tolerance	±10%
Operating Temperature-55°C ~ 125°CFeatures-Ratings-ApplicationsGeneral PurposeFailure Rate-Mounting TypeThrough HolePackage / CaseAxialSize / Dimension0.098" Dia x 0.150" L (2.50mm x 3.80mm)Height - Seated (Max)-Thickness (Max)-Lead Spacing-Lead Style-	Voltage - Rated	500V
Features - General Purpose - General Purpose - Through Hole - Axial Size / Dimension 0.098" Dia x 0.150" L (2.50mm x 3.80mm) Height - Seated (Max) - Chickness (Max) - Chickne	Temperature Coefficient	C0G, NP0
Ratings - General Purpose Failure Rate - Through Hole Package / Case Axial Size / Dimension 0.098" Dia x 0.150" L (2.50mm x 3.80mm) Height - Seated (Max) - Lead Spacing - Lead Style	Operating Temperature	-55°C ~ 125°C
Applications General Purpose Failure Rate - Mounting Type Through Hole Package / Case Axial Size / Dimension 0.098" Dia x 0.150" L (2.50mm x 3.80mm) Height - Seated (Max) - Thickness (Max) - Lead Spacing - Lead Style -	Features	-
Failure Rate - Mounting Type Through Hole Package / Case Axial Size / Dimension 0.098" Dia x 0.150" L (2.50mm x 3.80mm) Height - Seated (Max) - Thickness (Max) - Lead Spacing - Lead Style - Lead Style	Ratings	-
Mounting Type  Package / Case  Axial  Size / Dimension  0.098" Dia x 0.150" L (2.50mm x 3.80mm)  Height - Seated (Max)  - Thickness (Max)  - Lead Spacing  - Lead Style  Through Hole  Axial  0.098" Dia x 0.150" L (2.50mm x 3.80mm)  - Lead Style	Applications	General Purpose
Package / CaseAxialSize / Dimension0.098" Dia x 0.150" L (2.50mm x 3.80mm)Height - Seated (Max)-Thickness (Max)-Lead Spacing-Lead Style-	Failure Rate	-
Size / Dimension 0.098" Dia x 0.150" L (2.50mm x 3.80mm)  Height - Seated (Max) -  Thickness (Max) -  Lead Spacing -  Lead Style -	Mounting Type	Through Hole
Height - Seated (Max) - Thickness (Max) - Lead Spacing - Lead Style -	Package / Case	Axial
Thickness (Max) - Lead Spacing - Lead Style -	Size / Dimension	0.098" Dia x 0.150" L (2.50mm x 3.80mm)
Lead Spacing - Lead Style -	Height - Seated (Max)	-
Lead Style -	Thickness (Max)	-
	Lead Spacing	-
	Lead Style	-
Report errors?		Report errors?

#### A151K15C0GL5TAA Guarantees



## **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## A151K15C0GL5TAA Payment Methods



















## A151K15C0GL5TAA Shipping Methods













If you have any question about A151K15C0GL5TAA, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com