

AA0603FR-07442KL

AA0603FR-07442KL Information

C Heisen Coderere	er.com Description Package	AA0603FR-07442KL Yageo Resistors Chip Resistor - Surface Mount RES SMD 442K OHM 1% 1/10W 0603 0603 (1608 Metric) For the pricing/inventory/lead time, please contact	
For Reference	ee Only	us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



AA0603FR-07442KL Specifications

Manufacturer Part NumberAA0603FR-07442KLManufacturerYageoCategoryResistorsCategoryChip Resistor - Surface MountPackage0603 (1608 Metric)PackageAASeriesAAResistance442 kOhmsTolerance±1%Power (Watts)Ohit FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantFeatures±150pm/°COperating Temperature-55°C ~ 155°CPackage / Case063 (1608 Metric)
CategoryResistorsChip Resistor - Surface MountPackage0603 (1608 Metric)SeriesAAResistance442 kOhmsTolerance±1%Power (Watts)0.1W, 1/10WCompositionThick FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±150ppm/°COperating Temperature-55°C ~ 155°C
InterferenceChip Resistor - Surface MountPackage0603 (1608 Metric)SeriesAAResistance442 kOhmsTolerance±1%Power (Watts)0.1W, 1/10WCompositionThick FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±150ppm/°COperating Temperature-55°C ~ 155°C
Package0603 (1608 Metric)SeriesAAResistance442 kOhmsTolerance±1%Power (Watts)0.1W, 1/10WCompositionThick FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±150ppm/°COperating Temperature-55°C ~ 155°C
SeriesAAResistance442 kOhmsTolerance±1%Power (Watts)0.1W, 1/10WCompositionThick FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±150ppm/°COperating Temperature-55°C ~ 155°C
Resistance442 kOhmsTolerance±1%Power (Watts)0.1W, 1/10WCompositionThick FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±150ppm/°COperating Temperature-55°C ~ 155°C
Tolerance±1%Power (Watts)0.1W, 1/10WCompositionThick FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±150ppm/°COperating Temperature-55°C ~ 155°C
Power (Watts)0.1W, 1/10WCompositionThick FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±150ppm/°COperating Temperature-55°C ~ 155°C
CompositionThick FilmFeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±150ppm/°COperating Temperature-55°C ~ 155°C
FeaturesAnti-Sulfur, Automotive AEC-Q200, Moisture ResistantTemperature Coefficient±150ppm/°COperating Temperature-55°C ~ 155°C
Temperature Coefficient $\pm 150 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 155^{\circ}\text{C}$
Operating Temperature $-55^{\circ}C \sim 155^{\circ}C$
Package / Case0603 (1608 Metric)
Supplier Device Package 0603
Size / Dimension 0.063" L x 0.032" W (1.60mm x 0.80mm)
Height - Seated (Max) 0.022" (0.55mm)
Number of Terminations 2
Failure Rate -
Report errors?

AA0603FR-07442KL Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

AA0603FR-07442KL Payment Methods





If you have any question about AA0603FR-07442KL, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com