

### **AAO10 Information**

**Part Number** AAO10 **Manufacturer** Eaton

Category Circuit Protection

Electrical, Specialty Fuses

**Description** FUSE CRTRDGE 10A 550VAC CYLINDR

Package Cylindrical, Blade Terminal (Bolt)

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com

Request a Quote



## **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **AAO10 Specifications**

Manufacturer Part NumberAAO10ManufacturerEatonCategoryCircuit Protection Electrical, Specialty FusesPackageCylindrical, Blade Terminal (Bolt)SeriesAAOFuse TypeCartridgeCurrent Rating10AVoltage Rating - AC550VVoltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage80kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.539" Dia x 1.378" L (13.70mm x 35.00mm)Report errors?		
Category  Circuit Protection Electrical, Specialty Fuses  Package  Cylindrical, Blade Terminal (Bolt)  Series  AAO  Fuse Type  Cartridge  Current Rating  10A  Voltage Rating - AC  550V  Voltage Rating - DC  Response Time  - Applications  Electrical, Industrial  Features  - Class  - Approvals  Operating Temperature  Breaking Capacity @ Rated Voltage  80kA  Mounting Type  Bolt Mount  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  Circuit Protection  Electrical, Specialty Fuses  Electrical, Industrial  Features  - Class  - Class  - Class  - Class  - Class  - Cylindrical, Blade Terminal (Bolt)  Size / Dimension  O.539" Dia x 1.378" L (13.70mm x 35.00mm)	Manufacturer Part Number	AAO10
Beckage Cylindrical, Blade Terminal (Bolt) Series AAO Fuse Type Cartridge Current Rating 10A Voltage Rating - AC 550V Voltage Rating - DC - Response Time - Applications Electrical, Industrial Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage 80kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension (Safet Mac)	Manufacturer	Eaton
PackageCylindrical, Blade Terminal (Bolt)SeriesAAOFuse TypeCartridgeCurrent Rating10AVoltage Rating - AC550VVoltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage80kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.539" Dia x 1.378" L (13.70mm x 35.00mm)	Category	Circuit Protection
SeriesAAOFuse TypeCartridgeCurrent Rating10AVoltage Rating - AC550VVoltage Rating - DC-Response Time-ApplicationsElectrical, IndustrialFeatures-Class-Approvals-Operating Temperature-Breaking Capacity @ Rated Voltage80kAMounting TypeBolt MountPackage / CaseCylindrical, Blade Terminal (Bolt)Size / Dimension0.539" Dia x 1.378" L (13.70mm x 35.00mm)		Electrical, Specialty Fuses
Fuse Type Current Rating 10A Voltage Rating - AC 550V  Voltage Rating - DC	Package	Cylindrical, Blade Terminal (Bolt)
Current Rating Voltage Rating - AC  550V  Voltage Rating - DC  Response Time  - Applications Electrical, Industrial  Features - Class - Approvals  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type Bolt Mount  Package / Case Cylindrical, Blade Terminal (Bolt)  Size / Dimension  10A  10A  10A  10A  10A  10A  10A  10	Series	AAO
Voltage Rating - AC  Voltage Rating - DC  Response Time  - Applications  Electrical, Industrial  Features  - Class  - Approvals  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Bolt Mount  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  550V  550V  560V  5600  - CPICTOR SATE SATE SATE SATE SATE SATE SATE SATE	Fuse Type	Cartridge
Voltage Rating - DC  Response Time  Applications  Electrical, Industrial  Features  - Class  - Approvals  Operating Temperature  Breaking Capacity @ Rated Voltage  Mounting Type  Bolt Mount  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  - Class  - Class  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  Cylindrical, Blade Terminal (Bolt)	Current Rating	10A
Response Time Applications Electrical, Industrial Features - Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension - Class - Class Class Cylindrical, Blade Terminal (Bolt) Control of the state	Voltage Rating - AC	550V
Applications Electrical, Industrial  Features - Class - Approvals - Operating Temperature - Breaking Capacity @ Rated Voltage 80kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.539" Dia x 1.378" L (13.70mm x 35.00mm)	Voltage Rating - DC	-
Features - Class - Class - Component of the Component of	Response Time	-
Class - Approvals - Class - Coperating Temperature - Breaking Capacity @ Rated Voltage 80kA Mounting Type Bolt Mount Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.539" Dia x 1.378" L (13.70mm x 35.00mm)	Applications	Electrical, Industrial
Approvals  Operating Temperature  Breaking Capacity @ Rated Voltage  Bolt Mounting Type  Bolt Mount  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  0.539" Dia x 1.378" L (13.70mm x 35.00mm)	Features	-
Operating Temperature  Breaking Capacity @ Rated Voltage  80kA  Mounting Type  Bolt Mount  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  0.539" Dia x 1.378" L (13.70mm x 35.00mm)	Class	-
Breaking Capacity @ Rated Voltage 80kA  Mounting Type Bolt Mount  Package / Case Cylindrical, Blade Terminal (Bolt)  Size / Dimension 0.539" Dia x 1.378" L (13.70mm x 35.00mm)	Approvals	-
Mounting Type  Bolt Mount  Package / Case  Cylindrical, Blade Terminal (Bolt)  Size / Dimension  0.539" Dia x 1.378" L (13.70mm x 35.00mm)	Operating Temperature	-
Package / Case Cylindrical, Blade Terminal (Bolt) Size / Dimension 0.539" Dia x 1.378" L (13.70mm x 35.00mm)	Breaking Capacity @ Rated Voltage	80kA
Size / Dimension 0.539" Dia x 1.378" L (13.70mm x 35.00mm)	Mounting Type	Bolt Mount
	Package / Case	Cylindrical, Blade Terminal (Bolt)
Report errors?	Size / Dimension	0.539" Dia x 1.378" L (13.70mm x 35.00mm)
		Report errors?

### **AAO10 Guarantees**



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## **AAO10 Payment Methods**



















# **AAO10 Shipping Methods**













If you have any question about AAO10, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com