

ABB100DHHN

ABB100DHHN Information

Heisener.com	ABB100DHHN Sullins Connector Solutions Connectors, Interconnects Card Edge Connectors - Edgeboard Connectors CONN EDGE DUAL FMALE 200POS .050 - For the pricing/inventory/lead time, please contact	
For Reference Only	us Website: https://www.heisener.com E-mail: salesdept@heisener.com	Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



ABB100DHHN Specifications

Manufacturer Part NumberABB100DHHNManufacturerSullins Connector SolutionsCategoryConnectors InterconnectsPackage-Package-Series-Card TypeNon Specified - Dual EdgeGenderFemaleNumber of Positions/Bay/Row100Number of Positions/Bay/Row0.062" (1.57mm)Number of Rows2Pactares-Number of Rows0.050" (1.27mm)Features-Mouning TypeSolder, StaggeredContact MaterialSolder, StaggeredContact Finish ThicknessGoldContact TypeInjun 2.5(m)Contact TypeBallowsContact TypeBallowsFeaturesSolder, StaggeredContact TypeBallowsContact TypeBallowsFeaturesSolder, StaggeredForater TypeSolder, StaggeredContact Finish ThicknessSolder, StaggeredContact Finish ThicknessSolder, StaggeredForater TypeSolder, StaggeredContact TypeSolder, StaggeredContact TypeSolder, StaggeredContact Finish ThicknessSolder, StaggeredContact TypeSolder, StaggeredContact Type </th <th>-</th> <th></th>	-	
CategoryConnectors, InterconnectsCard Edge Connectors - Edgeboard ConnectorsPackage-Series-Card TypeMon Specified - Dual EdgeGenderFemaleNumber of Positions/Bay/Row100Number of Positions200Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.050" (1.27mm)Features-Mounting TypeSolder, StaggeredContact MaterialSolder, StaggeredContact FinishGoldContact Finish ThicknessJupin CospunContact TypeHaipin BellowsColorBack	Manufacturer Part Number	ABB100DHHN
ActionCard Edge Connectors - Edgeboard ConnectorsPackage-Series-Card TypeNon Specified - Dual EdgeGenderFemaleNumber of Positions/Bay/Row100Number of Positions200Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.050" (1.27mm)Features-Features-Contact MaterialSolder, StaggeredContact FinishGoldContact FinishGoldContact Finish Thickness1µin (0.25µm)Contact TypeHarpin BellowsColorBlack	Manufacturer	Sullins Connector Solutions
Package-Series-Card TypeNon Specified - Dual EdgeGenderFemaleNumber of Positions/Bay/Row100Number of Positions200Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.500" (1.27mm)Features-Mounting TypeThrough HoleContact MaterialSolder, StaggeredContact FinishGoldContact Finish Thickness10µin (0.25µm)Contact TypeHairpin BellowsColorBlack	Category	Connectors, Interconnects
Series-Card TypeNon Specified - Dual EdgeGenderFemaleNumber of Positions/Bay/Row100Number of Positions/Bay/Row200Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.50" (1.27mm)Features-Mounting TypeThrough HoleTerminationSolder, StaggeredContact MaterialGoldContact Finish Thickness0.0ju (0.25µm)Contact TypeHairpin BellowsColorBlack		Card Edge Connectors - Edgeboard Connectors
Card TypeNon Specified - Dual EdgeGenderFemaleNumber of Positions/Bay/Row100Number of Positions200Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.050" (1.27mm)Features-Mounting TypeSolder, StaggeredContact MaterialGoldContact Finish ThicknessGoldContact TypeHaip (0.25µm)Contact TypeBack	Package	-
GenderFemaleNumber of Positions/Bay/Row100Number of Positions200Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.050" (1.27mm)Features-Mounting TypeThrough HoleTerminationSolder, StaggeredContact FinishGoldContact Finish Thickness10µin (0.25µm)Contact TypeHairpin BellowsColorBlack	Series	-
Number of Positions/Bay/Row100Number of Positions200Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.050" (1.27mm)Features-Mounting TypeThrough HoleTerminationSolder, StaggeredContact MaterialGoldContact Finish ThicknessIuµin (0.25µm)Contact TypeHairpin BellowsColorBlack	Card Type	Non Specified - Dual Edge
Number of Positions200Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.050" (1.27mm)Features-Mounting TypeThrough HoleTerminationSolder, StaggeredContact MaterialGoldContact Finish Thickness10µin (0.25µm)Contact TypeHairpin BellowsColorBlack	Gender	Female
Card Thickness0.062" (1.57mm)Number of Rows2Pitch0.050" (1.27mm)Features-Mounting TypeThrough HoleTerminationSolder, StaggeredContact MaterialBeryllium CopperContact Finish ThicknessI/ujn (0.25µm)Contact TypeHairpin BellowsColorBlack	Number of Positions/Bay/Row	100
Number of Rows2Pitch0.050" (1.27mm)Features-Mounting TypeThrough HoleTerminationSolder, StaggeredContact MaterialBeryllium CopperContact FinishGoldContact Finish Thickness10µin (0.25µm)Contact TypeBlack	Number of Positions	200
Pitch0.050" (1.27mm)Features-Mounting TypeThrough HoleTerminationSolder, StaggeredContact MaterialBeryllium CopperContact FinishGoldContact Finish Thickness10µin (0.25µm)Contact TypeBlack	Card Thickness	0.062" (1.57mm)
Features-Mounting TypeThrough HoleTerminationSolder, StaggeredContact MaterialBeryllium CopperContact FinishGoldContact Finish Thickness10µin (0.25µm)Contact TypeHairpin BellowsColorBlack	Number of Rows	2
Mounting TypeThrough HoleTerminationSolder, StaggeredContact MaterialBeryllium CopperContact FinishGoldContact Finish ThicknessI0µin (0.25µm)Contact TypeHairpin BellowsColorBlack	Pitch	0.050" (1.27mm)
TerminationSolder, StaggeredContact MaterialBeryllium CopperContact FinishGoldContact Finish Thickness10µin (0.25µm)Contact TypeHairpin BellowsColorBlack	Features	-
Contact MaterialBeryllium CopperContact FinishGoldContact Finish Thickness10µin (0.25µm)Contact TypeHairpin BellowsColorBlack	Mounting Type	Through Hole
Contact FinishGoldContact Finish Thickness10µin (0.25µm)Contact TypeHairpin BellowsColorBlack	Termination	Solder, Staggered
Contact Finish Thickness10μin (0.25μm)Contact TypeHairpin BellowsColorBlack	Contact Material	Beryllium Copper
Contact Type Hairpin Bellows Color Black	Contact Finish	Gold
Color Black	Contact Finish Thickness	10µin (0.25µm)
	Contact Type	Hairpin Bellows
Flange Feature -	Color	Black
0	Flange Feature	-
Operating Temperature $-65^{\circ}\text{C} \sim 150^{\circ}\text{C}$	Operating Temperature	-65°C ~ 150°C
Report errors		Report errors?

ABB100DHHN Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE BUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

ABB100DHHN Payment Methods



ABB100DHHN Shipping Methods



If you have any question about ABB100DHHN, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com