

ACPL-K75T-060E

ACPL-K75T-060E Information





Request a Quote

For Reference Only

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.



ACPL-K75T-060E Specifications

Manufacturer Part NumberACPL-K75T-060EManufacturerBroadcom LimitedCategoryIsolatorsOptoisolators - Logic OutputPackage8-SOIC (0.268", 6.81mm Width)Series-Number of Channels2Inputs - Side 1/Side 22/0Voltage - Isolation5000VrmsCommon Mode Transient Immunity (Min)25kV/µsInput TypeDCOutput TypePush-Pull, Totem PoleCurrent - Output / Channel-Propagation Delay tpLH / tpHL (Max)100ns, 100ns
CategoryIsolatorsCategoryIsolatorsPackageOptoisolators - Logic OutputPackage8-SOIC (0.268", 6.81mm Width)Series-Number of Channels2Inputs - Side 1/Side 22/0Voltage - Isolation5000VrmsCommon Mode Transient Immunity (Min)25kV/µsInput TypeDCOutput TypePush-Pull, Totem PoleCurrent - Output / Channel-Data Rate-
Optisolators - Logic OutputPackage8-SOIC (0.268", 6.81mm Width)Series-Number of Channels2Inputs - Side 1/Side 22/0Voltage - Isolation5000VrmsCommon Mode Transient Immunity (Min)25kV/µsInput TypeDCOutput TypePush-Pull, Totem PoleCurrent - Output / Channel-Data Rate-
Package8-SOIC (0.268", 6.81mm Width)Series-Number of Channels2Inputs - Side 1/Side 22/0Voltage - Isolation5000VrmsCommon Mode Transient Immunity (Min)25kV/µsInput TypeDCOutput TypePush-Pull, Totem PoleCurrent - Output / Channel-Data Rate-
Series-Number of Channels2Inputs - Side 1/Side 22/0Voltage - Isolation5000VrmsCommon Mode Transient Immunity (Min)25kV/µsInput TypeDCOutput TypePush-Pull, Totem PoleCurrent - Output / Channel-Data Rate-
Number of Channels2Inputs - Side 1/Side 22/0Voltage - Isolation5000VrmsCommon Mode Transient Immunity (Min)25kV/µsInput TypeDCOutput TypePush-Pull, Totem PoleCurrent - Output / Channel-Data Rate-
Inputs - Side 1/Side 22/0Voltage - Isolation5000VrmsCommon Mode Transient Immunity (Min)25kV/µsInput TypeDCOutput TypePush-Pull, Totem PoleCurrent - Output / Channel-Data Rate-
Voltage - Isolation5000VrmsCommon Mode Transient Immunity (Min)25kV/µsInput TypeDCOutput TypePush-Pull, Totem PoleCurrent - Output / Channel-Data Rate-
Common Mode Transient Immunity (Min)25kV/µsInput TypeDCOutput TypePush-Pull, Totem PoleCurrent - Output / Channel-Data Rate-
Input TypeDCOutput TypePush-Pull, Totem PoleCurrent - Output / Channel-Data Rate-
NormalizationPush-Pull, Totem PoleOutput TypePush-Pull, Totem PoleCurrent - Output / Channel-Data Rate-
Current - Output / Channel - Data Rate -
Data Rate -
Propagation Delay tpLH / tpHL (Max) 100ns, 100ns
Rise / Fall Time (Typ)10ns, 10ns
Voltage - Forward (Vf) (Typ) 1.5V
Current - DC Forward (If) (Max) 20mA
Voltage - Supply3 V ~ 5.5 V
Operating Temperature $-40^{\circ}\text{C} \sim 125^{\circ}\text{C}$
Mounting Type Surface Mount
Package / Case 8-SOIC (0.268", 6.81mm Width)
Supplier Device Package 8-SO Stretched
Report err

E-mail: salesdept@heisener.com

ACPL-K75T-060E Guarantees



Quality Guarantees

We provide 90 days warranty. * If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.

SERVICE BUARANTEE

Service Guarantees

We guarantee 100% customer satisfaction. Our experienced sales team and tech support team back our services to satisfy all our customers.

ACPL-K75T-060E Payment Methods



ACPL-K75T-060E Shipping Methods



If you have any question about ACPL-K75T-060E, please do not hesitate to contact us! Website: https://www.heisener.com E-mail: salesdept@heisener.com