

AEP16024 Information

Heisener.com

Part Number AEP16024

Manufacturer Panasonic Electric Works

Category Relays

Power Relays, Over 2 Amps

Description RELAY GEN PURPOSE SPST 60A 24V

Package

For the pricing/inventory/lead time, please contact

Website: https://www.heisener.com For Reference Only

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









AEP16024 Specifications

Manufacturer Part Number AEP16024 Manufacturer Panasonic Electric Works Category Relays Power Relays, Over 2 Amps Package - Series AEP Relay Type General Purpose Coil Type Non Latching Coil Current 208mA Coil Voltage 24VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 60A Switching Voltage 277VAC, 400VDC - Nom Turn On Voltage (Max) 18 VDC Turn Off Voltage (Min) 2 VDC Operate Time 50ms Release Time 30ms Features - Mounting Type Chassis Mount Termination Style Screw Terminal		
CategoryRelaysPackage-SeriesAEPRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current208mACoil Voltage24VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)60ASwitching Voltage277VAC, 400VDC - NomTurn On Voltage (Max)18 VDCTurn Off Voltage (Min)2 VDCOperate Time50msRelease Time30msFeatures-Mounting TypeChassis MountTermination StyleScrew Terminal	Manufacturer Part Number	AEP16024
Package - Series AEP Relay Type General Purpose Coil Type Non Latching Coil Current 208mA Coil Voltage 24VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 60A Switching Voltage 277VAC, 400VDC - Nom Turn On Voltage (Max) 18 VDC Turn Off Voltage (Min) 2 VDC Operate Time 50ms Release Time 50ms Features - Mounting Type Chassis Mount Termination Style Series AEP	Manufacturer	Panasonic Electric Works
Package - Series AEP Relay Type General Purpose Coil Type Non Latching Coil Current 208mA Coil Voltage 24VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 60A Switching Voltage 277VAC, 400VDC - Nom Turn On Voltage (Max) 18 VDC Turn Off Voltage (Min) 2 VDC Operate Time 50ms Release Time 50ms Release Time - 30ms Features - Chassis Mount Termination Style Screw Terminal	Category	Relays
SeriesAEPRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current208mACoil Voltage24VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)60ASwitching Voltage277VAC, 400VDC - NomTurn On Voltage (Max)18 VDCTurn Off Voltage (Min)2 VDCOperate Time50msRelease Time30msFeatures-Mounting TypeChassis MountTermination StyleScrew Terminal		Power Relays, Over 2 Amps
Relay Type Coil Type Non Latching Coil Current 208mA Coil Voltage 24VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 60A Switching Voltage 277VAC, 400VDC - Nom Turn On Voltage (Max) 18 VDC Turn Off Voltage (Min) 2 VDC Operate Time 50ms Release Time 30ms Features - Mounting Type Chassis Mount Termination Style Some Release Terminal	Package	-
Coil TypeNon LatchingCoil Current208mACoil Voltage24VDCContact FormSPST-NO (1 Form A)Contact Rating (Current)60ASwitching Voltage277VAC, 400VDC - NomTurn On Voltage (Max)18 VDCTurn Off Voltage (Min)2 VDCOperate Time50msRelease Time30msFeatures-Mounting TypeChassis MountTermination StyleScrew Terminal	Series	AEP
Coil Current 208mA Coil Voltage 24VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 60A Switching Voltage 277VAC, 400VDC - Nom Turn On Voltage (Max) 18 VDC Turn Off Voltage (Min) 2 VDC Operate Time 50ms Release Time 30ms Features Mounting Type Chassis Mount Termination Style Screw Terminal	Relay Type	General Purpose
Coil Voltage 24VDC Contact Form SPST-NO (1 Form A) Contact Rating (Current) 60A Switching Voltage 277VAC, 400VDC - Nom Turn On Voltage (Max) 18 VDC Turn Off Voltage (Min) 2 VDC Operate Time 50ms Release Time 30ms Features - Mounting Type Chassis Mount Termination Style Screw Terminal	Coil Type	Non Latching
Contact Form SPST-NO (1 Form A) Contact Rating (Current) 60A Switching Voltage 277VAC, 400VDC - Nom Turn On Voltage (Max) 18 VDC Turn Off Voltage (Min) 2 VDC Operate Time 50ms Release Time 30ms Features - Mounting Type Chassis Mount Termination Style Screw Terminal	Coil Current	208mA
Contact Rating (Current) Switching Voltage 277VAC, 400VDC - Nom Turn On Voltage (Max) 18 VDC Turn Off Voltage (Min) 2 VDC Operate Time 50ms Release Time 30ms Features - Mounting Type Chassis Mount Termination Style	Coil Voltage	24VDC
Switching Voltage 277VAC, 400VDC - Nom Turn On Voltage (Max) 18 VDC Turn Off Voltage (Min) 2 VDC Operate Time 50ms Release Time 30ms Features - Mounting Type Chassis Mount Termination Style Screw Terminal	Contact Form	SPST-NO (1 Form A)
Turn On Voltage (Max) 18 VDC Turn Off Voltage (Min) 2 VDC Operate Time 50ms Release Time 30ms Features - Mounting Type Chassis Mount Termination Style Screw Terminal	Contact Rating (Current)	60A
Turn Off Voltage (Min) Operate Time 50ms Release Time 30ms Features - Mounting Type Chassis Mount Termination Style Screw Terminal	Switching Voltage	277VAC, 400VDC - Nom
Operate Time50msRelease Time30msFeatures-Mounting TypeChassis MountTermination StyleScrew Terminal	Turn On Voltage (Max)	18 VDC
Release Time 30ms Features - Mounting Type Chassis Mount Termination Style Screw Terminal	Turn Off Voltage (Min)	2 VDC
Features - Mounting Type Chassis Mount Termination Style Screw Terminal	Operate Time	50ms
Mounting Type Chassis Mount Termination Style Screw Terminal	Release Time	30ms
Termination Style Screw Terminal	Features	-
·	Mounting Type	Chassis Mount
Report errors?	Termination Style	Screw Terminal
		Report errors?

AEP16024 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

AEP16024 Payment Methods





















AEP16024 Shipping Methods













If you have any question about AEP16024, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com