



### AF122-FR-07120RL Information

Heisener.com

Part Number AF122-FR-07120RL

**Manufacturer** Yageo **Category** Resistors

Resistor Networks, Arrays

**Description** RES ARRAY 2 RES 120 OHM 0404

Package 0404 (1010 Metric), Convex

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









## AF122-FR-07120RL Specifications

Manufacturer Part Number         AF122-FR-07120RL           Manufacturer         Yageo           Category         Resistors           Resistor Networks, Arrays           Package         0404 (1010 Metric), Convex           Series         AF122           Circuit Type         Isolated           Resistance (Ohms)         120           Tolerance         ±1%           Number of Resistors         2           Number of Pins         4           Power Per Element         62.5mW           Temperature Coefficient         ±200ppm/°C           Operating Temperature         -55°C ~ 155°C           Applications         DDRAM, SDRAM           Mounting Type         Surface Mount           Package / Case         0404 (1010 Metric), Convex           Supplier Device Package         0404           Size / Dimension         0.039" L x 0.039" W (1.00mm x 1.00mm)           Height - Seated (Max)         0.016" (0.40mm)		
Category         Resistors           Resistor Networks, Arrays           Package         0404 (1010 Metric), Convex           Series         AF122           Circuit Type         Isolated           Resistance (Ohms)         120           Tolerance         ±1%           Number of Resistors         2           Number of Pins         4           Power Per Element         62.5mW           Temperature Coefficient         ±200ppm/°C           Operating Temperature         -55°C ~ 155°C           Applications         DDRAM, SDRAM           Mounting Type         Surface Mount           Package / Case         0404 (1010 Metric), Convex           Supplier Device Package         0404           Size / Dimension         0.039" L x 0.039" W (1.00mm x 1.00mm)           Height - Seated (Max)         0.016" (0.40mm)	Manufacturer Part Number	AF122-FR-07120RL
Resistor Networks, Arrays           Package         0404 (1010 Metric), Convex           Series         AF122           Circuit Type         Isolated           Resistance (Ohms)         120           Tolerance         ±1%           Number of Resistors         2           Number of Pins         4           Power Per Element         62.5mW           Temperature Coefficient         ±200ppm/°C           Operating Temperature         -55°C ~ 155°C           Applications         DDRAM, SDRAM           Mounting Type         Surface Mount           Package / Case         0404 (1010 Metric), Convex           Supplier Device Package         0404           Size / Dimension         0.039" L x 0.039" W (1.00mm x 1.00mm)           Height - Seated (Max)         0.016" (0.40mm)	Manufacturer	Yageo
Package         0404 (1010 Metric), Convex           Series         AF122           Circuit Type         Isolated           Resistance (Ohms)         120           Tolerance         ±1%           Number of Resistors         2           Number of Pins         4           Power Per Element         62.5mW           Temperature Coefficient         ±200ppm/°C           Operating Temperature         -55°C ~ 155°C           Applications         DDRAM, SDRAM           Mounting Type         Surface Mount           Package / Case         0404 (1010 Metric), Convex           Supplier Device Package         0404           Size / Dimension         0.039" L x 0.039" W (1.00mm x 1.00mm)           Height - Seated (Max)         0.016" (0.40mm)	Category	Resistors
Series         AF122           Circuit Type         Isolated           Resistance (Ohms)         120           Tolerance         ±1%           Number of Resistors         2           Number of Pins         4           Power Per Element         62.5mW           Temperature Coefficient         ±200ppm/°C           Operating Temperature         -55°C ~ 155°C           Applications         DDRAM, SDRAM           Mounting Type         Surface Mount           Package / Case         0404 (1010 Metric), Convex           Supplier Device Package         0404           Size / Dimension         0.039" L x 0.039" W (1.00mm x 1.00mm)           Height - Seated (Max)         0.016" (0.40mm)		Resistor Networks, Arrays
Circuit Type         Isolated           Resistance (Ohms)         120           Tolerance         ±1%           Number of Resistors         2           Number of Pins         4           Power Per Element         62.5mW           Temperature Coefficient         ±200ppm/°C           Operating Temperature         -55°C ~ 155°C           Applications         DDRAM, SDRAM           Mounting Type         Surface Mount           Package / Case         0404 (1010 Metric), Convex           Supplier Device Package         0404           Size / Dimension         0.039" L x 0.039" W (1.00mm x 1.00mm)           Height - Seated (Max)         0.016" (0.40mm)	Package	0404 (1010 Metric), Convex
Resistance (Ohms)       120         Tolerance       ±1%         Number of Resistors       2         Number of Pins       4         Power Per Element       62.5mW         Temperature Coefficient       ±200ppm/°C         Operating Temperature       -55°C ~ 155°C         Applications       DDRAM, SDRAM         Mounting Type       Surface Mount         Package / Case       0404 (1010 Metric), Convex         Supplier Device Package       0404         Size / Dimension       0.039" L x 0.039" W (1.00mm x 1.00mm)         Height - Seated (Max)       0.016" (0.40mm)	Series	AF122
Tolerance ±1%  Number of Resistors 2  Number of Pins 4  Power Per Element 62.5mW  Temperature Coefficient ±200ppm/°C  Operating Temperature -55°C ~ 155°C  Applications DDRAM, SDRAM  Mounting Type Surface Mount  Package / Case 0404 (1010 Metric), Convex  Supplier Device Package 0404  Size / Dimension 0.039" L x 0.039" W (1.00mm x 1.00mm)  Height - Seated (Max) 0.016" (0.40mm)	Circuit Type	Isolated
Number of Resistors2Number of Pins4Power Per Element62.5mWTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 155°CApplicationsDDRAM, SDRAMMounting TypeSurface MountPackage / Case0404 (1010 Metric), ConvexSupplier Device Package0404Size / Dimension0.039" L x 0.039" W (1.00mm x 1.00mm)Height - Seated (Max)0.016" (0.40mm)	Resistance (Ohms)	120
Number of Pins  Power Per Element  62.5mW  Temperature Coefficient  ±200ppm/°C  Operating Temperature  -55°C ~ 155°C  Applications  DDRAM, SDRAM  Mounting Type  Surface Mount  Package / Case  0404 (1010 Metric), Convex  Supplier Device Package  0404  Size / Dimension  0.039" L x 0.039" W (1.00mm x 1.00mm)  Height - Seated (Max)  0.016" (0.40mm)	Tolerance	±1%
Power Per Element  Temperature Coefficient  ±200ppm/°C  Operating Temperature  -55°C ~ 155°C  Applications  DDRAM, SDRAM  Mounting Type  Surface Mount  Package / Case  0404 (1010 Metric), Convex  Supplier Device Package  0404  Size / Dimension  0.039" L x 0.039" W (1.00mm x 1.00mm)  Height - Seated (Max)  0.016" (0.40mm)	Number of Resistors	2
Temperature Coefficient $\pm 200 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 155^{\circ}\text{C}$ Applications DDRAM, SDRAM  Mounting Type Surface Mount  Package / Case 0404 (1010 Metric), Convex  Supplier Device Package 0404  Size / Dimension 0.039" L x 0.039" W (1.00mm x 1.00mm)  Height - Seated (Max) 0.016" (0.40mm)	Number of Pins	4
Operating Temperature  -55°C ~ 155°C  Applications  DDRAM, SDRAM  Mounting Type  Surface Mount  Package / Case  0404 (1010 Metric), Convex  Supplier Device Package  0404  Size / Dimension  0.039" L x 0.039" W (1.00mm x 1.00mm)  Height - Seated (Max)  0.016" (0.40mm)	Power Per Element	62.5mW
Applications DDRAM, SDRAM  Mounting Type Surface Mount  Package / Case 0404 (1010 Metric), Convex  Supplier Device Package 0404  Size / Dimension 0.039" L x 0.039" W (1.00mm x 1.00mm)  Height - Seated (Max) 0.016" (0.40mm)	Temperature Coefficient	±200ppm/°C
Mounting Type Surface Mount Package / Case 0404 (1010 Metric), Convex Supplier Device Package 0404 Size / Dimension 0.039" L x 0.039" W (1.00mm x 1.00mm) Height - Seated (Max) 0.016" (0.40mm)	Operating Temperature	-55°C ~ 155°C
Package / Case       0404 (1010 Metric), Convex         Supplier Device Package       0404         Size / Dimension       0.039" L x 0.039" W (1.00mm x 1.00mm)         Height - Seated (Max)       0.016" (0.40mm)	Applications	DDRAM, SDRAM
Supplier Device Package         0404           Size / Dimension         0.039" L x 0.039" W (1.00mm x 1.00mm)           Height - Seated (Max)         0.016" (0.40mm)	Mounting Type	Surface Mount
Size / Dimension       0.039" L x 0.039" W (1.00mm x 1.00mm)         Height - Seated (Max)       0.016" (0.40mm)	Package / Case	0404 (1010 Metric), Convex
Height - Seated (Max) 0.016" (0.40mm)	Supplier Device Package	0404
	Size / Dimension	0.039" L x 0.039" W (1.00mm x 1.00mm)
Report errors?	Height - Seated (Max)	0.016" (0.40mm)
		Report errors?

### AF122-FR-07120RL Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## **AF122-FR-07120RL Payment Methods**



















## AF122-FR-07120RL Shipping Methods













If you have any question about AF122-FR-07120RL, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com