




AF162-JR-071K1L Information



For Reference Only

Part Number AF162-JR-071K1L

Manufacturer Yageo **Category** Resistors

Resistor Networks, Arrays

Description RES ARRAY 2 RES 1.1K OHM 0606

Package 0606, Convex

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









AF162-JR-071K1L Specifications

Manufacturer Yageo Category Resistors Resistor Networks, Arrays Package 0606, Convex Series AF162 Circuit Type Isolated Resistance (Ohms) 1.1k Tolerance ±5% Number of Resistors 2 Number of Pins 4 Power Per Element 62.5mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Applications DDRAM, SDRAM Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package 0606 Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm) Height - Seated (Max) 0.020" (0.50mm)		
Category Resistors Resistor Networks, Arrays Package 0606, Convex Series AF162 Circuit Type Isolated Resistance (Ohms) 1.1k Tolerance ±5% Number of Resistors 2 Number of Pins 4 Power Per Element 62.5mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Applications DDRAM, SDRAM Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package 0606 Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm) Height - Seated (Max) 0.020" (0.50mm)	Manufacturer Part Number	AF162-JR-071K1L
Resistor Networks, Arrays Package 0606, Convex Series AF162 Circuit Type Isolated Resistance (Ohms) 1.1k Tolerance ±5% Number of Resistors 2 Number of Pins 4 Power Per Element 62.5mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Applications DDRAM, SDRAM Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package 0606 Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm) Height - Seated (Max) 0.020" (0.50mm)	Manufacturer	Yageo
Package 0606, Convex Series AF162 Circuit Type Isolated Resistance (Ohms) 1.1k Tolerance ±5% Number of Resistors 2 Number of Pins 4 Power Per Element 62.5mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Applications DDRAM, SDRAM Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package 0606 Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm) Height - Seated (Max) 0.020" (0.50mm)	Category	Resistors
Series AF162 Circuit Type Isolated Resistance (Ohms) 1.1k Tolerance ±5% Number of Resistors 2 Number of Pins 4 Power Per Element 62.5mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Applications DDRAM, SDRAM Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package 0606 Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm) Height - Seated (Max) 0.020" (0.50mm)		Resistor Networks, Arrays
Circuit Type Isolated Resistance (Ohms) 1.1k Tolerance ±5% Number of Resistors 2 Number of Pins 4 Power Per Element 62.5mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Applications DDRAM, SDRAM Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package 0606 Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm) Height - Seated (Max) 0.020" (0.50mm)	Package	0606, Convex
Resistance (Ohms) 1.1k Tolerance ±5% Number of Resistors 2 Number of Pins 4 Power Per Element 62.5mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Applications DDRAM, SDRAM Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package 0606 Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm) Height - Seated (Max) 0.020" (0.50mm)	Series	AF162
Tolerance ±5% Number of Resistors 2 Number of Pins 4 Power Per Element 62.5mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Applications DDRAM, SDRAM Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package 0606 Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm) Height - Seated (Max) 0.020" (0.50mm)	Circuit Type	Isolated
Number of Resistors2Number of Pins4Power Per Element62.5mWTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 155°CApplicationsDDRAM, SDRAMMounting TypeSurface MountPackage / Case0606, ConvexSupplier Device Package0606Size / Dimension0.063" L x 0.063" W (1.60mm x 1.60mm)Height - Seated (Max)0.020" (0.50mm)	Resistance (Ohms)	1.1k
Number of Pins Power Per Element 62.5mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Applications DDRAM, SDRAM Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package 0606 Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm) Height - Seated (Max) 0.020" (0.50mm)	Tolerance	±5%
Power Per Element 62.5mW Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 155°C Applications DDRAM, SDRAM Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package 0606 Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm) Height - Seated (Max) 0.020" (0.50mm)	Number of Resistors	2
Temperature Coefficient $\pm 200 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 155^{\circ}\text{C}$ Applications DDRAM, SDRAM Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package 0606 Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm) Height - Seated (Max) 0.020" (0.50mm)	Number of Pins	4
Operating Temperature -55°C ~ 155°C Applications DDRAM, SDRAM Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package 0606 Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm) Height - Seated (Max) 0.020" (0.50mm)	Power Per Element	62.5mW
Applications DDRAM, SDRAM Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package 0606 Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm) Height - Seated (Max) 0.020" (0.50mm)	Temperature Coefficient	±200ppm/°C
Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package 0606 Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm) Height - Seated (Max) 0.020" (0.50mm)	Operating Temperature	-55°C ~ 155°C
Package / Case 0606, Convex Supplier Device Package 0606 Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm) Height - Seated (Max) 0.020" (0.50mm)	Applications	DDRAM, SDRAM
Supplier Device Package 0606 Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm) Height - Seated (Max) 0.020" (0.50mm)	Mounting Type	Surface Mount
Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm) Height - Seated (Max) 0.020" (0.50mm)	Package / Case	0606, Convex
Height - Seated (Max) 0.020" (0.50mm)	Supplier Device Package	0606
	Size / Dimension	0.063" L x 0.063" W (1.60mm x 1.60mm)
Report errors?	Height - Seated (Max)	0.020" (0.50mm)
Topot most.		Report errors?

AF162-JR-071K1L Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

AF162-JR-071K1L Payment Methods





















AF162-JR-071K1L Shipping Methods













If you have any question about AF162-JR-071K1L, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com