




### AF162-JR-074K7L Information



For Reference Only

Part Number AF162-JR-074K7L

**Manufacturer** Yageo **Category** Resistors

Resistor Networks, Arrays

**Description** RES ARRAY 2 RES 4.7K OHM 0606

Package 0606, Convex

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

### **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# AF162-JR-074K7L Specifications

Manufacturer         AF162-JR-074K7L           Manufacturer         Yageo           Category         Resistors           Resistor Networks, Arrays           Package         0606, Convex           Series         AF162           Circuit Type         Isolated           Resistance (Ohms)         4.7k           Tolerance         ±5%           Number of Resistors         2           Number of Pins         4           Power Per Element         62.5mW           Temperature Coefficient         ±200ppm/°C           Operating Temperature         -55°C ~ 155°C           Applications         DDRAM, SDRAM           Mounting Type         Surface Mount           Package / Case         0606, Convex           Supplier Device Package         0606           Size / Dimension         0.063" L x 0.063" W (1.60mm x 1.60mm)           Height - Seated (Max)         0.020" (0.50mm)		
Category         Resistors           Resistor Networks, Arrays           Package         0606, Convex           Series         AF162           Circuit Type         Isolated           Resistance (Ohms)         4.7k           Tolerance         ±5%           Number of Resistors         2           Number of Pins         4           Power Per Element         62.5mW           Temperature Coefficient         ±200ppm/°C           Operating Temperature         -55°C ~ 155°C           Applications         DDRAM, SDRAM           Mounting Type         Surface Mount           Package / Case         0606, Convex           Supplier Device Package         0606           Size / Dimension         0.063" L x 0.063" W (1.60mm x 1.60mm)           Height - Seated (Max)         0.020" (0.50mm)	Manufacturer Part Number	AF162-JR-074K7L
Resistor Networks, Arrays           Package         0606, Convex           Series         AF162           Circuit Type         Isolated           Resistance (Ohms)         4.7k           Tolerance         ±5%           Number of Resistors         2           Number of Pins         4           Power Per Element         62.5mW           Temperature Coefficient         ±200ppm/°C           Operating Temperature         -55°C ~ 155°C           Applications         DDRAM, SDRAM           Mounting Type         Surface Mount           Package / Case         0606, Convex           Supplier Device Package         0606           Size / Dimension         0.063" L x 0.063" W (1.60mm x 1.60mm)           Height - Seated (Max)         0.020" (0.50mm)	Manufacturer	Yageo
Package         0606, Convex           Series         AF162           Circuit Type         Isolated           Resistance (Ohms)         4.7k           Tolerance         ±5%           Number of Resistors         2           Number of Pins         4           Power Per Element         62.5mW           Temperature Coefficient         ±200ppm/°C           Operating Temperature         -55°C ~ 155°C           Applications         DDRAM, SDRAM           Mounting Type         Surface Mount           Package / Case         0606, Convex           Supplier Device Package         0606           Size / Dimension         0.063" L x 0.063" W (1.60mm x 1.60mm)           Height - Seated (Max)         0.020" (0.50mm)	Category	Resistors
Series         AF162           Circuit Type         Isolated           Resistance (Ohms)         4.7k           Tolerance         ±5%           Number of Resistors         2           Number of Pins         4           Power Per Element         62.5mW           Temperature Coefficient         ±200ppm/°C           Operating Temperature         -55°C ~ 155°C           Applications         DDRAM, SDRAM           Mounting Type         Surface Mount           Package / Case         0606, Convex           Supplier Device Package         0606           Size / Dimension         0.063" L x 0.063" W (1.60mm x 1.60mm)           Height - Seated (Max)         0.020" (0.50mm)		Resistor Networks, Arrays
Circuit TypeIsolatedResistance (Ohms)4.7kTolerance±5%Number of Resistors2Number of Pins4Power Per Element62.5mWTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 155°CApplicationsDDRAM, SDRAMMounting TypeSurface MountPackage / Case0606, ConvexSupplier Device Package0606Size / Dimension0.063" L x 0.063" W (1.60mm x 1.60mm)Height - Seated (Max)0.020" (0.50mm)	Package	0606, Convex
Resistance (Ohms)       4.7k         Tolerance       ±5%         Number of Resistors       2         Number of Pins       4         Power Per Element       62.5mW         Temperature Coefficient       ±200ppm/°C         Operating Temperature       -55°C ~ 155°C         Applications       DDRAM, SDRAM         Mounting Type       Surface Mount         Package / Case       0606, Convex         Supplier Device Package       0606         Size / Dimension       0.063" L x 0.063" W (1.60mm x 1.60mm)         Height - Seated (Max)       0.020" (0.50mm)	Series	AF162
Tolerance ±5%  Number of Resistors 2  Number of Pins 4  Power Per Element 62.5mW  Temperature Coefficient ±200ppm/°C  Operating Temperature -55°C ~ 155°C  Applications DDRAM, SDRAM  Mounting Type Surface Mount  Package / Case 0606, Convex  Supplier Device Package 0606  Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm)  Height - Seated (Max) 0.020" (0.50mm)	Circuit Type	Isolated
Number of Resistors2Number of Pins4Power Per Element62.5mWTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 155°CApplicationsDDRAM, SDRAMMounting TypeSurface MountPackage / Case0606, ConvexSupplier Device Package0606Size / Dimension0.063" L x 0.063" W (1.60mm x 1.60mm)Height - Seated (Max)0.020" (0.50mm)	Resistance (Ohms)	4.7k
Number of Pins 4  Power Per Element 62.5mW  Temperature Coefficient ±200ppm/°C  Operating Temperature -55°C ~ 155°C  Applications DDRAM, SDRAM  Mounting Type Surface Mount  Package / Case 0606, Convex  Supplier Device Package 0606  Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm)  Height - Seated (Max) 0.020" (0.50mm)	Tolerance	±5%
Power Per Element $62.5 \text{mW}$ Temperature Coefficient $\pm 200 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 155^{\circ}\text{C}$ ApplicationsDDRAM, SDRAMMounting TypeSurface MountPackage / Case $0606$ , ConvexSupplier Device Package $0606$ Size / Dimension $0.063^{\circ}\text{L} \times 0.063^{\circ}\text{W} (1.60 \text{mm} \times 1.60 \text{mm})$ Height - Seated (Max) $0.020^{\circ}$ (0.50 mm)	Number of Resistors	2
Temperature Coefficient $\pm 200 \text{ppm/}^{\circ}\text{C}$ Operating Temperature $-55^{\circ}\text{C} \sim 155^{\circ}\text{C}$ Applications DDRAM, SDRAM  Mounting Type Surface Mount  Package / Case 0606, Convex  Supplier Device Package 0606  Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm)  Height - Seated (Max) 0.020" (0.50mm)	Number of Pins	4
Operating Temperature  -55°C ~ 155°C  Applications  DDRAM, SDRAM  Mounting Type  Surface Mount  Package / Case  0606, Convex  Supplier Device Package  0606  Size / Dimension  0.063" L x 0.063" W (1.60mm x 1.60mm)  Height - Seated (Max)  0.020" (0.50mm)	Power Per Element	62.5mW
Applications DDRAM, SDRAM  Mounting Type Surface Mount  Package / Case 0606, Convex  Supplier Device Package 0606  Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm)  Height - Seated (Max) 0.020" (0.50mm)	Temperature Coefficient	±200ppm/°C
Mounting Type Surface Mount Package / Case 0606, Convex Supplier Device Package 0606 Size / Dimension 0.063" L x 0.063" W (1.60mm x 1.60mm) Height - Seated (Max) 0.020" (0.50mm)	Operating Temperature	-55°C ~ 155°C
Package / Case       0606, Convex         Supplier Device Package       0606         Size / Dimension       0.063" L x 0.063" W (1.60mm x 1.60mm)         Height - Seated (Max)       0.020" (0.50mm)	Applications	DDRAM, SDRAM
Supplier Device Package         0606           Size / Dimension         0.063" L x 0.063" W (1.60mm x 1.60mm)           Height - Seated (Max)         0.020" (0.50mm)	Mounting Type	Surface Mount
Size / Dimension       0.063" L x 0.063" W (1.60mm x 1.60mm)         Height - Seated (Max)       0.020" (0.50mm)	Package / Case	0606, Convex
Height - Seated (Max) 0.020" (0.50mm)	Supplier Device Package	0606
	Size / Dimension	0.063" L x 0.063" W (1.60mm x 1.60mm)
Report errors?	Height - Seated (Max)	0.020" (0.50mm)
		Report errors?

#### AF162-JR-074K7L Guarantees



#### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

### **AF162-JR-074K7L Payment Methods**



















# AF162-JR-074K7L Shipping Methods













If you have any question about AF162-JR-074K7L, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com