



### AF164-FR-0782RL Information



For Reference Only

Part Number AF164-FR-0782RL

**Manufacturer** Yageo **Category** Resistors

Resistor Networks, Arrays

**Description** RES ARRAY 4 RES 82 OHM 1206

Package 1206 (3216 Metric), Convex, Long Side Terminals

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









# **AF164-FR-0782RL Specifications**

Manufacturer Part Number         AF164-FR-0782RL           Manufacturer         Yageo           Category         Resistors           Package         1206 (3216 Metric), Convex, Long Side Terminals           Series         AF164           Circuit Type         Isolated           Resistance (Ohms)         82           Tolerance         ±1%           Number of Resistors         4           Number of Pins         8           Power Per Element         62.5mW           Temperature Coefficient         ±250ppm/°C           Operating Temperature         -55°C ~ 155°C           Applications         DDRAM, SDRAM           Mounting Type         Surface Mount           Package / Case         1206 (3216 Metric), Convex, Long Side Terminals           Supplier Device Package         1206           Size / Dimension         0.126" L x 0.063" W (3.20mm x 1.60mm)           Height - Seated (Max)         0.028" (0.70mm)		
Category         Resistor Networks, Arrays           Package         1206 (3216 Metric), Convex, Long Side Terminals           Series         AF164           Circuit Type         Isolated           Resistance (Ohms)         82           Tolerance         ±1%           Number of Resistors         4           Number of Pins         8           Power Per Element         62.5mW           Temperature Coefficient         ±250ppm/°C           Operating Temperature         -55°C ~ 155°C           Applications         DDRAM, SDRAM           Mounting Type         Surface Mount           Package / Case         1206 (3216 Metric), Convex, Long Side Terminals           Supplier Device Package         1206           Size / Dimension         0.126" L x 0.063" W (3.20mm x 1.60mm)           Height - Seated (Max)         0.028" (0.70mm)	Manufacturer Part Number	AF164-FR-0782RL
Resistor Networks, Arrays           Package         1206 (3216 Metric), Convex, Long Side Terminals           Series         AF164           Circuit Type         Isolated           Resistance (Ohms)         82           Tolerance         ±1%           Number of Resistors         4           Number of Pins         8           Power Per Element         62.5mW           Temperature Coefficient         ±250ppm/°C           Operating Temperature         -55°C ~ 155°C           Applications         DDRAM, SDRAM           Mounting Type         Surface Mount           Package / Case         1206 (3216 Metric), Convex, Long Side Terminals           Supplier Device Package         1206           Size / Dimension         0.126" L x 0.063" W (3.20mm x 1.60mm)           Height - Seated (Max)         0.028" (0.70mm)	Manufacturer	Yageo
Package1206 (3216 Metric), Convex, Long Side TerminalsSeriesAF164Circuit TypeIsolatedResistance (Ohms)82Tolerance±1%Number of Resistors4Number of Pins8Power Per Element62.5mWTemperature Coefficient±250ppm/°COperating Temperature-55°C ~ 155°CApplicationsDDRAM, SDRAMMounting TypeSurface MountPackage / Case1206 (3216 Metric), Convex, Long Side TerminalsSupplier Device Package1206Size / Dimension0.126" L x 0.063" W (3.20mm x 1.60mm)Height - Seated (Max)0.028" (0.70mm)	Category	Resistors
SeriesAF164Circuit TypeIsolatedResistance (Ohms)82Tolerance±1%Number of Resistors4Number of Pins8Power Per Element62.5mWTemperature Coefficient±250ppm/°COperating Temperature-55°C ~ 155°CApplicationsDDRAM, SDRAMMounting TypeSurface MountPackage / Case1206 (3216 Metric), Convex, Long Side TerminalsSupplier Device Package1206Size / Dimension0.126" L x 0.063" W (3.20mm x 1.60mm)Height - Seated (Max)0.028" (0.70mm)		Resistor Networks, Arrays
Circuit Type         Isolated           Resistance (Ohms)         82           Tolerance         ±1%           Number of Resistors         4           Number of Pins         8           Power Per Element         62.5mW           Temperature Coefficient         ±250ppm/°C           Operating Temperature         -55°C ~ 155°C           Applications         DDRAM, SDRAM           Mounting Type         Surface Mount           Package / Case         1206 (3216 Metric), Convex, Long Side Terminals           Supplier Device Package         1206           Size / Dimension         0.126" L x 0.063" W (3.20mm x 1.60mm)           Height - Seated (Max)         0.028" (0.70mm)	Package	1206 (3216 Metric), Convex, Long Side Terminals
Resistance (Ohms)       82         Tolerance       ±1%         Number of Resistors       4         Number of Pins       8         Power Per Element       62.5mW         Temperature Coefficient       ±250ppm/°C         Operating Temperature       -55°C ~ 155°C         Applications       DDRAM, SDRAM         Mounting Type       Surface Mount         Package / Case       1206 (3216 Metric), Convex, Long Side Terminals         Supplier Device Package       1206         Size / Dimension       0.126" L x 0.063" W (3.20mm x 1.60mm)         Height - Seated (Max)       0.028" (0.70mm)	Series	AF164
Tolerance ±1%  Number of Resistors 4  Number of Pins 8  Power Per Element 62.5mW  Temperature Coefficient ±250ppm/°C  Operating Temperature -55°C ~ 155°C  Applications DDRAM, SDRAM  Mounting Type Surface Mount  Package / Case 1206 (3216 Metric), Convex, Long Side Terminals  Supplier Device Package 1206  Size / Dimension 0.126" L x 0.063" W (3.20mm x 1.60mm)  Height - Seated (Max) 0.028" (0.70mm)	Circuit Type	Isolated
Number of Resistors  A  Number of Pins  B  Rower Per Element  Coefficient  Coperating Temperature  Coperating Temperature  DDRAM, SDRAM  Mounting Type  Surface Mount  Package / Case  1206 (3216 Metric), Convex, Long Side Terminals  Supplier Device Package  Size / Dimension  0.126" L x 0.063" W (3.20mm x 1.60mm)  Height - Seated (Max)  A  Rower Per Element  62.5mW  250ppm/°C  -55°C ~ 155°C  DDRAM, SDRAM  Surface Mount  1206 (3216 Metric), Convex, Long Side Terminals  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  1206  120	Resistance (Ohms)	82
Number of Pins 8  Power Per Element 62.5mW  Temperature Coefficient ±250ppm/°C  Operating Temperature -55°C ~ 155°C  Applications DDRAM, SDRAM  Mounting Type Surface Mount  Package / Case 1206 (3216 Metric), Convex, Long Side Terminals  Supplier Device Package 1206  Size / Dimension 0.126" L x 0.063" W (3.20mm x 1.60mm)  Height - Seated (Max) 0.028" (0.70mm)	Tolerance	±1%
Power Per Element  62.5mW  Temperature Coefficient  ±250ppm/°C  Operating Temperature  -55°C ~ 155°C  Applications  DDRAM, SDRAM  Mounting Type  Surface Mount  Package / Case  1206 (3216 Metric), Convex, Long Side Terminals  Supplier Device Package  1206  Size / Dimension  0.126" L x 0.063" W (3.20mm x 1.60mm)  Height - Seated (Max)  0.028" (0.70mm)	Number of Resistors	4
Temperature Coefficient ±250ppm/°C  Operating Temperature -55°C ~ 155°C  Applications DDRAM, SDRAM  Mounting Type Surface Mount  Package / Case 1206 (3216 Metric), Convex, Long Side Terminals  Supplier Device Package 1206  Size / Dimension 0.126" L x 0.063" W (3.20mm x 1.60mm)  Height - Seated (Max) 0.028" (0.70mm)	Number of Pins	8
Operating Temperature  -55°C ~ 155°C  Applications  DDRAM, SDRAM  Mounting Type  Surface Mount  Package / Case  1206 (3216 Metric), Convex, Long Side Terminals  Supplier Device Package  1206  Size / Dimension  0.126" L x 0.063" W (3.20mm x 1.60mm)  Height - Seated (Max)  0.028" (0.70mm)	Power Per Element	62.5mW
Applications DDRAM, SDRAM  Mounting Type Surface Mount  Package / Case 1206 (3216 Metric), Convex, Long Side Terminals  Supplier Device Package 1206  Size / Dimension 0.126" L x 0.063" W (3.20mm x 1.60mm)  Height - Seated (Max) 0.028" (0.70mm)	Temperature Coefficient	±250ppm/°C
Mounting Type Surface Mount Package / Case 1206 (3216 Metric), Convex, Long Side Terminals Supplier Device Package 1206 Size / Dimension 0.126" L x 0.063" W (3.20mm x 1.60mm) Height - Seated (Max) 0.028" (0.70mm)	Operating Temperature	-55°C ~ 155°C
Package / Case 1206 (3216 Metric), Convex, Long Side Terminals  Supplier Device Package 1206  Size / Dimension 0.126" L x 0.063" W (3.20mm x 1.60mm)  Height - Seated (Max) 0.028" (0.70mm)	Applications	DDRAM, SDRAM
Supplier Device Package 1206 Size / Dimension 0.126" L x 0.063" W (3.20mm x 1.60mm) Height - Seated (Max) 0.028" (0.70mm)	Mounting Type	Surface Mount
Size / Dimension       0.126" L x 0.063" W (3.20mm x 1.60mm)         Height - Seated (Max)       0.028" (0.70mm)	Package / Case	1206 (3216 Metric), Convex, Long Side Terminals
Height - Seated (Max) 0.028" (0.70mm)	Supplier Device Package	1206
	Size / Dimension	0.126" L x 0.063" W (3.20mm x 1.60mm)
Report errors?	Height - Seated (Max)	0.028" (0.70mm)
		Report errors?

## AF164-FR-0782RL Guarantees



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

## **AF164-FR-0782RL Payment Methods**



















# **AF164-FR-0782RL Shipping Methods**













If you have any question about AF164-FR-0782RL, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com