

Heisener.com

AFTS Information

Part Number AFTS

Manufacturer Laird Technologies IAS

Category RF/IF and RFID

RF Antennas

Description ANT WHIP AB 1/4 118-512MHZ

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com

E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









AFTS Specifications

Manufacturer Part Number AFTS Manufacturer Laird Technologies IAS Category RF/IF and RFID RF Antennas RF Antennas Package - Series - Frequency Group VHF (f < 300 MHz), UHF (300 MHz ~ 1 GHz) Frequency (Center/Band) 507MHz Frequency Range 118MHz ~ 896MHz Antenna Type Whip, Straight Number of Bands 1 VSWR 1.5 Return Loss - Gain 0dB Power - Max 200W Features - Termination Connector, NMO Ingress Protection - Mounting Type Base Mount Height (Max) - Applications -	•	
Category RF/IF and RFID RF Antennas Package - Series - Frequency Group VHF (f < 300 MHz), UHF (300 MHz ~ 1 GHz) Frequency (Center/Band) 507MHz Frequency Range 118MHz ~ 896MHz Antenna Type Whip, Straight Number of Bands 1 VSWR 1.5 Return Loss - Gain 0dB Power - Max 200W Features - Termination Connector, NMO Ingress Protection - Mounting Type Base Mount Height (Max) - Applications -	Manufacturer Part Number	AFTS
Package - Series - Frequency Group VHF (f < 300 MHz), UHF (300 MHz ~ 1 GHz)	Manufacturer	Laird Technologies IAS
Package-Series-Frequency GroupVHF (f < 300 MHz), UHF (300 MHz ~ 1 GHz)	Category	RF/IF and RFID
Series - Frequency Group VHF (f < 300 MHz), UHF (300 MHz ~ 1 GHz)		RF Antennas
Frequency Group VHF (f < 300 MHz), UHF (300 MHz ~ 1 GHz)	Package	-
Frequency (Center/Band) 507MHz Frequency Range 118MHz ~ 896MHz Antenna Type Whip, Straight Number of Bands 1 VSWR 1.5 Return Loss - Gain 0dB Power - Max 200W Features - Termination Connector, NMO Ingress Protection - Mounting Type Base Mount Height (Max) - Applications -	Series	-
Frequency Range 118MHz ~ 896MHz Antenna Type Whip, Straight Number of Bands 1 VSWR 1.5 Return Loss - Gain 0dB Power - Max 200W Features - Termination Connector, NMO Ingress Protection - Mounting Type Base Mount Height (Max) - Applications	Frequency Group	VHF (f $<$ 300 MHz), UHF (300 MHz \sim 1 GHz)
Antenna Type Whip, Straight Number of Bands 1 VSWR 1.5 Return Loss - Gain OdB Power - Max 200W Features - Termination Connector, NMO Ingress Protection - Mounting Type Base Mount Height (Max) - Applications -	Frequency (Center/Band)	507MHz
Number of Bands 1 VSWR 1.5 Return Loss - Gain 0dB Power - Max 200W Features - Termination Connector, NMO Ingress Protection - Mounting Type Base Mount Height (Max) - Applications -	Frequency Range	118MHz ~ 896MHz
VSWR Return Loss - Gain OdB Power - Max 200W Features - Termination Connector, NMO Ingress Protection Mounting Type Base Mount Height (Max) Applications 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.	Antenna Type	Whip, Straight
Return Loss-Gain0dBPower - Max200WFeatures-TerminationConnector, NMOIngress Protection-Mounting TypeBase MountHeight (Max)-Applications-	Number of Bands	1
GainOdBPower - Max200WFeatures-TerminationConnector, NMOIngress Protection-Mounting TypeBase MountHeight (Max)-Applications-	VSWR	1.5
Power - Max Features - Termination Connector, NMO Ingress Protection - Mounting Type Base Mount Height (Max) - Applications - 200W - Connector, NMO	Return Loss	-
Features - Connector, NMO Ingress Protection - Mounting Type Base Mount Height (Max) - Applications - Connector NMO Tormination Connector, NM	Gain	0dB
Termination Connector, NMO Ingress Protection - Mounting Type Base Mount Height (Max) - Applications -	Power - Max	200W
Ingress Protection - Mounting Type Base Mount Height (Max) - Applications - Control of the second of	Features	-
Mounting Type Base Mount Height (Max) - Applications -	Termination	Connector, NMO
Height (Max) - Applications -	Ingress Protection	-
Applications -	Mounting Type	Base Mount
	Height (Max)	-
Report errors?	Applications	-
		Report errors?

AFTS Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

AFTS Payment Methods


































If you have any question about AFTS, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com