

AGN260S24 Information



For Reference Only

Part Number AGN260S24

Manufacturer Panasonic Electric Works

Category Relays

Signal Relays, Up to 2 Amps

Description RELAY TELECOM DPDT 1A 24V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









AGN260S24 Specifications

Manufacturer Part Number Manufacturer Panasonic Electric Works Category Relays Signal Relays, Up to 2 Amps Package - Series AGN Relay Type Telecom Coil Type Non Latching Coil Current 5mA Coil Voltage Contact Form Contact Form DPDT (2 Form C) Contact Rating (Current) Switching Voltage 125VAC, 110VDC - Max Turn On Voltage (Max) 19.2 VDC
Category Relays Signal Relays, Up to 2 Amps Package - Series AGN Relay Type Telecom Coil Type Non Latching Coil Current 5mA Coil Voltage 24VDC Contact Form DPDT (2 Form C) Contact Rating (Current) Switching Voltage 125VAC, 110VDC - Max
Package - Series AGN Relay Type Telecom Coil Type Non Latching Coil Current 5mA Coil Voltage 24VDC Contact Form DPDT (2 Form C) Contact Rating (Current) Switching Voltage 125VAC, 110VDC - Max
Package - Series AGN Relay Type Telecom Coil Type Non Latching Coil Current 5mA Coil Voltage 24VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 1A Switching Voltage 125VAC, 110VDC - Max
Series AGN Relay Type Telecom Coil Type Non Latching Coil Current 5mA Coil Voltage 24VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 1A Switching Voltage 125VAC, 110VDC - Max
Relay Type Coil Type Non Latching Coil Current 5mA Coil Voltage 24VDC Contact Form DPDT (2 Form C) Contact Rating (Current) Switching Voltage 125VAC, 110VDC - Max
Coil Type Non Latching Coil Current 5mA Coil Voltage 24VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 1A Switching Voltage 125VAC, 110VDC - Max
Coil Current 5mA Coil Voltage 24VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 1A Switching Voltage 125VAC, 110VDC - Max
Coil Voltage 24VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 1A Switching Voltage 125VAC, 110VDC - Max
Contact Form DPDT (2 Form C) Contact Rating (Current) 1A Switching Voltage 125VAC, 110VDC - Max
Contact Rating (Current) Switching Voltage 1A 125VAC, 110VDC - Max
Switching Voltage 125VAC, 110VDC - Max
Turn On Voltage (Max) 19.2 VDC
Turn Off Voltage (Min) 2.4 VDC
Operate Time 4ms
Release Time 4ms
Features -
Mounting Type Surface Mount
Termination Style Gull Wing
Report errors?

AGN260S24 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

AGN260S24 Payment Methods



















AGN260S24 Shipping Methods













If you have any question about AGN260S24, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com