



AHA500JB-47R Information



For Reference Only

Part Number AHA500JB-47R

Manufacturer Yageo **Category** Resistors

Chassis Mount Resistors

Description RES CHAS MNT 47 OHM 5% 5W

Package Axial, Box

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









AHA500JB-47R Specifications

Manufacturer Part Number AHA500JB-47R Manufacturer Yageo Category Resistors Chassis Mount Resistors Package Axial, Box Series AHA Resistance 47 Ohms Tolerance ±5% Power (Watts) 5W Composition Wirewound Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 0.591" L x 0.650" W (15.00mm x 16.50mm) Height - Seated (Max) 0.358" (9.10mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate - Report errors?		
Category Resistors Package Axial, Box Series AHA Resistance 47 Ohms Tolerance ±5% Power (Watts) 5W Composition Wirewound Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 0.591" L x 0.650" W (15.00mm x 16.50mm) Height - Seated (Max) 0.358" (9.10mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Manufacturer Part Number	AHA500JB-47R
Chassis Mount Resistors Package Axial, Box AHA Resistance 47 Ohms Tolerance ±5% Power (Watts) Composition Wirewound Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension Height - Seated (Max) Lead Style Solder Lugs Failure Rate - Chassis Mount Resistors Axial, Box Failure Rate AHA AHA AHA AHA AHA AHA AHA A	Manufacturer	Yageo
PackageAxial, BoxSeriesAHAResistance47 OhmsTolerance±5%Power (Watts)5WCompositionWirewoundTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 250°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension0.591" L x 0.650" W (15.00mm x 16.50mm)Height - Seated (Max)0.358" (9.10mm)Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-	Category	Resistors
SeriesAHAResistance47 OhmsTolerance±5%Power (Watts)5WCompositionWirewoundTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 250°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension0.591" L x 0.650" W (15.00mm x 16.50mm)Height - Seated (Max)0.358" (9.10mm)Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-		Chassis Mount Resistors
Resistance47 OhmsTolerance±5%Power (Watts)5WCompositionWirewoundTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 250°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension0.591" L x 0.650" W (15.00mm x 16.50mm)Height - Seated (Max)0.358" (9.10mm)Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-	Package	Axial, Box
Tolerance ±5% Power (Watts) 5W Composition Wirewound Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 0.591" L x 0.650" W (15.00mm x 16.50mm) Height - Seated (Max) 0.358" (9.10mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Series	AHA
Power (Watts) Composition Wirewound Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 0.591" L x 0.650" W (15.00mm x 16.50mm) Height - Seated (Max) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Resistance	47 Ohms
Composition Wirewound Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 0.591" L x 0.650" W (15.00mm x 16.50mm) Height - Seated (Max) 0.358" (9.10mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Tolerance	±5%
Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 0.591" L x 0.650" W (15.00mm x 16.50mm) Height - Seated (Max) 0.358" (9.10mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Power (Watts)	5W
Operating Temperature -55°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 0.591" L x 0.650" W (15.00mm x 16.50mm) Height - Seated (Max) 0.358" (9.10mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Composition	Wirewound
Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 0.591" L x 0.650" W (15.00mm x 16.50mm) Height - Seated (Max) 0.358" (9.10mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate	Temperature Coefficient	±200ppm/°C
Coating, Housing Type Mounting Feature Flanges Size / Dimension 0.591" L x 0.650" W (15.00mm x 16.50mm) Height - Seated (Max) 0.358" (9.10mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Operating Temperature	-55°C ~ 250°C
Mounting Feature Size / Dimension 0.591" L x 0.650" W (15.00mm x 16.50mm) Height - Seated (Max) 0.358" (9.10mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Features	-
Size / Dimension 0.591" L x 0.650" W (15.00mm x 16.50mm) Height - Seated (Max) 0.358" (9.10mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Coating, Housing Type	Aluminum
Height - Seated (Max) Lead Style Package / Case Failure Rate 0.358" (9.10mm) Solder Lugs Axial, Box -	Mounting Feature	Flanges
Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-	Size / Dimension	0.591" L x 0.650" W (15.00mm x 16.50mm)
Package / Case Axial, Box Failure Rate -	Height - Seated (Max)	0.358" (9.10mm)
Failure Rate -	Lead Style	Solder Lugs
	Package / Case	Axial, Box
Report errors?	Failure Rate	-
		Report errors?

AHA500JB-47R Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

AHA500JB-47R Payment Methods





















AHA500JB-47R Shipping Methods













If you have any question about AHA500JB-47R, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com