



AHA50AFB-0R3 Information



For Reference Only

Part Number AHA50AFB-0R3

Manufacturer Yageo **Category** Resistors

Chassis Mount Resistors

Description RES CHAS MNT 0.3 OHM 1% 50W

Package Axial, Box

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









AHA50AFB-0R3 Specifications

Manufacturer Part NumberAHA50AFB-0R3ManufacturerYageoCategoryResistorsPackageAxial, BoxSeriesAHAResistance300 mOhmsTolerance±1%Power (Watts)50WCompositionWirewoundTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 250°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension1.969" L x 1.142" W (50.00mm x 29.00mm)Height - Seated (Max)0.650" (16.50mm)Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-Report errors?		
Category Resistors Package Axial, Box Series AHA Resistance 300 mOhms Tolerance ±1% Power (Watts) 50W Composition Wirewound Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.969" L x 1.142" W (50.00mm x 29.00mm) Height - Seated (Max) 0.650" (16.50mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Manufacturer Part Number	AHA50AFB-0R3
Chassis Mount Resistors Package Axial, Box Series AHA Resistance 300 mOhms Tolerance ±1% Power (Watts) 50W Composition Wirewound Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.969" L x 1.142" W (50.00mm x 29.00mm) Height - Seated (Max) 0.650" (16.50mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Manufacturer	Yageo
PackageAxial, BoxSeriesAHAResistance300 mOhmsTolerance±1%Power (Watts)50WCompositionWirewoundTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 250°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension1.969" L x 1.142" W (50.00mm x 29.00mm)Height - Seated (Max)0.650" (16.50mm)Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-	Category	Resistors
Series AHA Resistance 300 mOhms Tolerance ±1% Power (Watts) 50W Composition Wirewound Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.969" L x 1.142" W (50.00mm x 29.00mm) Height - Seated (Max) 0.650" (16.50mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -		Chassis Mount Resistors
Resistance 300 mOhms Tolerance ±1% Power (Watts) 50W Composition Wirewound Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.969" L x 1.142" W (50.00mm x 29.00mm) Height - Seated (Max) 0.650" (16.50mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Package	Axial, Box
Tolerance ±1% Power (Watts) 50W Composition Wirewound Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.969" L x 1.142" W (50.00mm x 29.00mm) Height - Seated (Max) 0.650" (16.50mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Series	AHA
Power (Watts) Composition Wirewound Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.969" L x 1.142" W (50.00mm x 29.00mm) Height - Seated (Max) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Resistance	300 mOhms
Composition Wirewound Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.969" L x 1.142" W (50.00mm x 29.00mm) Height - Seated (Max) 0.650" (16.50mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Tolerance	±1%
Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.969" L x 1.142" W (50.00mm x 29.00mm) Height - Seated (Max) 0.650" (16.50mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Power (Watts)	50W
Operating Temperature -55°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.969" L x 1.142" W (50.00mm x 29.00mm) Height - Seated (Max) 0.650" (16.50mm) Lead Style Package / Case Axial, Box Failure Rate -	Composition	Wirewound
Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 1.969" L x 1.142" W (50.00mm x 29.00mm) Height - Seated (Max) 0.650" (16.50mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Temperature Coefficient	±200ppm/°C
Coating, Housing Type Mounting Feature Flanges Size / Dimension 1.969" L x 1.142" W (50.00mm x 29.00mm) Height - Seated (Max) 0.650" (16.50mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Operating Temperature	-55°C ~ 250°C
Mounting Feature Size / Dimension 1.969" L x 1.142" W (50.00mm x 29.00mm) Height - Seated (Max) 0.650" (16.50mm) Lead Style Package / Case Axial, Box Failure Rate -	Features	-
Size / Dimension 1.969" L x 1.142" W (50.00mm x 29.00mm) Height - Seated (Max) 0.650" (16.50mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Coating, Housing Type	Aluminum
Height - Seated (Max) Lead Style Package / Case Axial, Box Failure Rate - 0.650" (16.50mm) Solder Lugs - -	Mounting Feature	Flanges
Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-	Size / Dimension	1.969" L x 1.142" W (50.00mm x 29.00mm)
Package / Case Axial, Box Failure Rate -	Height - Seated (Max)	0.650" (16.50mm)
Failure Rate -	Lead Style	Solder Lugs
	Package / Case	Axial, Box
Report errors?	Failure Rate	-
		Report errors?

AHA50AFB-0R3 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

AHA50AFB-0R3 Payment Methods


































If you have any question about AHA50AFB-0R3, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com