



AHA80AJB-91R Information



For Reference Only

Part Number AHA80AJB-91R

Manufacturer Yageo **Category** Resistors

Chassis Mount Resistors

Description RES CHAS MNT 91 OHM 5% 80W

Package Axial, Box

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









AHA80AJB-91R Specifications

Manufacturer Part Number AHA80AJB-91R Manufacturer Yageo Category Resistors Package Axial, Box Series AHA Resistance 91 Ohms Tolerance ±5% Power (Watts) 80W Composition Wirewound Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 2.598" L x 1.850" W (66.00mm x 47.00mm) Height - Seated (Max) 1.024" (26.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -		
Category Resistors Package Axial, Box Series AHA Resistance 91 Ohms Tolerance ±5% Power (Watts) 80W Composition Wirewound Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 2.598" L x 1.850" W (66.00mm x 47.00mm) Height - Seated (Max) 1.024" (26.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Manufacturer Part Number	AHA80AJB-91R
Package Axial, Box Series AHA Resistance 91 Ohms Tolerance ±5% Power (Watts) 80W Composition Wirewound Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 2.598" L x 1.850" W (66.00mm x 47.00mm) Height - Seated (Max) 1.024" (26.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Manufacturer	Yageo
PackageAxial, BoxSeriesAHAResistance91 OhmsTolerance±5%Power (Watts)80WCompositionWirewoundTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 250°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension2.598" L x 1.850" W (66.00mm x 47.00mm)Height - Seated (Max)1.024" (26.00mm)Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-	Category	Resistors
SeriesAHAResistance91 OhmsTolerance±5%Power (Watts)80WCompositionWirewoundTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 250°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension2.598" L x 1.850" W (66.00mm x 47.00mm)Height - Seated (Max)1.024" (26.00mm)Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-		Chassis Mount Resistors
Resistance91 OhmsTolerance±5%Power (Watts)80WCompositionWirewoundTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 250°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension2.598" L x 1.850" W (66.00mm x 47.00mm)Height - Seated (Max)1.024" (26.00mm)Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-	Package	Axial, Box
Tolerance ±5% Power (Watts) 80W Composition Wirewound Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 2.598" L x 1.850" W (66.00mm x 47.00mm) Height - Seated (Max) 1.024" (26.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Series	AHA
Power (Watts) Composition Wirewound Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 2.598" L x 1.850" W (66.00mm x 47.00mm) Height - Seated (Max) 1.024" (26.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Resistance	91 Ohms
CompositionWirewoundTemperature Coefficient±200ppm/°COperating Temperature-55°C ~ 250°CFeatures-Coating, Housing TypeAluminumMounting FeatureFlangesSize / Dimension2.598" L x 1.850" W (66.00mm x 47.00mm)Height - Seated (Max)1.024" (26.00mm)Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-	Tolerance	±5%
Temperature Coefficient ±200ppm/°C Operating Temperature -55°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 2.598" L x 1.850" W (66.00mm x 47.00mm) Height - Seated (Max) 1.024" (26.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Power (Watts)	80W
Operating Temperature -55°C ~ 250°C Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 2.598" L x 1.850" W (66.00mm x 47.00mm) Height - Seated (Max) 1.024" (26.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Composition	Wirewound
Features - Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 2.598" L x 1.850" W (66.00mm x 47.00mm) Height - Seated (Max) 1.024" (26.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Temperature Coefficient	±200ppm/°C
Coating, Housing Type Aluminum Mounting Feature Flanges Size / Dimension 2.598" L x 1.850" W (66.00mm x 47.00mm) Height - Seated (Max) 1.024" (26.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Operating Temperature	-55°C ~ 250°C
Mounting Feature Size / Dimension Lead Style Package / Case Failure Rate Flanges 2.598" L x 1.850" W (66.00mm x 47.00mm) 1.024" (26.00mm) Solder Lugs Axial, Box -	Features	-
Size / Dimension 2.598" L x 1.850" W (66.00mm x 47.00mm) Height - Seated (Max) 1.024" (26.00mm) Lead Style Solder Lugs Package / Case Axial, Box Failure Rate -	Coating, Housing Type	Aluminum
Height - Seated (Max) Lead Style Package / Case Axial, Box Failure Rate 1.024" (26.00mm) Solder Lugs	Mounting Feature	Flanges
Lead StyleSolder LugsPackage / CaseAxial, BoxFailure Rate-	Size / Dimension	2.598" L x 1.850" W (66.00mm x 47.00mm)
Package / Case Axial, Box Failure Rate -	Height - Seated (Max)	1.024" (26.00mm)
Failure Rate -	Lead Style	Solder Lugs
	Package / Case	Axial, Box
Report errors?	Failure Rate	-
		Report errors?

AHA80AJB-91R Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

AHA80AJB-91R Payment Methods



















AHA80AJB-91R Shipping Methods













If you have any question about AHA80AJB-91R, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com