



AHN221X1 Information



For Reference Only

Part Number AHN221X1

Manufacturer Panasonic Electric Works

Category Relays

Power Relays, Over 2 Amps

Description RELAY GEN PURPOSE DPDT 5A 110V

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









AHN221X1 Specifications

Manufacturer Part Number Manufacturer Panasonic Electric Works Relays Power Relays, Over 2 Amps Package - Series AHN Relay Type General Purpose Coil Type Non Latching Coil Current 4.8mA Coil Voltage 110VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 5A Switching Voltage 250VAC, 30VDC - Max Turn On Voltage (Max) Turn Off Voltage (Min) 11 VDC Operate Time 15ms Release Time 5ms Features LED Indicator Mounting Type Socketable Fermination Style		
CategoryRelaysPower Relays, Over 2 AmpsPackage-SeriesAHNRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current4.8mACoil Voltage110VDCContact FormDPDT (2 Form C)Contact Rating (Current)5ASwitching Voltage250VAC, 30VDC - MaxTurn On Voltage (Max)77 VDCTurn Off Voltage (Min)11 VDCOperate Time15msRelease Time5msFeaturesLED IndicatorMounting TypeSocketableTermination StylePlug In	Manufacturer Part Number	AHN221X1
Package - Series AHN Relay Type General Purpose Coil Type Non Latching Coil Current 4.8mA Coil Voltage 110VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 5A Switching Voltage 250VAC, 30VDC - Max Turn On Voltage (Max) 77 VDC Turn Off Voltage (Min) 11 VDC Operate Time 15ms Release Time 5ms Features LED Indicator Mounting Type Socketable Termination Style Purpose	Manufacturer	Panasonic Electric Works
Package - Series AHN Relay Type General Purpose Coil Type Non Latching Coil Current 4.8mA Coil Voltage 110VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 5A Switching Voltage 250VAC, 30VDC - Max Turn On Voltage (Max) 77 VDC Turn Off Voltage (Min) 11 VDC Operate Time 15ms Release Time 5ms Features LED Indicator Mounting Type Socketable Termination Style	Category	Relays
SeriesAHNRelay TypeGeneral PurposeCoil TypeNon LatchingCoil Current4.8mACoil Voltage110VDCContact FormDPDT (2 Form C)Contact Rating (Current)5ASwitching Voltage250VAC, 30VDC - MaxTurn On Voltage (Max)77 VDCTurn Off Voltage (Min)11 VDCOperate Time15msRelease Time5msFeaturesLED IndicatorMounting TypeSocketableTermination StylePlug In		Power Relays, Over 2 Amps
Relay Type Coil Type Non Latching Coil Current 4.8mA Coil Voltage 110VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 5A Switching Voltage 250VAC, 30VDC - Max Turn On Voltage (Max) 77 VDC Turn Off Voltage (Min) 11 VDC Operate Time 15ms Release Time 5ms Release Time 5ms Release Time 5ms Features LED Indicator Mounting Type Socketable Termination Style	Package	-
Coil Type Non Latching Coil Current 4.8mA Coil Voltage 110VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 5A Switching Voltage 250VAC, 30VDC - Max Turn On Voltage (Max) 77 VDC Turn Off Voltage (Min) 11 VDC Operate Time 15ms Release Time 5ms Features LED Indicator Mounting Type Socketable Termination Style Plug In	Series	AHN
Coil Current 4.8mA Coil Voltage 110VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 5A Switching Voltage 250VAC, 30VDC - Max Turn On Voltage (Max) 77 VDC Turn Off Voltage (Min) 11 VDC Operate Time 15ms Release Time 5ms Features LED Indicator Mounting Type Socketable Termination Style Plug In	Relay Type	General Purpose
Coil Voltage 110VDC Contact Form DPDT (2 Form C) Contact Rating (Current) 5A Switching Voltage 250VAC, 30VDC - Max Turn On Voltage (Max) 77 VDC Turn Off Voltage (Min) 11 VDC Operate Time 15ms Release Time 5ms Features LED Indicator Mounting Type Socketable Termination Style Plug In	Coil Type	Non Latching
Contact Form DPDT (2 Form C) Contact Rating (Current) 5A Switching Voltage 250VAC, 30VDC - Max Turn On Voltage (Max) 77 VDC Turn Off Voltage (Min) 11 VDC Operate Time 15ms Release Time 5ms Release Time 5ms Features LED Indicator Mounting Type Socketable Termination Style Plug In	Coil Current	4.8mA
Contact Rating (Current) Switching Voltage 250VAC, 30VDC - Max Turn On Voltage (Max) 77 VDC Turn Off Voltage (Min) 11 VDC Operate Time 15ms Release Time 5ms Features LED Indicator Mounting Type Socketable Termination Style	Coil Voltage	110VDC
Switching Voltage 250VAC, 30VDC - Max Turn On Voltage (Max) 77 VDC Turn Off Voltage (Min) 11 VDC Operate Time 15ms Release Time 5ms Features LED Indicator Mounting Type Socketable Termination Style Plug In	Contact Form	DPDT (2 Form C)
Turn On Voltage (Max) Turn Off Voltage (Min) Operate Time 15ms Release Time 5ms Features LED Indicator Mounting Type Socketable Termination Style	Contact Rating (Current)	5A
Turn Off Voltage (Min) Operate Time 15ms Release Time 5ms Features LED Indicator Mounting Type Socketable Termination Style Plug In	Switching Voltage	250VAC, 30VDC - Max
Operate Time 15ms Release Time 5ms Features LED Indicator Mounting Type Socketable Termination Style Plug In	Turn On Voltage (Max)	77 VDC
Release Time 5ms Features LED Indicator Mounting Type Socketable Termination Style Plug In	Turn Off Voltage (Min)	11 VDC
Features LED Indicator Mounting Type Socketable Termination Style Plug In	Operate Time	15ms
Mounting Type Socketable Termination Style Plug In	Release Time	5ms
Termination Style Plug In	Features	LED Indicator
	Mounting Type	Socketable
Report errors?	Termination Style	Plug In
L. Carrier and Car		Report errors?

AHN221X1 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

AHN221X1 Payment Methods



















AHN221X1 Shipping Methods













If you have any question about AHN221X1, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com