



AM27SYCK09 Information

Manufact
Category

Part Number AM27SYCK09
Manufacturer Kingbright
Category Optoelectronics

LED Indication - Discrete

Description LED YELLOW CLEAR 2SMD

Package 2-SMD, Z-Bend

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

For Reference Only

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









AM27SYCK09 Specifications

Manufacturer Part Number AM27SYCK09 Manufacturer Kingbright Category Optoelectronics LED Indication - Discrete Package 2-SMD, Z-Bend Series - Color Yellow Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 2300mcd Lens Style/Size Round with Domed Top, 1.78mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 20° Mounting Type Surface Mount Wavelength - Dominant 590nm Wavelength - Peak 590m Features - Package / Case 2-SMD, Z-Bend Surplier Device Package SMD Size / Dimension 2.21mm L x 2.21mm W Height (Max) 2.92mm	*	
Category Optoelectronics LED Indication - Discrete Package 2-SMD, Z-Bend Series - Color Yellow Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 2300mcd Lens Style/Size Round with Domed Top, 1.78mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 20° Mounting Type Surface Mount Wavelength - Dominant 590nm Wavelength - Peak 590nm Features - Package / Case 2-SMD, Z-Bend Supplier Device Package SMD Size / Dimension 2.21mm L x 2.21mm W Height (Max) 2.92mm	Manufacturer Part Number	AM27SYCK09
Package 2-SMD, Z-Bend Series - Color Yellow Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 2300mcd Lens Style/Size Round with Domed Top, 1.78mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 20° Mounting Type Surface Mount Wavelength - Dominant 590nm Wavelength - Peak 590nm Features - Package / Case 2-SMD, Z-Bend Supplier Device Package SMD Size / Dimension 2.21mm L x 2.21mm W Height (Max) 2.92mm	Manufacturer	Kingbright
Package 2-SMD, Z-Bend Series - Color Yellow Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 2300mcd Lens Style/Size Round with Domed Top, 1.78mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 20° Mounting Type Surface Mount Wavelength - Dominant 590nm Wavelength - Peak 590nm Features - Package / Case 2-SMD, Z-Bend Supplier Device Package SMD Size / Dimension 2.21mm L x 2.21mm W Height (Max) 2.92mm	Category	Optoelectronics
Series - Color Yellow Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 2300mcd Lens Style/Size Round with Domed Top, 1.78mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 20° Mounting Type Surface Mount Wavelength - Dominant 590nm Wavelength - Peak 590nm Features - Package / Case 2-SMD, Z-Bend Supplier Device Package SMD Size / Dimension 2.21mm L x 2.21mm W Height (Max) 2.92mm		LED Indication - Discrete
Color Yellow Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 2300mcd Lens Style/Size Round with Domed Top, 1.78mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 20° Mounting Type Surface Mount Wavelength - Dominant 590nm Features - Package / Case 2-SMD, Z-Bend Supplier Device Package SMD Size / Dimension 2.21mm L x 2.21mm W Height (Max) 2.92mm	Package	2-SMD, Z-Bend
Configuration-Lens ColorColorlessLens TransparencyClearMillicandela Rating2300mcdLens Style/SizeRound with Domed Top, 1.78mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle20°Mounting TypeSurface MountWavelength - Dominant590nmWavelength - Peak590nmFeatures-Package / Case2-SMD, Z-BendSupplier Device PackageSMDSize / Dimension2.21mm L x 2.21mm WHeight (Max)2.92mm	Series	-
Lens ColorColorlessLens TransparencyClearMillicandela Rating2300mcdLens Style/SizeRound with Domed Top, 1.78mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle20°Mounting TypeSurface MountWavelength - Dominant590nmFeatures-Package / Case2-SMD, Z-BendSupplier Device PackageSMDSize / Dimension2.21mm L x 2.21mm WHeight (Max)2.92mm	Color	Yellow
Lens TransparencyClearMillicandela Rating2300mcdLens Style/SizeRound with Domed Top, 1.78mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle20°Mounting TypeSurface MountWavelength - Dominant590nmWavelength - Peak590nmFeatures-Package / Case2-SMD, Z-BendSupplier Device PackageSMDSize / Dimension2.21mm L x 2.21mm WHeight (Max)2.92mm	Configuration	-
Millicandela Rating Lens Style/Size Round with Domed Top, 1.78mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle Viewing Angle Surface Mount Wavelength - Dominant Sy0nm Wavelength - Peak Features - Package / Case Supplier Device Package Size / Dimension Size / Dimension Height (Max) 2300mcd Round with Domed Top, 1.78mm 20mA Sund Well Dominant SomA 20mA Surface Mount Surface Mount Sy0nm Surface Mount Surface Mount Sy0nm	Lens Color	Colorless
Lens Style/SizeRound with Domed Top, 1.78mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle20°Mounting TypeSurface MountWavelength - Dominant590nmWavelength - Peak590nmFeatures-Package / Case2-SMD, Z-BendSupplier Device PackageSMDSize / Dimension2.21mm L x 2.21mm WHeight (Max)2.92mm	Lens Transparency	Clear
Voltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle20°Mounting TypeSurface MountWavelength - Dominant590nmWavelength - Peak590nmFeatures-Package / Case2-SMD, Z-BendSupplier Device PackageSMDSize / Dimension2.21mm L x 2.21mm WHeight (Max)2.92mm	Millicandela Rating	2300mcd
Current - Test 20mA Viewing Angle 20° Mounting Type Surface Mount Wavelength - Dominant 590nm Wavelength - Peak 590nm Features - Package / Case 2-SMD, Z-Bend Supplier Device Package SMD Size / Dimension 2.21mm L x 2.21mm W Height (Max) 2.92mm	Lens Style/Size	Round with Domed Top, 1.78mm
Viewing Angle20°Mounting TypeSurface MountWavelength - Dominant590nmWavelength - Peak590nmFeatures-Package / Case2-SMD, Z-BendSupplier Device PackageSMDSize / Dimension2.21mm L x 2.21mm WHeight (Max)2.92mm	Voltage - Forward (Vf) (Typ)	2V
Mounting Type Surface Mount Wavelength - Dominant Sp0nm Wavelength - Peak Sp0nm Features - Package / Case 2-SMD, Z-Bend Supplier Device Package SMD Size / Dimension 2.21mm L x 2.21mm W Height (Max) 2.92mm	Current - Test	20mA
Wavelength - Dominant Wavelength - Peak 590nm Features - Package / Case 2-SMD, Z-Bend Supplier Device Package SMD Size / Dimension 2.21mm L x 2.21mm W Height (Max) 2.92mm	Viewing Angle	20°
Wavelength - Peak 590nm Features - Package / Case 2-SMD, Z-Bend Supplier Device Package SMD Size / Dimension 2.21mm L x 2.21mm W Height (Max) 2.92mm	Mounting Type	Surface Mount
Features - Package / Case 2-SMD, Z-Bend Supplier Device Package SMD Size / Dimension 2.21mm L x 2.21mm W Height (Max) 2.92mm	Wavelength - Dominant	590nm
Package / Case 2-SMD, Z-Bend Supplier Device Package SMD Size / Dimension 2.21mm L x 2.21mm W Height (Max) 2.92mm	Wavelength - Peak	590nm
Supplier Device Package Size / Dimension 2.21mm L x 2.21mm W Height (Max) 2.92mm	Features	-
Size / Dimension2.21mm L x 2.21mm WHeight (Max)2.92mm	Package / Case	2-SMD, Z-Bend
Height (Max) 2.92mm	Supplier Device Package	SMD
	Size / Dimension	2.21mm L x 2.21mm W
Report errors?	Height (Max)	2.92mm
		Report errors?

AM27SYCK09 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

AM27SYCK09 Payment Methods





















AM27SYCK09 Shipping Methods













If you have any question about AM27SYCK09, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com