

ANL-225 Information

Part Number ANL-225
Manufacturer Eaton

Category Circuit Protection

Electrical, Specialty Fuses

Description FUSE STRIP 225A 80VDC BOLT MOUNT

Package Rectangular, Blade

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









ANL-225 Specifications

For Reference Only

Manufacturer Part NumberANL-225ManufacturerEatonCategoryCircuit Protection Electrical, Specialty FusesPackageRectangular, BladeSeriesANLFuse TypeFuse StripCurrent Rating225AVoltage Rating - AC-Voltage Rating - DC80VResponse TimeFastApplicationsLift TrucksFeaturesIndicatingClass-ApprovalsUROperating Temperature-Breaking Capacity @ Rated Voltage2.7kAMounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension0.874" Dia x 3.189" L (22.20mm x 81.00mm)Report errors?		
Category Circuit Protection Electrical, Specialty Fuses Package Rectangular, Blade Series ANL Fuse Type Fuse Strip Current Rating 225A Voltage Rating - AC Voltage Rating - DC Response Time Fast Applications Lift Trucks Features Indicating Class - Approvals UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Size / Dimension Circuit Protection Electrical, Specialty Fuses Rectangular, Blade Rectangular, Blade Size / Dimension ANL Strip Features Indicating Class - Circuit Protection Electrical, Specialty Fuses Rectangular, Blade Size / Dimension ANL Survey Fuse Strip Current Rating ANL Survey Fuse Strip Current Rating Survey Fuse Strip Current Rating Capacity Fuse Strip Current Rating Curre	Manufacturer Part Number	ANL-225
Beckage Rectangular, Blade Series ANL Fuse Type Fuse Strip Current Rating 225A Voltage Rating - AC Voltage Rating - DC Response Time Fast Applications Lift Trucks Features Indicating Class - Approvals UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Size / Dimension Electrical, Specialty Fuses Rectangular, Blade Size / Dimension Electrical, Specialty Fuses Rectangular, Blade ANL Fuses Restangular, Blade Size / Dimension	Manufacturer	Eaton
PackageRectangular, BladeSeriesANLFuse TypeFuse StripCurrent Rating225AVoltage Rating - AC-Voltage Rating - DC80VResponse TimeFastApplicationsLift TrucksFeaturesIndicatingClass-ApprovalsUROperating Temperature-Breaking Capacity @ Rated Voltage2.7kAMounting TypeBolt MountPackage / CaseRectangular, BladeSize / Dimension0.874" Dia x 3.189" L (22.20mm x 81.00mm)	Category	Circuit Protection
Series ANL Fuse Type Fuse Strip Current Rating 225A Voltage Rating - AC - Voltage Rating - DC 80V Response Time Fast Applications Lift Trucks Features Indicating Class - Approvals UR Operating Temperature - Breaking Capacity @ Rated Voltage 2.7kA Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension 0.874" Dia x 3.189" L (22.20mm x 81.00mm)		Electrical, Specialty Fuses
Fuse Type Current Rating Current Rating 225A Voltage Rating - AC Voltage Rating - DC 80V Response Time Fast Applications Lift Trucks Features Indicating Class - Approvals UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension Fuse Strip 225A 80V 80V Response Time Fast Lift Trucks Indicating Lift Trucks Indicating Fast Lift Trucks Fast Size / Dimension 80V 80V 80V 80V 80V 80V 80V 80	Package	Rectangular, Blade
Current Rating Voltage Rating - AC Voltage Rating - DC 80V Response Time Fast Applications Lift Trucks Features Indicating Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Size / Dimension 225A 205A 205A 80V 80V Response Time Fast Lift Trucks Lift Trucks Lift Trucks Lift Trucks Fast Lift Trucks Lift Trucks Fast Lift Trucks Foatures Indicating 2.7kA Approvals UR Operating Temperature - Breaking Capacity @ Rated Voltage Bolt Mount Package / Case Rectangular, Blade Size / Dimension 0.874" Dia x 3.189" L (22.20mm x 81.00mm)	Series	ANL
Voltage Rating - AC Voltage Rating - DC 80V Response Time Fast Applications Lift Trucks Features Indicating Class - Approvals UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Size / Dimension	Fuse Type	Fuse Strip
Voltage Rating - DC Response Time Fast Applications Lift Trucks Features Indicating Class - Approvals UR Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Size / Dimension 80V 80V 80V 80V 80V Fast Fast Lift Trucks Indicating - Log 1. 2. 4. 4. 5. 8. 8. 8. 8. 8. 8. 8. 8. 8	Current Rating	225A
Response Time Applications Lift Trucks Features Indicating Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension Fast Lift Trucks Lift Trucks Indicating Lift Trucks - Bulk Trucks Lift Trucks Lift Trucks Indicating Lift Trucks - Bulk Trucks Lift Trucks - Bulk Trucks Lift Trucks L	Voltage Rating - AC	-
Applications Features Indicating Class - Approvals Operating Temperature Breaking Capacity @ Rated Voltage Mounting Type Bolt Mount Package / Case Size / Dimension Lift Trucks Indicating - Builde - Now Package / Case Rectangular, Blade 0.874" Dia x 3.189" L (22.20mm x 81.00mm)	Voltage Rating - DC	80V
Features Indicating Class - Approvals UR Operating Temperature - Breaking Capacity @ Rated Voltage 2.7kA Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension 0.874" Dia x 3.189" L (22.20mm x 81.00mm)	Response Time	Fast
Class - UR Operating Temperature - Ereaking Capacity @ Rated Voltage 2.7kA Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension 0.874" Dia x 3.189" L (22.20mm x 81.00mm)	Applications	Lift Trucks
Approvals Operating Temperature Breaking Capacity @ Rated Voltage 2.7kA Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension UR	Features	Indicating
Operating Temperature Breaking Capacity @ Rated Voltage 2.7kA Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension 0.874" Dia x 3.189" L (22.20mm x 81.00mm)	Class	-
Breaking Capacity @ Rated Voltage 2.7kA Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension 0.874" Dia x 3.189" L (22.20mm x 81.00mm)	Approvals	UR
Mounting Type Bolt Mount Package / Case Rectangular, Blade Size / Dimension 0.874" Dia x 3.189" L (22.20mm x 81.00mm)	Operating Temperature	-
Package / Case Rectangular, Blade Size / Dimension 0.874" Dia x 3.189" L (22.20mm x 81.00mm)	Breaking Capacity @ Rated Voltage	2.7kA
Size / Dimension 0.874" Dia x 3.189" L (22.20mm x 81.00mm)	Mounting Type	Bolt Mount
	Package / Case	Rectangular, Blade
Report errors?	Size / Dimension	0.874" Dia x 3.189" L (22.20mm x 81.00mm)
		Report errors?

ANL-225 Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

ANL-225 Payment Methods

































If you have any question about ANL-225, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com