



APECVA3010EC Information



For Reference Only

Part Number APECVA3010EC

Manufacturer Kingbright
Category Optoelectronics

LED Indication - Discrete

Description LED RED CLEAR 2SMD R/A

Package 2-SMD, No Lead

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









APECVA3010EC Specifications

Manufacturer Part Number APECVA3010EC Manufacturer Kingbright Category Optoelectronics LED Indication - Discrete Package 2-SMD, No Lead Series - Color Red Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 15mcd Lens Style/Size Rectangle with Domed Top, 2.00mm x 1.00mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 120° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 625nm Wavelength - Peak 627nm Features - Package / Case 2-SMD, No Lead Supplier Device Package SMD Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	*	
Category Optoelectronics LED Indication - Discrete Package 2-SMD, No Lead Series - Color Red Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 15med Lens Style/Size Rectangle with Domed Top, 2.00mm x 1.00mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 120° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 625nm Wavelength - Peak 627nm Features - Package / Case 2-SMD, No Lead Supplier Device Package SMD Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Manufacturer Part Number	APECVA3010EC
Package 2-SMD, No Lead Series - Color Red Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 15mcd Lens Style/Size Rectangle with Domed Top, 2.00mm x 1.00mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 120° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 625nm Wavelength - Peak 627nm Features - Package / Case 2-SMD, No Lead Supplier Device Package SMD Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Manufacturer	Kingbright
Package 2-SMD, No Lead Series - Color Red Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 15mcd Lens Style/Size Rectangle with Domed Top, 2.00mm x 1.00mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 120° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 625nm Wavelength - Peak 627nm Features - Package / Case 2-SMD, No Lead Supplier Device Package SMD Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Category	Optoelectronics
Series - Color Red Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 15mcd Lens Style/Size Rectangle with Domed Top, 2.00mm x 1.00mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 120° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 625nm Wavelength - Peak 627nm Features - Package / Case 2-SMD, No Lead Supplier Device Package SMD Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm		LED Indication - Discrete
ColorRedConfiguration-Lens ColorColorlessLens TransparencyClearMillicandela Rating15mcdLens Style/SizeRectangle with Domed Top, 2.00mm x 1.00mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle120°Mounting TypeSurface Mount, Right AngleWavelength - Dominant625nmWavelength - Peak627nmFeatures-Package / Case2-SMD, No LeadSupplier Device PackageSMDSize / Dimension3.00mm L x 2.00mm WHeight (Max)1.00mm	Package	2-SMD, No Lead
Configuration-Lens ColorColorlessLens TransparencyClearMillicandela Rating15mcdLens Style/SizeRectangle with Domed Top, 2.00mm x 1.00mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle120°Mounting TypeSurface Mount, Right AngleWavelength - Dominant625nmWavelength - Peak627nmFeatures-Package / Case2-SMD, No LeadSupplier Device PackageSMDSize / Dimension3.00mm L x 2.00mm WHeight (Max)1.00mm	Series	-
Lens ColorColorlessLens TransparencyClearMillicandela Rating15mcdLens Style/SizeRectangle with Domed Top, 2.00mm x 1.00mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle120°Mounting TypeSurface Mount, Right AngleWavelength - Dominant625nmWavelength - Peak627nmFeatures-Package / Case2-SMD, No LeadSupplier Device PackageSMDSize / Dimension3.00mm L x 2.00mm WHeight (Max)1.00mm	Color	Red
Lens TransparencyClearMillicandela Rating15mcdLens Style/SizeRectangle with Domed Top, 2.00mm x 1.00mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle120°Mounting TypeSurface Mount, Right AngleWavelength - Dominant625nmWavelength - Peak627nmFeatures-Package / Case2-SMD, No LeadSupplier Device PackageSMDSize / Dimension3.00mm L x 2.00mm WHeight (Max)1.00mm	Configuration	-
Millicandela Rating Lens Style/Size Rectangle with Domed Top, 2.00mm x 1.00mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 120° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 625nm Wavelength - Peak 627nm Features - Package / Case 2-SMD, No Lead Supplier Device Package SMD Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Lens Color	Colorless
Lens Style/Size Rectangle with Domed Top, 2.00mm x 1.00mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 120° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 625nm Wavelength - Peak 627nm Features - Package / Case 2-SMD, No Lead Supplier Device Package SMD Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Lens Transparency	Clear
Voltage - Forward (Vf) (Typ) Current - Test 20mA Viewing Angle 120° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 625nm Wavelength - Peak 627nm Features - Package / Case 2-SMD, No Lead Supplier Device Package SMD Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Millicandela Rating	15mcd
Current - Test 20mA Viewing Angle 120° Mounting Type Surface Mount, Right Angle Wavelength - Dominant 625nm Wavelength - Peak 627nm Features - Package / Case 2-SMD, No Lead Supplier Device Package SMD Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Lens Style/Size	Rectangle with Domed Top, 2.00mm x 1.00mm
Viewing Angle120°Mounting TypeSurface Mount, Right AngleWavelength - Dominant625nmWavelength - Peak627nmFeatures-Package / Case2-SMD, No LeadSupplier Device PackageSMDSize / Dimension3.00mm L x 2.00mm WHeight (Max)1.00mm	Voltage - Forward (Vf) (Typ)	2V
Mounting Type Surface Mount, Right Angle Wavelength - Dominant 625nm Wavelength - Peak 627nm Features - Package / Case 2-SMD, No Lead Supplier Device Package SMD Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Current - Test	20mA
Wavelength - Dominant 625nm Wavelength - Peak 627nm Features - Package / Case 2-SMD, No Lead Supplier Device Package SMD Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Viewing Angle	120°
Wavelength - Peak 627nm Features - Package / Case 2-SMD, No Lead Supplier Device Package SMD Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Mounting Type	Surface Mount, Right Angle
Features - Package / Case 2-SMD, No Lead Supplier Device Package SMD Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Wavelength - Dominant	625nm
Package / Case 2-SMD, No Lead Supplier Device Package SMD Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Wavelength - Peak	627nm
Supplier Device Package SMD Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Features	-
Size / Dimension 3.00mm L x 2.00mm W Height (Max) 1.00mm	Package / Case	2-SMD, No Lead
Height (Max) 1.00mm	Supplier Device Package	SMD
	Size / Dimension	3.00mm L x 2.00mm W
Report errors?	Height (Max)	1.00mm
		Report errors?

APECVA3010EC Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

APECVA3010EC Payment Methods



















APECVA3010EC Shipping Methods













If you have any question about APECVA3010EC, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com