



APTD1608SYCK Information



For Reference Only

Part Number APTD1608SYCK

Manufacturer Kingbright
Category Optoelectronics

LED Indication - Discrete

Description LED YELLOW CLEAR 0603 SMD

Package 0603 (1608 Metric)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









APTD1608SYCK Specifications

Manufacturer Part Number APTD1608SYCK Manufacturer Kingbright Category Optoelectronics LED Indication - Discrete Package 0603 (1608 Metric) Series - Color Yellow Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 450mcd Lens Style/Size Round with Domed Top, 0.70mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 60° Mounting Type Surface Mount Wavelength - Dominant 590nm Wavelength - Peak 590nm Features - Supplier Device Package Chip LED Size / Dimension 1.60mm L x 0.80mm W	•	
Category Optoelectronics LED Indication - Discrete Package 0603 (1608 Metric) Series - Color Yellow Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 450mcd Lens Style/Size Round with Domed Top, 0.70mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 60° Mounting Type Surface Mount Wavelength - Dominant 590nm Wavelength - Peak 590nm Features - Package / Case 0603 (1608 Metric) Supplier Device Package Chip LED Size / Dimension 1.60mm L x 0.80mm W	Manufacturer Part Number	APTD1608SYCK
Package 0603 (1608 Metric) Series - Color Yellow Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 450mcd Lens Style/Size Round with Domed Top, 0.70mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 60° Mounting Type Surface Mount Wavelength - Dominant 590nm Wavelength - Peak 590nm Features - Package / Case 0603 (1608 Metric) Supplier Device Package Chip LED Size / Dimension 1.60mm L x 0.80mm W	Manufacturer	Kingbright
Package 0603 (1608 Metric) Series - Color Yellow Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 450mcd Lens Style/Size Round with Domed Top, 0.70mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 60° Mounting Type Surface Mount Wavelength - Dominant 590nm Wavelength - Peak 590nm Features - Package / Case 0603 (1608 Metric) Supplier Device Package Chip LED Size / Dimension 1.60mm L x 0.80mm W	Category	Optoelectronics
Series - Color Yellow Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 450mcd Lens Style/Size Round with Domed Top, 0.70mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 60° Mounting Type Surface Mount Wavelength - Dominant 590m Wavelength - Peak 590m Features - Package / Case 0603 (1608 Metric) Supplier Device Package Chip LED Size / Dimension 1.60mm L x 0.80mm W		LED Indication - Discrete
Color Yellow Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 450mcd Lens Style/Size Round with Domed Top, 0.70mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 60° Mounting Type Surface Mount Wavelength - Dominant 590nm Wavelength - Peak 590nm Features - Package / Case 0603 (1608 Metric) Supplier Device Package Chip LED Size / Dimension 1.60mm L x 0.80mm W	Package	0603 (1608 Metric)
Configuration-Lens ColorColorlessLens TransparencyClearMillicandela Rating450mcdLens Style/SizeRound with Domed Top, 0.70mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle60°Mounting TypeSurface MountWavelength - Dominant590nmWavelength - Peak590nmFeatures-Package / Case0603 (1608 Metric)Supplier Device PackageChip LEDSize / Dimension1.60mm L x 0.80mm W	Series	-
Lens ColorColorlessLens TransparencyClearMillicandela Rating450mcdLens Style/SizeRound with Domed Top, 0.70mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle60°Mounting TypeSurface MountWavelength - Dominant590nmWavelength - Peak590nmFeatures-Package / Case0603 (1608 Metric)Supplier Device PackageChip LEDSize / Dimension1.60mm L x 0.80mm W	Color	Yellow
Lens TransparencyClearMillicandela Rating450mcdLens Style/SizeRound with Domed Top, 0.70mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle60°Mounting TypeSurface MountWavelength - Dominant590nmWavelength - Peak590nmFeatures-Package / Case0603 (1608 Metric)Supplier Device PackageChip LEDSize / Dimension1.60mm L x 0.80mm W	Configuration	-
Millicandela Rating Lens Style/Size Round with Domed Top, 0.70mm Voltage - Forward (Vf) (Typ) 2V Current - Test 20mA Viewing Angle 60° Mounting Type Surface Mount Wavelength - Dominant 590nm Wavelength - Peak 590nm Features - Package / Case 0603 (1608 Metric) Supplier Device Package Size / Dimension 1.60mm L x 0.80mm W	Lens Color	Colorless
Lens Style/SizeRound with Domed Top, 0.70mmVoltage - Forward (Vf) (Typ)2VCurrent - Test20mAViewing Angle60°Mounting TypeSurface MountWavelength - Dominant590nmWavelength - Peak590nmFeatures-Package / Case0603 (1608 Metric)Supplier Device PackageChip LEDSize / Dimension1.60mm L x 0.80mm W	Lens Transparency	Clear
Voltage - Forward (Vf) (Typ) Current - Test 20mA Viewing Angle 60° Mounting Type Surface Mount Wavelength - Dominant 590nm Wavelength - Peak 590nm Features - Package / Case 0603 (1608 Metric) Supplier Device Package Chip LED Size / Dimension 2V 20mA 60° 80° 80° 80° 80° 80° 80° 80°	Millicandela Rating	450mcd
Current - Test 20mA Viewing Angle 60° Mounting Type Surface Mount Wavelength - Dominant 590nm Wavelength - Peak 590nm Features - Package / Case 0603 (1608 Metric) Supplier Device Package Chip LED Size / Dimension 1.60mm L x 0.80mm W	Lens Style/Size	Round with Domed Top, 0.70mm
Viewing Angle60°Mounting TypeSurface MountWavelength - Dominant590nmWavelength - Peak590nmFeatures-Package / Case0603 (1608 Metric)Supplier Device PackageChip LEDSize / Dimension1.60mm L x 0.80mm W	Voltage - Forward (Vf) (Typ)	2V
Mounting Type Surface Mount Wavelength - Dominant Sy0nm Wavelength - Peak Sy0nm Features - Package / Case O603 (1608 Metric) Supplier Device Package Chip LED Size / Dimension Surface Mount Sy0nm Sy0n	Current - Test	20mA
Wavelength - Dominant Wavelength - Peak 590nm Features - Package / Case 0603 (1608 Metric) Supplier Device Package Chip LED Size / Dimension 1.60mm L x 0.80mm W	Viewing Angle	60°
Wavelength - Peak 590nm Features - Package / Case 0603 (1608 Metric) Supplier Device Package Chip LED Size / Dimension 1.60mm L x 0.80mm W	Mounting Type	Surface Mount
Features - Package / Case 0603 (1608 Metric) Supplier Device Package Chip LED Size / Dimension 1.60mm L x 0.80mm W	Wavelength - Dominant	590nm
Package / Case 0603 (1608 Metric) Supplier Device Package Chip LED Size / Dimension 1.60mm L x 0.80mm W	Wavelength - Peak	590nm
Supplier Device Package Chip LED Size / Dimension 1.60mm L x 0.80mm W	Features	-
Size / Dimension 1.60mm L x 0.80mm W	Package / Case	0603 (1608 Metric)
	Supplier Device Package	Chip LED
Height (Max) 0.95mm	Size / Dimension	1.60mm L x 0.80mm W
Troight (Max)	Height (Max)	0.95mm
Report errors?		Report errors?

APTD1608SYCK Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

APTD1608SYCK Payment Methods





















APTD1608SYCK Shipping Methods













If you have any question about APTD1608SYCK, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com