



APTD3216LSYCK Information



For Reference Only

Part Number APTD3216LSYCK

Manufacturer Kingbright
Category Optoelectronics

LED Indication - Discrete

Description LED YELLOW CLEAR SMD

Package 1206 (3216 Metric)

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

Certified Quality

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









APTD3216LSYCK Specifications

| Manufacturer Part Number APTD3216LSYCK Manufacturer Kingbright Category Optoelectronics LED Indication - Discrete Package 1206 (3216 Metric) Series - Color Yellow Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 40mcd Lens Style/Size Round with Domed Top, 1.60mm Voltage - Forward (Vf) (Typ) 1.85V Current - Test 2mA Viewing Angle 40° Mounting Type Surface Mount Wavelength - Dominant 590nm Wavelength - Peak 590m Peatures - Package / Case 1206 (3216 Metric) Supplier Device Package 2-SMD Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.87mm | • | |
|---|------------------------------|------------------------------|
| Category Optoelectronics LED Indication - Discrete Package 1206 (3216 Metric) Series - Color Yellow Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 40mcd Lens Style/Size Round with Domed Top, 1.60mm Voltage - Forward (Vf) (Typ) 1.85V Current - Test 2mA Viewing Angle 40° Mounting Type Surface Mount Wavelength - Dominant 590nm Wavelength - Peak 590nm Features - Package / Case 1206 (3216 Metric) Supplier Device Package 2-SMD Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.87mm | Manufacturer Part Number | APTD3216LSYCK |
| Package 1206 (3216 Metric) Series - Color Yellow Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 40mcd Lens Style/Size Round with Domed Top, 1.60mm Voltage - Forward (Vf) (Typ) 1.85V Current - Test 2mA Viewing Angle 40° Mounting Type Surface Mount Wavelength - Dominant 590nm Wavelength - Peak 590nm Features - Package / Case 1206 (3216 Metric) Supplier Device Package 2-SMD Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.87mm | Manufacturer | Kingbright |
| Package 1206 (3216 Metric) Series - Color Yellow Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 40mcd Lens Style/Size Round with Domed Top, 1.60mm Voltage - Forward (Vf) (Typ) 1.85V Current - Test 2mA Viewing Angle 40° Mounting Type Surface Mount Wavelength - Dominant 590nm Wavelength - Peak 590nm Features - Package / Case 1206 (3216 Metric) Supplier Device Package 2-SMD Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.87mm | Category | Optoelectronics |
| Series - Color Yellow Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 40mcd Lens Style/Size Round with Domed Top, 1.60mm Voltage - Forward (Vf) (Typ) 1.85V Current - Test 2mA Viewing Angle 40° Mounting Type Surface Mount Wavelength - Dominant 590nm Wavelength - Peak 590nm Features - Package / Case 1206 (3216 Metric) Supplier Device Package 2-SMD Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.87mm | | LED Indication - Discrete |
| Color Yellow Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 40mcd Lens Style/Size Round with Domed Top, 1.60mm Voltage - Forward (Vf) (Typ) 1.85V Current - Test 2mA Viewing Angle 40° Mounting Type Surface Mount Wavelength - Dominant 590nm Wavelength - Peak 590nm Features - Package / Case 1206 (3216 Metric) Supplier Device Package 2-SMD Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.87mm | Package | 1206 (3216 Metric) |
| Configuration - Lens Color Colorless Lens Transparency Clear Millicandela Rating 40mcd Lens Style/Size Round with Domed Top, 1.60mm Voltage - Forward (Vf) (Typ) 1.85V Current - Test 2mA Viewing Angle 40° Mounting Type Surface Mount Wavelength - Dominant 590nm Wavelength - Peak 590nm Features - Package / Case 1206 (3216 Metric) Supplier Device Package 2-SMD Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.87mm | Series | - |
| Lens ColorColorlessLens TransparencyClearMillicandela Rating40mcdLens Style/SizeRound with Domed Top, 1.60mmVoltage - Forward (Vf) (Typ)1.85VCurrent - Test2mAViewing Angle40°Mounting TypeSurface MountWavelength - Dominant590nmWavelength - Peak590nmFeatures-Package / Case1206 (3216 Metric)Supplier Device Package2-SMDSize / Dimension3.20mm L x 1.60mm WHeight (Max)1.87mm | Color | Yellow |
| Lens TransparencyClearMillicandela Rating40mcdLens Style/SizeRound with Domed Top, 1.60mmVoltage - Forward (Vf) (Typ)1.85VCurrent - Test2mAViewing Angle40°Mounting TypeSurface MountWavelength - Dominant590nmWavelength - Peak590nmFeatures-Package / Case1206 (3216 Metric)Supplier Device Package2-SMDSize / Dimension3.20mm L x 1.60mm WHeight (Max)1.87mm | Configuration | - |
| Millicandela Rating Lens Style/Size Round with Domed Top, 1.60mm Voltage - Forward (Vf) (Typ) 1.85V Current - Test 2mA Viewing Angle Mounting Type Surface Mount Wavelength - Dominant Syonm Wavelength - Peak Features - Package / Case 1206 (3216 Metric) Supplier Device Package Size / Dimension Height (Max) 1.87mm | Lens Color | Colorless |
| Lens Style/SizeRound with Domed Top, 1.60mmVoltage - Forward (Vf) (Typ)1.85VCurrent - Test2mAViewing Angle40°Mounting TypeSurface MountWavelength - Dominant590nmWavelength - Peak590nmFeatures-Package / Case1206 (3216 Metric)Supplier Device Package2-SMDSize / Dimension3.20mm L x 1.60mm WHeight (Max)1.87mm | Lens Transparency | Clear |
| Voltage - Forward (Vf) (Typ)1.85VCurrent - Test2mAViewing Angle40°Mounting TypeSurface MountWavelength - Dominant590nmWavelength - Peak590nmFeatures-Package / Case1206 (3216 Metric)Supplier Device Package2-SMDSize / Dimension3.20mm L x 1.60mm WHeight (Max)1.87mm | Millicandela Rating | 40mcd |
| Current - Test2mAViewing Angle40°Mounting TypeSurface MountWavelength - Dominant590nmWavelength - Peak590nmFeatures-Package / Case1206 (3216 Metric)Supplier Device Package2-SMDSize / Dimension3.20mm L x 1.60mm WHeight (Max)1.87mm | Lens Style/Size | Round with Domed Top, 1.60mm |
| Viewing Angle40°Mounting TypeSurface MountWavelength - Dominant590nmWavelength - Peak590nmFeatures-Package / Case1206 (3216 Metric)Supplier Device Package2-SMDSize / Dimension3.20mm L x 1.60mm WHeight (Max)1.87mm | Voltage - Forward (Vf) (Typ) | 1.85V |
| Mounting Type Surface Mount Wavelength - Dominant Sy0nm Wavelength - Peak Sy0nm Features - Package / Case 1206 (3216 Metric) Supplier Device Package 2-SMD Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.87mm | Current - Test | 2mA |
| Wavelength - Dominant Wavelength - Peak 590nm Features - Package / Case 1206 (3216 Metric) Supplier Device Package 2-SMD Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.87mm | Viewing Angle | 40° |
| Wavelength - Peak 590nm Features - Package / Case 1206 (3216 Metric) Supplier Device Package 2-SMD Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.87mm | Mounting Type | Surface Mount |
| Features - Package / Case 1206 (3216 Metric) Supplier Device Package 2-SMD Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.87mm | Wavelength - Dominant | 590nm |
| Package / Case 1206 (3216 Metric) Supplier Device Package 2-SMD Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.87mm | Wavelength - Peak | 590nm |
| Supplier Device Package 2-SMD Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.87mm | Features | - |
| Size / Dimension 3.20mm L x 1.60mm W Height (Max) 1.87mm | Package / Case | 1206 (3216 Metric) |
| Height (Max) 1.87mm | Supplier Device Package | 2-SMD |
| | Size / Dimension | 3.20mm L x 1.60mm W |
| Report errors? | Height (Max) | 1.87mm |
| | | Report errors? |

APTD3216LSYCK Guarantees



Quality Guarantees

We provide 90 days warranty. *

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



Service Guarantees

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

APTD3216LSYCK Payment Methods

































If you have any question about APTD3216LSYCK, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com