

# **ARJ11B-MASAA-MU2**

### **ARJ11B-MASAA-MU2 Information**



For Reference Only

Part Number ARJ11B-MASAA-MU2

Manufacturer Abracon LLC

Category Connectors, Interconnects

Modular Connectors - Jacks With Magnetics

**Description** CONN MAGJACK 1PORT 100 BASE-T

Package -

For the pricing/inventory/lead time, please contact

us

Website: https://www.heisener.com E-mail: salesdept@heisener.com



Request a Quote

# **Certified Quality**

Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









### **ARJ11B-MASAA-MU2 Specifications**

Manufacturer Part Number         ARJ11B-MASAA-MU2           Manufacturer         Abracon LLC           Category         Connectors, Interconnects           Modular Connectors - Jacks With Magnetics           Package         -           Series         ARJ11B           Connector Type         RJ45           Number of Ports         1           Number of Rows         1           Applications         10/100 Base-T, AutoMDIX           Mounting Type         Through Hole           Orientation         90° Angle (Right)           Termination         Solder           Height Above Board         0.545" (13.84mm)           LED Color         Does Not Contain LED           Number of Cores per Jack         4           Shielding         Shielded, EMI Finger           Features         Board Lock           Tab Direction         Down           Contact Material         -           Contact Finish         Gold           Operating Temperature         0°C ~ 70°C		
Category         Connectors, Interconnects           Modular Connectors - Jacks With Magnetics           Package         -           Series         ARJ11B           Connector Type         RJ45           Number of Ports         1           Number of Rows         1           Applications         10/100 Base-T, AutoMDIX           Mounting Type         Through Hole           Orientation         90° Angle (Right)           Termination         Solder           Height Above Board         0.545" (13.84mm)           LED Color         Does Not Contain LED           Number of Cores per Jack         4           Shielding         Shielded, EMI Finger           Features         Board Lock           Tab Direction         Down           Contact Material         -           Contact Finish         Gold           Operating Temperature         0°C ~ 70°C	Manufacturer Part Number	ARJ11B-MASAA-MU2
Package-SeriesARJ11BConnector TypeRJ45Number of Ports1Number of Rows1Applications10/100 Base-T, AutoMDIXMounting TypeThrough HoleOrientation90° Angle (Right)TerminationSolderHeight Above Board0.545" (13.84mm)LED ColorDoes Not Contain LEDNumber of Cores per Jack4ShieldingShielded, EMI FingerFeaturesBoard LockTab DirectionDownContact Material-Contact FinishGoldOperating Temperature0°C ~ 70°C	Manufacturer	Abracon LLC
Package         -           Series         ARJ11B           Connector Type         RJ45           Number of Ports         1           Number of Rows         1           Applications         10/100 Base-T, AutoMDIX           Mounting Type         Through Hole           Orientation         90° Angle (Right)           Termination         Solder           Height Above Board         0.545" (13.84mm)           LED Color         Does Not Contain LED           Number of Cores per Jack         4           Shielding         Shielded, EMI Finger           Features         Board Lock           Tab Direction         Down           Contact Material         -           Contact Finish         Gold           Operating Temperature         0°C ~ 70°C	Category	Connectors, Interconnects
Series         ARJ11B           Connector Type         RJ45           Number of Ports         1           Number of Rows         1           Applications         10/100 Base-T, AutoMDIX           Mounting Type         Through Hole           Orientation         90° Angle (Right)           Termination         Solder           Height Above Board         0.545" (13.84mm)           LED Color         Does Not Contain LED           Number of Cores per Jack         4           Shielding         Shielded, EMI Finger           Features         Board Lock           Tab Direction         Down           Contact Material         -           Contact Finish         Gold           Operating Temperature         0°C ~ 70°C		Modular Connectors - Jacks With Magnetics
Connector TypeRJ45Number of Ports1Number of Rows1Applications10/100 Base-T, AutoMDIXMounting TypeThrough HoleOrientation90° Angle (Right)TerminationSolderHeight Above Board0.545" (13.84mm)LED ColorDoes Not Contain LEDNumber of Cores per Jack4ShieldingShielded, EMI FingerFeaturesBoard LockTab DirectionDownContact Material-Contact FinishGoldOperating Temperature0°C ~ 70°C	Package	-
Number of Ports1Number of Rows1Applications10/100 Base-T, AutoMDIXMounting TypeThrough HoleOrientation90° Angle (Right)TerminationSolderHeight Above Board0.545" (13.84mm)LED ColorDoes Not Contain LEDNumber of Cores per Jack4ShieldingShielded, EMI FingerFeaturesBoard LockTab DirectionDownContact Material-Contact FinishGoldOperating Temperature0°C ~ 70°C	Series	ARJ11B
Number of Rows1Applications10/100 Base-T, AutoMDIXMounting TypeThrough HoleOrientation90° Angle (Right)TerminationSolderHeight Above Board0.545" (13.84mm)LED ColorDoes Not Contain LEDNumber of Cores per Jack4ShieldingShielded, EMI FingerFeaturesBoard LockTab DirectionDownContact Material-Contact FinishGoldOperating Temperature0°C ~ 70°C	Connector Type	RJ45
Applications  Mounting Type  Through Hole  Orientation  90° Angle (Right)  Termination  Solder  Height Above Board  LED Color  Number of Cores per Jack  Shielding  Shielded, EMI Finger  Features  Board Lock  Tab Direction  Contact Material  Contact Finish  Operating Temperature  10/100 Base-T, AutoMDIX  Through Hole  10/20 Base-T, AutoMDIX  10/100 Base-T, AutoMDIX  10/100 Base-T, AutoMDIX  10/20 Base-Tate  10/	Number of Ports	1
Mounting Type Through Hole Orientation 90° Angle (Right) Termination Solder Height Above Board 0.545" (13.84mm) LED Color Does Not Contain LED Number of Cores per Jack 4 Shielding Shielded, EMI Finger Features Board Lock Tab Direction Down Contact Material - Contact Finish Gold Operating Temperature 0°C ~ 70°C	Number of Rows	1
Orientation 90° Angle (Right) Termination Solder Height Above Board 0.545" (13.84mm)  LED Color Does Not Contain LED  Number of Cores per Jack 4  Shielding Shielded, EMI Finger  Features Board Lock  Tab Direction Down  Contact Material -  Contact Finish Gold  Operating Temperature 0°C ~ 70°C	Applications	10/100 Base-T, AutoMDIX
Termination Solder  Height Above Board 0.545" (13.84mm)  LED Color Does Not Contain LED  Number of Cores per Jack 4  Shielding Shielded, EMI Finger  Features Board Lock  Tab Direction Down  Contact Material -  Contact Finish Gold  Operating Temperature 0°C ~ 70°C	Mounting Type	Through Hole
Height Above Board  LED Color  Does Not Contain LED  Number of Cores per Jack  Shielding  Shielded, EMI Finger  Features  Board Lock  Tab Direction  Down  Contact Material  Contact Finish  Gold  Operating Temperature  0.545" (13.84mm)  Does Not Contain LED  A  Gontact Material  Contact Material  O°C ~ 70°C	Orientation	90° Angle (Right)
LED ColorDoes Not Contain LEDNumber of Cores per Jack4ShieldingShielded, EMI FingerFeaturesBoard LockTab DirectionDownContact Material-Contact FinishGoldOperating Temperature0°C ~ 70°C	Termination	Solder
Number of Cores per Jack  Shielding Shielded, EMI Finger  Features Board Lock  Tab Direction Down  Contact Material - Contact Finish Gold  Operating Temperature  4  Shielded, EMI Finger  Board Lock  Foat Lock  Gown  Covary  Covary	Height Above Board	0.545" (13.84mm)
Shielding Shielded, EMI Finger  Features Board Lock  Tab Direction Down  Contact Material -  Contact Finish Gold  Operating Temperature 0°C ~ 70°C	LED Color	Does Not Contain LED
Features Board Lock Tab Direction Down  Contact Material - Contact Finish Gold  Operating Temperature 0°C ~ 70°C	Number of Cores per Jack	4
Tab Direction Down  Contact Material -  Contact Finish Gold  Operating Temperature 0°C ~ 70°C	Shielding	Shielded, EMI Finger
Contact Material - Contact Finish Gold Operating Temperature $0^{\circ}\text{C} \sim 70^{\circ}\text{C}$	Features	Board Lock
Contact Finish Gold Operating Temperature $0^{\circ}\text{C} \sim 70^{\circ}\text{C}$	Tab Direction	Down
Operating Temperature $0^{\circ}\text{C} \sim 70^{\circ}\text{C}$	Contact Material	-
	Contact Finish	Gold
Report errors?	Operating Temperature	0°C ~ 70°C
		Report errors?

#### **ARJ11B-MASAA-MU2 Guarantees**



### **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

#### **ARJ11B-MASAA-MU2 Payment Methods**



















## **ARJ11B-MASAA-MU2 Shipping Methods**













If you have any question about ARJ11B-MASAA-MU2, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com