



## **ARN12A24 Information**

Heisener.com

Part Number ARN12A24

Manufacturer Panasonic Electric Works

**Category** Relays

Signal Relays, Up to 2 Amps

**Description** RELAY RF SPDT 24V

Package -

For the pricing/inventory/lead time, please contact

us

For Reference Only

Website: https://www.heisener.com
E-mail: salesdept@heisener.com

Request a Quote



Heisener's commitment to quality has shaped our processes for sourcing, testing, shipping, and every step in between. This foundation underlies each component we sell.









<b>ARN12A24</b>	Specification	ons
-----------------	---------------	-----

Manufacturer Part Number  Manufacturer  Panasonic Electric Works  Relays  Signal Relays, Up to 2 Amps  Package  - Series  ARN  Relay Type  RF  Coil Type  Latching, Dual Coil  Coil Current  16.7mA  Coil Voltage  Contact Form  Contact Rating (Current)  Switching Voltage  Turn On Voltage (Max)  Turn Off Voltage (Min)  Operate Time  Sms  Relays  Relays  Latching, Up to 2 Amps  - Suppose ARN  Relay Type  RF  Coil Type  Latching, Dual Coil  16.7mA  24VDC  24VDC  5PDT (1 Form C)  - SPDT (1 Form C)  - Switching Voltage  - Turn Off Voltage (Max)  Turn Off Voltage (Min)  Operate Time  5ms  Release Time  5ms		
Category  Relays  Signal Relays, Up to 2 Amps  Package  - Series  ARN  Relay Type  RF  Coil Type  Latching, Dual Coil  Coil Current  16.7mA  Coil Voltage  24VDC  Contact Form  SPDT (1 Form C)  Contact Rating (Current)  Switching Voltage  - Turn On Voltage (Max)  Turn Off Voltage (Min)  Operate Time  Relays  Signal Relay	Manufacturer Part Number	ARN12A24
Signal Relays, Up to 2 Amps Package - Series ARN Relay Type RF Coil Type Latching, Dual Coil Coil Current 16.7mA Coil Voltage 24VDC Contact Form SPDT (1 Form C) Contact Rating (Current) - Switching Voltage - Turn On Voltage (Max) Turn Off Voltage (Min) Operate Time 5ms	Manufacturer	Panasonic Electric Works
Package - Series ARN Relay Type RF Coil Type Latching, Dual Coil Coil Current 16.7mA Coil Voltage 24VDC Contact Form SPDT (1 Form C) Contact Rating (Current) - Switching Voltage - Turn On Voltage (Max) 18 VDC Turn Off Voltage (Min) Operate Time 5ms	Category	Relays
Series ARN Relay Type RF Coil Type Latching, Dual Coil Coil Current 16.7mA Coil Voltage 24VDC Contact Form SPDT (1 Form C) Contact Rating (Current) Switching Voltage - Turn On Voltage (Max) 18 VDC Turn Off Voltage (Min) Operate Time 5ms		Signal Relays, Up to 2 Amps
Relay Type RF Coil Type Latching, Dual Coil Coil Current 16.7mA Coil Voltage 24VDC Contact Form SPDT (1 Form C) Contact Rating (Current) - Switching Voltage - Turn On Voltage (Max) 18 VDC Turn Off Voltage (Min) - Operate Time 5ms	Package	-
Coil Type Latching, Dual Coil Coil Current 16.7mA Coil Voltage 24VDC Contact Form SPDT (1 Form C) Contact Rating (Current) - Switching Voltage - Turn On Voltage (Max) 18 VDC Turn Off Voltage (Min) - Operate Time 5ms	Series	ARN
Coil Current 16.7mA  Coil Voltage 24VDC  Contact Form SPDT (1 Form C)  Contact Rating (Current) -  Switching Voltage -  Turn On Voltage (Max) 18 VDC  Turn Off Voltage (Min) -  Operate Time 5ms	Relay Type	RF
Coil Voltage 24VDC  Contact Form SPDT (1 Form C)  Contact Rating (Current) -  Switching Voltage -  Turn On Voltage (Max) 18 VDC  Turn Off Voltage (Min) -  Operate Time 5ms	Coil Type	Latching, Dual Coil
Contact Form SPDT (1 Form C)  Contact Rating (Current)  Switching Voltage  - Turn On Voltage (Max)  Turn Off Voltage (Min)  Operate Time  SPDT (1 Form C)  - Spot Spot Spot Spot Spot Spot Spot Spot	Coil Current	16.7mA
Contact Rating (Current)  Switching Voltage  - Turn On Voltage (Max)  18 VDC  Turn Off Voltage (Min)  Operate Time  5ms	Coil Voltage	24VDC
Switching Voltage - Turn On Voltage (Max) 18 VDC Turn Off Voltage (Min) - Operate Time 5ms	Contact Form	SPDT (1 Form C)
Turn On Voltage (Max)  18 VDC  Turn Off Voltage (Min)  Operate Time  5ms	Contact Rating (Current)	-
Turn Off Voltage (Min)  Operate Time  5ms	Switching Voltage	-
Operate Time 5ms	Turn On Voltage (Max)	18 VDC
	Turn Off Voltage (Min)	-
Release Time 5ms	Operate Time	5ms
	Release Time	5ms
Features Sealed - Flux Protection	Features	Sealed - Flux Protection
Mounting Type Surface Mount	Mounting Type	Surface Mount
Termination Style Gull Wing	Termination Style	Gull Wing
Report errors?		Report errors?

### **ARN12A24 Guarantees**



## **Quality Guarantees**

We provide 90 days warranty. \*

If the items you received were not in perfect quality, we would be responsible for your refund or replacement, but the items must be returned in their original condition.



#### **Service Guarantees**

We guarantee 100% customer satisfaction.

Our experienced sales team and tech support team back our services to satisfy all our customers.

# **ARN12A24 Payment Methods**



















## **ARN12A24 Shipping Methods**













If you have any question about ARN12A24, please do not hesitate to contact us!

Website: https://www.heisener.com E-mail: salesdept@heisener.com